

8 NEW PRODUCT LINES
53 NEW MODELS

L LAKESIDE®

MOVING FOODSERVICE FORWARD™



Colleges & Universities



Healthcare



Business & Industry

World's Leading Manufacturer of

Foodservice Utility Carts

10,000+
Utility Cart Configurations

Standard
Modifiable
Custom

Modify standard products or custom build what you need.



K-12 Schools



Hospitality



Corrections



WHAT'S NEW
SEE PAGES 6-8

COMING SOON
SEE PAGE 9



MADE IN THE USA

Over 1000+ problem solvers for moving, storing, dispensing and merchandising. Designed/manufactured in the USA!

PRODUCT GUIDE

eLakesideFoodservice.com

100+ NEW VIDEOS added Spring 2015

eLakesideFoodservice.com/videos



BE A PART OF OUR **CONVERSATION**

Lakeside has been a leader in mobile transport and serving equipment for more than 65 years.

Join us in our goal of developing additional products that keep *MOVING FOODSERVICE FORWARD!*

Connect with us online at:



Like us on Facebook

facebook.com/lakesidefoodservice



Follow us on Twitter

@Lakeside_FS



Connect with us on LinkedIn

linkedin.com/company/lakeside-manufacturing



View us on YouTube

MOVING, STORING, DISPENSING & MERCHANDISING

Why Lakeside?

- New Products 6
- Worldwide Leader in Utility Carts 10
- Cart Comparison Guide 13
- Choosing the Right Cart 16
- Standard, Modifiable & Custom Products 18
- Markets 26

UTILITY CARTS

1 STANDARD DUTY <small>300 LBS 135 KG</small>	STANDARD DUTY DURABILITY INDEX GUIDE 28
	Traditional Utility Carts 30
	Front-of-the-House Plastic Utility Carts 31
	Handler™ Series Utility Carts 32
	Ergo-One® System Utility Carts 33
2 MEDIUM DUTY <small>500 LBS 230 KG</small>	MEDIUM DUTY DURABILITY INDEX GUIDE 34
	Front-of-the-House Plastic Utility Carts 36
	Deep Well Plastic Utility Cart 37
	Traditional Utility Carts 38
	Guard Rail Utility Cart 38
	Tubular Utility Carts 39
	Handler™ Series Utility Carts 40
	Ergo-One® System Utility Carts 41
3 HEAVY DUTY <small>700 LBS 320 KG</small>	HEAVY DUTY DURABILITY INDEX GUIDE 42
	Traditional Utility Carts 44
	Deep Shelf Utility Carts 45
	Guard Rail Utility Carts 45
	Handler™ Series Utility Carts 46
	Ergo-One® System Utility Carts 47
4 TOUGH TRANSPORT <small>1000 LBS 450 KG</small>	TOUGH TRANSPORT® DURABILITY INDEX GUIDE 48
	Traditional Utility Carts 50
	Ergo-One® System Utility Carts 51
	Handler™ Series Utility Carts 51
5 EXTREME DUTY <small>1500 LBS 680 KG</small>	EXTREME DUTY® DURABILITY INDEX GUIDE 52
	Square Tube Frame Utility Cart 54
	Traditional Utility Cart 54
	Utility Cart Accessories 55
	BUSSING CARTS
	Enclosed Bussing Carts 57
	Vinyl and Laminate Finishes 57
	MULTI-SHELF CARTS
	Multi-Shelf Carts 60

Price List available through
AutoQuotes or at
eLakesideFoodservice.com/catalog



Price List available through
AutoQuotes or at
eLakesideFoodservice.com/catalog

MOVING, STORING, DISPENSING & MERCHANDISING

DISPENSING64

HOW TO SELECT PLATE DISPENSERS 66

EXPRESS HEAT™ ADJUST-A-FIT® PLATE DISPENSER CABINETS 68

EXPRESS HEAT™ REGULAR PLATE DISPENSER CABINETS 69

CONVECTION HEATED PLATE DISPENSER CABINETS 70

New PELLET DISPENSING ACCESSORIES 70

HEATED PELLET DISPENSER CABINETS 71

HEATED PELLET AND PLATE DISPENSER CABINETS 71

OVAL PLATE DISPENSER CABINETS 72

SQUARE PLATE DISPENSER CABINETS 73

REGULAR PLATE DISPENSER CABINETS 74

ADJUST-A-FIT® PLATE DISPENSER CABINETS 76

SQUARE PLATE DISPENSER DROP-INS 77

OVAL PLATE DISPENSER DROP-INS 77

ADJUST-A-FIT® PLATE DISPENSER DROP-INS 78

ADA COMPLIANT ADJUST-A-FIT® PLATE DISPENSER DROP-INS 78

PLATE DISPENSER DISH COVERS AND TRAYS 79

REGULAR PLATE DISPENSER DROP-INS 80

ADA COMPLIANT DISPENSER DROP-INS 80

ADJUST-A-FIT® TUBULAR PLATE DISPENSER 82

REGULAR TUBULAR PLATE DISPENSER 83

MOBILE CANTILEVER DISPENSERS 84

MOBILE TRAY AND GLASS RACK DISPENSERS 84

TRAY STARTER MOBILE STATIONS 85

TRAY AND FLATWARE/CONDIMENT CARTS 88

VINYL AND LAMINATE FINISHES 88

DROP-IN TRAY AND GLASS RACK DISPENSERS 89

MOBILE GLASS AND CUP RACKS 89

MOBILE MERCHANDISING90

BREAKOUT DINING STATION 92

New BUSSING/SETUP STATIONS 94

New WASTE & RECYCLING STATIONS 96

BEVERAGE SERVICE CARTS 98

DROP-LEAF BEVERAGE SERVICE CARTS 99

CREATION STATION™ MOBILE COOKING/ACTION STATION 100

CREATION EXPRESS® MOBILE COOKING/ACTION STATION 102

New ALLERGEN-AWARENESS COOKING/ACTION STATION 103

MART CARTS (MULTI DAYPART CARTS) 104

COMPACT MART CART (MULTI DAYPART CARTS) 105

SERV'N EXPRESS® MOBILE KIOSK (MULTI DAYPART CARTS) 106

New BREAKFAST CART (MULTI DAYPART CARTS) 108

COFFEE KIOSKS (MULTI DAYPART CARTS) 110

New HYDRATION/ NUTRITION CARTS 112

CONDI EXPRESS® 116

CONDI EXPRESS® DISPENSING OPTIONS & CONFIGURATIONS 117

E-Z SERVE™ CONDIMENT CARTS 118

CASHIER STAND 120

MOBILE HAND WASHING STATIONS 121

SERVE-ALL™ MOBILE FOOD STATIONS 122

ICE CARTS 123

TRAY STAND 123

PORTABLE BARS 124

VINYL & LAMINATE FINISHES 125

ROOM SERVICE TABLES 126

FOOD CARRIER BOXES 126

HOT BOX RACKS 127

MEAL DELIVERY128

DUAL TEMPERATURE TRANSPORT CARTS130

New DCD SERIES TRAY DELIVERY CARTS132

PREMIER SERIES™ TRAY DELIVERY CARTS134

ELITE SERIES™ TRAY DELIVERY CARTS135

PREMIER SERIES™ LOW PROFILE TRAY DELIVERY CARTS136

ELITE SERIES™ LOW PROFILE TRAY DELIVERY CARTS137

COMPACT TRAY DELIVERY CARTS138

ECONOMICAL TRAY DELIVERY CARTS139

ENCLOSED LATE TRAY DELIVERY/ PICK-UP CARTS139

DELIVERY CART ACCESSORIES139

ELITE SERIES™ ENCLOSED ROOM SERVICE/
LATE TRAY DELIVERY CARTS140

ROOM SERVICE/ LATE TRAY DELIVERY/ PICK-UP CARTS140

DRYING RACKS141

STORAGE & TRANSPORT142

SOILED DISH BREAKDOWN CART144

QUEEN MARY BANQUET CARTS, TOUGH TRANSPORT®145

QUEEN MARY BANQUET CARTS, EXTREME DUTY®146

OVAL TRAY CARTS146

STORE 'N CARRY DISH CARTS147

DISH CART ACCESSORIES147

BOWL STANDS148

MACHINE STANDS148

WING TABLES149

WORK TABLES149

NARROW OPENING SHEET PAN AND TRAY RACKS150

PAN AND TRAY RACKS151

ROLL-IN COOLER AND PROOFER RACKS152

POLYCARBONATE BOX AND STEAM TABLE PAN RACKS153

ROLL-IN COOLER RACKS - ALUMINUM154

EXTREME DUTY® ROLL-IN COOLER RACKS155

KD RACKS FOR SHEET PANS AND TRAYS155

"Z" TYPE NESTING PAN AND TRAY RACKS155

New RACK ACCESSORIES156

DUNNAGE RACKS157

TRANSPORT AND DELIVERY CABINETS158

CAN STORAGE AND DISPENSING RACKS159

PLUSPOWER™ PLATFORM TRUCKS160

PLUSPOWER™ TUG161

UNIVERSAL HITCH SYSTEM161

CUP/ GLASS RACK DOLLIES162

SHEET PAN DOLLIES162

DUAL HANDLE PLATFORM TRUCKS163

SINGLE HANDLE PLATFORM TRUCKS163

NEW! PRISON BILT
Extreme Duty Products **PERIOD**

CORRECTIONAL GRADE EQUIPMENT164

SHEET PAN DRYING RACK166

ADJUSTABLE HEAVY-DUTY TRAY DRYING RACK167

STAINLESS STEEL CAN RACKS, FULL AND HALF SIZE167

ALUMINUM DUNNAGE RACKS168

ALUMINUM OPEN PAN RACK168

ALUMINUM ENCLOSED PAN RACK168

CUP/DISH RACK DOLLY169

ALUMINUM UTILITY CART169

HEAVY-DUTY STAINLESS STEEL UTILITY CARTS170

HEAVY-DUTY ALUMINUM PLATFORM TRUCK171

FULLY WELDED SHELVING171

HEAVY DUTY MOBILE MIXING BOWL STAND172

ANODIZED ALUMINUM HEATED TRANSPORT CABINET173

2-SHELF OPEN TRAY DELIVERY CART174

DUAL TEMPERATURE MEAL DELIVERY CARTS175

MEAL AND BEVERAGE DELIVERY CART176

TRANSPORT SERVER177

FULLY WELDED EXTREME DUTY STEAM TABLE178

INDEX180

MODEL INDEX180

ALPHABETICAL INDEX184

WARRANTY & TERMS OF SALE18



NOW AVAILABLE!

INTRODUCED FEBRUARY 2015

ALLERGEN AWARENESS PRODUCTS

See pages 38, 57, 103, 125



Many products can be color-coded purple to promote ALLERGEN-AWARENESS

TRAY DELIVERY CARTS with CUSTOM GRAPHIC CAPABILITIES

See pages 132-133



Custom Graphics



MULTI DAYPART MOBILE KIOSKS

See pages 104-111



Customize with different looks throughout the day.

Learn about our **NEW** products:
eLakesideFoodservice.com/new



BUSSING/SETUP STATIONS

See pages 94-95



Liquid waste drains to a sealed 7-gallon receptacle



WASTE & RECYCLING STATIONS

See pages 96-97



#2412

Perfect for Wheeled Refuse Bins

MOBILE HYDRATION & BEVERAGE STATIONS

STAFFED

See pages 104-107, 112

SELF SERVE


See page 98, 99, 113



**NOW
AVAILABLE!**

INTRODUCED **FEBRUARY 2015**

DISH DISPLAY **DOLLY**



#402

MOBILE WINE
MERCHANDISER



#509

ALL-TERRAIN
CATERING CART



#811

Learn about our **NEW** products:
eLakesideFoodservice.com/new



COMING **SUMMER 2015**

HEATED DISH DISPENSER


*NEW HIGH PERFORMANCE,
ENERGY SAVING HEATING SYSTEM*



FRONT-OF-HOUSE DESIGNER UTILITY CART



ACTION STATIONS



#532



#502





LAKESIDE®

WORLD'S LEADING
MANUFACTURER OF

UTILITY CARTS



BEST IN CLASS PERFORMANCE

Not only did Lakeside pioneer the stainless steel utility cart, we've spent 65 years perfecting every aspect of it. We think we're good, but because Dealers, Consultants and Broadliners chose our carts above all others, you know we're the best.

More than 65 years ago, Lakeside innovated the stainless steel utility cart. ...

While Lakeside still features this classic and popular 311 cart, we continue to expand our line to provide the most complete selection of utility carts available. From economical plastic to innovative ergonomic carts, our seemingly endless variations and feature combinations will satisfy your every need!

World's Leading Manufacturer of Food Service Utility Carts

Millions sold since 1946!

More than 10,000 configurations and growing:

Numerous shelf sizes, caster types, bumper styles, and materials. Our knowledgeable CSRs can help you choose the right cart... Because sometimes you want a cart that:

- Can roll easily on carpet
- Is easy to clean and sanitize
- Hauls heavy loads over various surfaces
- Is pleasing to look at
- Maneuvers tight spaces
- Is ergonomic (easier to load/unload and maneuver)
- Protects facility walls
- Delivers overall value

And so much more!

Largest Selection of Weight Capacities

1 STANDARD DUTY 300 LBS 135 KG	2 MEDIUM DUTY 500 LBS 230 KG	3 HEAVY DUTY 700 LBS 320 KG
4 TOUGH TRANSPORT 1000 LBS 450 KG	5 EXTREME DUTY 1500 LBS 680 KG	



Industry leading ship times from our U.S. factories.

90% OF STANDARD PRODUCTS SHIP IN **3** DAYS OR LESS
AN AVERAGE OF

AWARD-WINNING QUALITY



AMERICA'S FIRST AND STILL BEST-SELLING FOOD SERVICE UTILITY CART MANUFACTURER!



AT-A-GLANCE CART COMPARISON GUIDE

For the convenience of our customers, we have assembled an “at-a-glance” cart comparison guide for each of our utility cart categories. Lakeside manufactures hundreds of carts, so to make this guide less cumbersome, we only compare the top selling models within each category. Carts are categorized by their Durability Index rating, a metric derived from load capacity, intended use, work environment, and projected hours of service. The table below details the design elements within these Durability Index categories that determines final cart ratings.

STANDARD DUTY (300 LBS | 135 KG)

Durability Index Rating	Stainless Steel Gauge*		Shelf Reinforcement	Shelf / Handle Weld Type †	Frame Design	Casters	
	Shelves	Legs				Size	Material
1 STANDARD DUTY 300 LBS 135 KG	22	20	Hemmed Front	Unitized Electronic	Angle Leg	3-1/2" to 4"	Rubber or Polyurethane

*Shelf, frame and stainless steel information does not apply to Model 2500. * The LOWER the number, the STRONGER the steel. † Vertical handles are bolted to frames*

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Page Number	FedEx UPS
				W	L	H				
311	3	15-1/2" x 24" (394 x 610)	11-3/4" (298)	16-1/4" (413)	27-1/2" 699	32-1/8" 816)	All swivel	3-1/2" (89)	26	OK
322	3	18" x 27" (457 x 686)	12-1/4" (311)	18-3/8" (467)	30-3/4" 781	33" 838)	All swivel	3-1/2" (89)	26	NA
316	3	15-1/2" x 24" (394 x 610)	9-1/4" (235)	16-1/4" (413)	27-1/2" 699	33-3/8" 848)	All swivel	3-1/2" (89)	26	OK
2500	3	16" x 25- 1/2" (406 x 647)	11- 1/2" (292)	17-1/2" (444)	31- 3/4" 806	38" 965)	All swivel 2 w/brake	4" (102)	27	OK KD



#311



#322



#316



#2500



MEDIUM DUTY (500 LBS | 230 KG)

Durability Index Rating	Stainless Steel Gauge*		Shelf Reinforcement	Shelf / Handle Weld Type†	Frame Design	Casters	
	Shelves	Legs				Size	Material
2 MEDIUM DUTY 500 LBS 230 KG	20	16	Hemmed Front	Unitized Electronic	Angle Leg or Tubular	4" or 5"	Rubber or Polyurethane

Shelf, frame and stainless steel information does not apply to Models 2510 and 2512. * The LOWER the number, the STRONGER the steel. † Vertical handles are bolted to frames



Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Page Number	FedEx UPS
				W	L	H				
411	3	15- 1/2" x 24" (394 x 610)	11- 1/2" (292)	16-3/4" (425)	27-5/8" (702)	32" (813)	All Swivel	4" (102)	22	OK
422	3	18" x 27" (457 x 686)	11- 1/2" (292)	19" (483)	31" (787)	32" (813)	All Swivel	4" (102)	22	NA
444	3	21" x 35" (533 x 889)	13- 1/8" (333)	22-3/8" (568)	39- 1/4" (997)	37- 1/4" (946)	All Swivel	5" (127)	22	NA
244	3	21" x 33" (533 x 838)	10-3/4" (273)	10-3/4" (273)	22" (559)	36" (914)	All Swivel	5" (127)	23	NA
493	3	21" x 33" (533 x 838)	10-3/4" (273)	23" (584)	36" (914)	40- 1/8" (1019)	All Swivel	5" (127)	23	NA
2510	3	16-3/4" x 29-1/2" (425 x 749)	11" (279)	20" (508)	42" (1067)	37-1/2" (953)	All Swivel	4" (102)	20	OK KD
2512	3	16-3/4" x 29-1/2" (425 x 749)	11" (279)	20" (508)	42" (1067)	37-1/2" (953)	All Swivel	4" (102)	20	OK KD

HEAVY DUTY (700 LBS | 320 KG)

Durability Index Rating	Stainless Steel Gauge*		Shelf Reinforcement	Shelf / Handle Weld Type†	Frame Design	Casters/Wheels	
	Shelves	Legs				Size	Material
3 HEAVY DUTY 700 LBS 320 KG	18	1/8" thick	Hemmed Front	Unitized Electronic	"U" Frame	5" and 8"	Thermoplastic Rubber (TPR)

* The LOWER the number, the STRONGER the steel. † Vertical handles are bolted to frames



Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Page Number
				W	L	H			
744	3	21" x 33" (533 x 838)	11-3/8" (289)	22-3/8" (568)	38-5/8" (981)	37-1/8" (943)	2-swivel 2-fixed	5" (127) 8" (203)	40
544**	3	21" x 33" (533 x 838)	11-3/8" (289)	22-3/8" (568)	38-5/8" (981)	37-1/8" (943)	2-swivel 2-fixed	5" (127) 8" (203)	40
722	3	18" x 27" (457 x 686)	10" (254)	19-3/8" (492)	32-5/8" (829)	35-1/2" (876)	2-swivel 2-fixed	5" (127) 8" (203)	40
743	2	21" x 33" (533 x 838)	21" (533)	22-3/8" (568)	38-5/8" (981)	37-1/8" (943)	2-swivel 2-fixed	5" (127) 8" (203)	40
522**	3	18" x 27" (457 x 686)	10" (254)	19-3/8" (492)	32-5/8" (829)	35-1/2" (876)	2-swivel 2-fixed	5" (127) 8" (203)	40
727	2	21" x 33" (533 x 838)	19-1/4" (489)	22-1/4" (565)	38" (964)	37-1/4" (945)	2-swivel 2-fixed	5" (127) 8" (203)	41

**NSF Listed

TOUGH TRANSPORT® (1000 LBS | 450 KG)

Durability Index Rating	Stainless Steel Gauge *		Shelf Reinforcement	Shelf / Handle Weld Type †	Frame Design	Casters/Wheels	
	Shelves	Legs				Size	Material
4 TOUGH TRANSPORT 1000 LBS 450 KG	14	1/8" thick	Hemmed Front	Unitized Full-Bead	"U" Frame	5" and 8"	Thermoplastic Rubber (TPR)

* The LOWER the number, the STRONGER the steel. † Vertical handles are bolted to frames



Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Page Number
				W	L	H			
944	3	21" x 33" (533 x 838)	11-3/8" (289)	22-3/4" (578)	39" 991	37-3/8" 949)	2 Swivel 2 Fixed	5" (120) 8" (203)	46
953	2	24" x 42" (610 x 1067)	21" (533)	25-3/4" (654)	48" 1219	37-3/8" 949)	2 Swivel 2 Fixed	5" (120) 8" (203)	46
949	3	24" x 36" (610 x 914)	11-3/8" (289)	25-7/8" (657)	42" 1067	37-3/8" 949)	2 Swivel 2 Fixed	5" (120) 8" (203)	46
947	2	24" x 36" (610 x 914)	21" (533)	25-7/8" (657)	42" 1067	37-3/8" 949)	2 Swivel 2 Fixed	5" (120) 8" (203)	46
7120	2	21" x 33" (533 x 838)	18-1/2" (470)	21-5/8" (549)	41-3/8" 1051	46-3/4" 1187)	2 Swivel 2 Fixed	5" (120) 8" (203)	47
7140	2	24" x 42" (610 x 1067)	18-1/2" (470)	24-5/8" (625)	50-7/16" 1281	46-3/4" 1187)	2 Swivel 2 Fixed	5" (120) 8" (203)	47

EXTREME DUTY® (1500 LBS | 680 KG)

Durability Index Rating	Stainless Steel Gauge *		Shelf Reinforcement	Shelf / Handle Weld Type †	Frame Design	Casters	
	Shelves	Legs				Size	Material
5 EXTREME DUTY 1500 LBS 680 KG	14	1/8" thick or 1" square tubing	Square Tubing Beneath	Unitized Full-Bead	Square Tubular or "U" Frame	6" to 8"	Polyurethane or Thermoplastic Rubber

* The LOWER the number, the STRONGER the steel. † Vertical handles are bolted to frames



Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Page Number
				W	L	H			
8820	2	21" x 33" (533 x 838)	27" (686)	22" (559)	35" 889	50-1/8" 1273)	2 Swivel 2 Fixed	6" (152) 8" (203)	50
8840	2	21" x 33" (533 x 838)	27" (686)	22" (559)	35" 889	50-1/8" 1273)	4 Swivel	8" (203)	50



CHOOSING THE RIGHT CART FOR YOUR OPERATION

A. ANSWER THESE QUESTIONS TO HELP YOU DETERMINE THE CART YOU NEED FOR YOUR OPERATION.

1. What will this cart typically transport?
2. What types of floor surfaces will the cart encounter on a daily basis?
3. How many hours per day will the cart be used?



B. COMPLETE THE LOAD CAPACITY CALCULATOR BELOW.

Listed below are typical foodservice working situations that affect the longevity of a cart. The intended use of the cart, floor surfaces and hours of operation need to be considered to purchase the right cart for the job. In other words, the best value cart – the cart that will provide years of service, not just months.

The calculator below assigns number values that relate to specific situations. Finish the calculator by totaling your answers. This gives you a number that coincides with the load capacity/ Durability Index rating needed for the carts in your foodservice establishment. All Lakeside carts have the Durability Index rating clearly stated to help you choose the right cart for the job.

LOAD CAPACITY CALCULATOR

1. What will this cart typically transport? (Estimate the weight of the load.)

Here are some examples with approximate weights:

- 2 cases of #10 cans of tomato sauce = 84 lbs.
- 2 bus tubs filled with 8 place settings = 70 lbs.
- 1 full size pan filled with mashed potatoes = 32 lbs.
- 1 18" x 26" x 8" box with 4 dz. flatware set-ups = 48 lbs.

Begin the calculator at 100 lbs., even if the weight is less than 100 lbs. Estimate the average weight per shelf of the loads the cart will be expected to transport, and then multiply by the number of shelves.

Add 100 if the load will be dropped onto the top shelf from a height more than 18".

Add 100 if the shelves are longer than 33".

2. What types of floor surfaces will the cart encounter on a daily basis? (Add all that apply)

If the floor surfaces are only smooth vinyl tile or smooth indoor concrete, no additional.

Ceramic tile or carpet, add 100 to the weight.

Thresholds or uneven outdoor surfaces, add 300 to the weight.

3. How many hours per day will the cart be used? (Choose only one.)

If the cart is used less than 3 hours per day (light use), no additional.

4-9 hours, add 100 (moderate use).

10-15 hours, add 200 (heavy use).

More than 16 hours, add 300 (harsh environment).

TOTAL LOAD CAPACITY REQUIRED

Total load capacity is determined by assuming the load is distributed evenly on all shelves. (This calculator can also be found on our web site: www.eLakeside.com)

C. CHOOSE THE STYLE OF CART THAT WILL WORK BEST.

1. Are work related injuries due to pushing heavy loads or repetitive loading and unloading a concern?

Ergo-One® Series could be your answer. If work related injuries are an issue, or a worker uses the cart for an extended period of time, select a cart with an ergonomic design.



Ergo-One® Series



Handler™ Series

2. Will the cart be used in a small or crowded kitchen environment?

Handler Series™ is ideal for compact areas. If maneuvering in tight kitchen spaces is a priority, the Handler Series, with a vertical one-piece handle and all swivel casters is a smart choice.

3. Do you want to secure items on the shelves during transport?

Guard Rail Carts and **Deep Shelf Carts** keep items from falling. Guard Rail Carts have front rails on all shelves prevent items from falling during transport. Deep Shelf Carts have 2-1/2" (64) to 3" (76) deep shelves to hold items securely in place.



Guard Rail Cart



Deep Shelf Cart

4. Do you need a cart that works in both kitchen and dining areas?

Front-of-the-House Plastic Utility Carts have an aesthetic appearance to perform dining area duties with style, but are sturdy enough for back-of-house applications.



Plastic Cart



LAKESIDE'S DURABILITY INDEX

Our Durability Index indicates how the cart will perform over time doing the tasks it was designed to do - not just the amount of weight the cart can hold. Each cart within a "Durability Index" category is designed and constructed to do typical tasks in typical foodservice situations. These incorporate the amount of weight the shelves will hold, the flooring types the cart is pushed over and the amount of time per day the cart is used.

Cart design criteria determines the durability of a cart over time. Here are the critical elements:

- Gauge of the stainless steel.
- How the stainless steel shelves are hemmed.
- Type of fastening used.
- Frame design.
- Caster size and wheel material.

Steel Gauge

The LOWER the number, the STRONGER the steel.

< LESS STRONG ————— STRONGER >
22 20 18 14



1 STANDARD DUTY
300 LBS | 135 KG

2 MEDIUM DUTY
500 LBS | 230 KG

3 HEAVY DUTY
700 LBS | 320 KG

4 TOUGH TRANSPORT
1000 LBS | 450 KG

5 EXTREME DUTY
1500 LBS | 680 KG

STANDARD, MODIFIABLE & CUSTOM

Lakeside can modify existing standard products or completely custom build one, offering you an endless variety of options! Our process is easy:

STEP 1: CONTACT US!

Let us know which model you'd like to modify for your application. If you don't see anything close from our standard offering, tell us your idea for a completely custom product.

STEP 2: FEEDBACK

With our years of design and customer service experience, we'll provide immediate feedback on a practical solution.

STEP 3: QUOTE

When a design for a modification or custom product is agreed upon, we'll provide a quote.

STEP 4: DRAWINGS

If your solution involves a modified or custom product, we'll produce line drawings to make sure we're on the right track.

STEP 5: PRODUCTION

After you agree to the design and price, and you've placed your order, we'll build and ship your product in two to four weeks (dependent on quantity).

STEP 6: SERVICE AFTER THE SALE

Once your product is in use, we'll be available to answer any questions and ensure your 100% satisfaction.

For more information, see:

eLakesideFoodservice.com/modifiable

In order to provide the ideal product solution for your application, there are three choices:

Sstandard

Standard catalog product with standard configuration and option choices.

Modifiable

Modifiable version of a standard product, beyond available configurations and options offered in the catalog. (Look for the 'Modifiable' symbol throughout this catalog, indicating products that are readily modifiable to meet your needs.)

Custom

Specially designed product for your unique application that is not based on any standard product shown in the catalog.

Sandard

Modifiable



Model 2085 -
Creation Express Cooking Cart



Sandard

Modifiable



Model 6750 -
Creation Express Cooking Cart



Sandard

Modifiable



Model 5500 -
Elite Series Enclosed
Room Service Cart




Sandard

Modifiable



Model 5628 -
Elite Series Low Profile Tray Delivery Cart




Sandard

Modifiable



Model 5720 -
Elite Series Tray Delivery Cart



Sandard

Modifiable



Model 997 -
Mobile Glass Rack Dispenser



Custom



Breakfast Prep Counter



Urn Transport Cart



Induction Cooking Station



Breeding Station



Biscuit/Bacon Holding Station



Bakery Rack

SERVICE CARTS

Sstandard



Model 6855 - Breakout Dining Station

Modifiable



Built-in induction cooking stoves

Sstandard



Model 675 - Drop-Leaf Beverage Bar

Modifiable



- Divided interior compartment
- Drop-in ice compartment



- Brass top rails
- Drop-in dish dispensers

For more information, see:

eLakesideFoodservice.com/modifiable

PORTABLE BARS

Standard



Model 886 - Portable Bar

Modifiable



Custom graphics



Self-contained hand sink

Standard




Model 76110 - Portable Bar

Modifiable



All stainless steel bar



- Built-in hand washing station
- Extended length
- Custom front panels

Standard



Model 76214 - Portable Bar

Modifiable



Bar with matching mobile hand sink



Extended length

For more information, see:

eLakesideFoodservice.com/modifiable

ACTION STATIONS



Sstandard



Model 307010 -
Creation Station Action Station



Modifiable



For more information, see:

eLakesideFoodservice.com/modifiable

CONDIMENT CARTS

Sandard



Model 70211 -
E-Z Serve Condiment Cart

Model 70270 -
E-Z Serve Condiment Cart



Modifiable



Custom



Creative, unique design with multiple serving heights

IN-BUILDING FOODSERVICE LOGISTICS

Moving, Storing, Dispensing and Merchandising

BUSINESS & INDUSTRY



UTILITY



.....
K-12 SCHOOLS



HEALTHCARE



CARTS



HOSPITALITY



COLLEGES & UNIVERSITIES



SEARCH BY MARKET SEGMENT



COLLEGE & UNIVERSITY / K-12 FOODSERVICE

- Breakfast/Snack Multi Daypart Cart108, 109
- Breakout Dining Station92 to 93
- Cashier Stand120
- Condiment Carts116 to 119
- Enclosed Service Carts57 to 59
- Ergo-One® System Utility Carts33, 41, 47, 51
- Handwashing Stations121
- Ice Carts123
- Medium/Heavy Duty Utility Carts35 to 47
- Pan & Tray Racks150 to 151
- Serv 'N Express® Mobile Kiosk106 to 107
- Tray & Flatware/Condiment Carts88



HOSPITALITY FOODSERVICE

- Allergen-Awareness Mobile Cooking/Action Stations103
- Breakout Dining Station92 to 93
- Condiment Carts116 to 119
- Mobile Cooking/Action Stations100 to 103
- Enclosed Bussing/Service Carts57 to 59
- Handwashing Stations121
- Ice Carts123
- Pan & Tray Racks150 to 153
- Plate Dispensers68 to 83
- Portable Bars124
- Soiled Dish Breakdown Cart144
- Transport Cabinets158
- Tray Dispensers84-86





HEALTHCARE FOODSERVICE

- Breakout Dining Station92 to 93
- Cantilever Tray Leveler84
- Mobile Cooking/Action Stations100 to 103
- Dual Temperature Transport Carts130 to 131
- Heated Plate/Pellet Dispensers70-71
- Heavy Duty Utility Carts43 to 47
- Mobile Hydration/Nutrition Stations112 to 115
- Ice Carts123
- Multi Daypart/Mart Carts104 to 105
- Room Service Carts139 to 140
- Tray Delivery Carts132 to 138
- Tray Drying Racks141
- Tray Starter Station87



BUSINESS & INDUSTRY FOODSERVICE

- Beverage Service Carts98 to 99
- Breakout Dining Station92 to 93
- Coffee Kiosk110 to 111
- Condiment Carts116 to 119
- Breakfast/Snack Multi Daypart Cart100 to 103
- Dual Temperature Transport Carts130 to 131
- Enclosed Bussing/Service Carts57 to 59
- Multi Daypart/Mart Carts104 to 105
- Pan and Tray Racks150 to 153
- PlusPower™ Platform Truck & Tug160 to 161
- Standard Utility Carts29 to 33
- Transport Cabinets158
- Tray Drying Racks141



PRISON BILT™

Extreme Duty Products **PERIOD**

CORRECTIONAL GRADE FOODSERVICE

- Can Racks167
- Cup/Dish Rack Dolly169
- Drying Racks166 to 167
- Dunnage Racks168
- Heated Transport Cabinet173
- Meal and Beverage Delivery Carts175 to 176
- Mixing Bowl Stand, Mobile172
- Pan Racks168
- Platform Truck171
- Shelving171
- Steam Table178
- Transport Server177
- Tray Delivery Cart174
- Utility Carts169 to 170






DURABILITY INDEX

STANDARD DUTY

To help you select the right cart for the job, all Lakeside® utility carts have a DURABILITY INDEX RATING (1 through 5).

Lakeside's Durability Index indicates how the cart will perform over time doing the tasks it was designed to do – not just the amount of weight the cart can hold. Each cart within a Durability Index category is designed and constructed to do typical tasks in typical foodservice situations. These incorporate the amount of weight the shelves will hold, the flooring types the cart is pushed over and the amount of time per day the cart is used. Listed here are typical factors that affect the longevity of a cart.

1 STANDARD DUTY
300 LBS | 135 KG

STANDARD DUTY RATED CARTS

IDEAL WORKING TASKS

- Dining area bussing
- Set-up tray station
- Soiled dish station
- Transporting light loads – **up to 300 lbs.**

IDEAL FLOOR SURFACES:

- Smooth tile
- Vinyl tile floors
- Smooth indoor concrete

IDEAL DAILY USAGE AMOUNT:

- No more than:
3 hours per day

STANDARD DUTY UTILITY CART DESIGN ELEMENTS

- ① Shelves are 22 gauge stainless steel.
(The lower the number, the stronger the steel.)
- ② Legs are 20 gauge stainless steel.
- ③ Shelves are reinforced with a hemmed front.
- ④ Unitized electronic welding is used to fasten shelves and the handle to the frame. Vertical handles are bolted to the frame.
- ⑤ Angle leg frame design.
- ⑥ Caster/wheel size is 3-1/2" and 4". Wheel material is rubber.



1 STANDARD DUTY
300 LBS | 135 KG

TRADITIONAL UTILITY CARTS | STAINLESS STEEL

Lakeside's classic cart satisfies all of your basic needs.



NEW!



All-welded angle leg design provides durability

Reinforced, hemmed front adds strength where the cart is most vulnerable to stress

Stainless steel is easy to clean and sanitize

Bumpers on legs and handles help protect walls and furniture

Sound deadening material under shelves restricts vibration and reduces noise

FACTORY INSTALLED OPTIONS (PAGE 55):

- 4" (102) 2 ea. swivel w/brake casters
- Perimeter strip bumper
- Lake-Glide casters and wheels

ACCESSORIES (PAGE 56):

- Detachable silverware boxes
- Waste boxes



Freight Class: **125**

Ships in: **2** days or less!

Model #311

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)	FedEx ups
				W	L	H					
311	3	15-1/2" x 24" (394 x 610)	11-3/4" (298)	16-1/4" (413)	27-1/2" 699	32-1/8" 816)	All swivel	3-1/2" (89)	29 (13.2)	10.9 (.42)	OK
<i>New</i> 311A	3	15-1/2" x 24" (394 x 610)	11-3/4" (298)	16-1/4" (413)	27-1/2" 699	32-1/8" 816)	All swivel	3-1/2" (89)	29 (13.2)	10.9 (.42)	OK
322	3	18" x 27" (457 x 686)	12-1/4" (311)	18-3/8" (467)	30-3/4" 781	33" 838)	All swivel	3-1/2" (89)	32 (14.5)	16.3 (.63)	NA
<i>New</i> 322A	3	18" x 27" (457 x 686)	12-1/4" (311)	18-3/8" (467)	30-3/4" 781	33" 838)	All swivel	3-1/2" (89)	32 (14.5)	16.3 (.63)	NA
316*	3	15-1/2" x 24" (394 x 610)	9-1/4" (235)	16-1/4" (413)	27-1/2" 699	33-3/8" 848)	All swivel	3-1/2" (89)	33 (14.9)	10.9 (.42)	OK

Measurements in () denote metric millimeters, unless otherwise specified. *Includes Guard Rail on open edge of top and middle shelf, all 4 sides of bottom shelf.

Models with "A" suffix color-coded with purple to promote allergen awareness.

1 STANDARD DUTY
300 LBS | 135 KG

FRONT-OF-THE-HOUSE UTILITY CARTS

STAIN-RESISTANT PLASTIC

UTILITY CARTS | STANDARD DUTY

Contemporary, economical carts make an easy transition to front-of-the-house use.

- Stain and odor resistant material maintains attractive appearance
- Sturdy polyethylene construction is impact-resistant
- Integrated push handle for comfortably guiding cart with ease (Models 2501, 2501A & 2503 only)
- Gray, charcoal or black shelf options complement any décor
- Non-marking all swivel casters provide ultimate maneuverability
- Assembles easily without hardware
- Extruded aluminum (Models 2501, 2501A & 2503) or epoxy coated steel (Model 2500) legs are sleek and durable
- Seamless shelves with contoured corners are contemporary and easy to clean (Models 2501, 2501A & 2503)

ACCESSORIES (PAGE 56):

- Detachable plastic silverware boxes
- Waste boxes



Freight Class: **70**
Ships in: **2** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	FedEx UPS
				W	L	H					
2500 Black	3	16" x 25- 1/2" (406 x 647)	11- 1/2" (292)	17-1/2" (444)	31- 3/4" 806	38" 965)	All swivel 2 w/brake	4" (102)	35 (15.8)	3.5 (.1)	OK KD
2501 Grey	3	16" x 28- 1/2" (406 x 724)	11- 3/4" (298)	18-1/2" (470)	36" 914	35" 889)	All swivel	4" (102)	36 (16.3)	3.4 (.1)	OK KD
New 2501A Purple	3	16" x 28- 1/2" (406 x 724)	11- 3/4" (298)	18-1/2" (470)	36" 914	35" 889)	All swivel	4" (102)	36 (16.3)	3.4 (.1)	OK KD
2503 Charcoal	3	16" x 28- 1/2" (406 x 724)	11- 3/4" (298)	18-1/2" (470)	36" 914	35" 889)	All swivel	4" (102)	36 (16.3)	3.4 (.1)	OK KD

Measurements in () denote metric millimeters, unless otherwise specified. KD denotes knocked down, shipped unassembled.
Models with "A" suffix color-coded with purple to promote allergen awareness.

1 STANDARD DUTY
300 LBS | 135 KG

HANDLER™ SERIES UTILITY CARTS | STAINLESS STEEL

Handler Series Carts are the smart choice for maneuvering in confined spaces.

Unique ergonomic vertical handle offers more control for swiftly guiding the cart

- FACTORY INSTALLED OPTIONS (PAGE 55):**
- 4" (102) 2 ea. swivel w/brake casters
 - Perimeter strip bumper
 - Lake-Glide casters and wheels

- ACCESSORIES (PAGE 56):**
- Detachable silverware boxes
 - Waste boxes



All swivel casters provide tight turn handling for crowded kitchens and make it easier to navigate into storage area corners.

Leg bumpers protect walls and furniture

Stainless steel is easy to clean and sanitize

Model #4311

 Freight Class: **125**
Ships in: **3** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Top Shelf Height	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	FedEx UPS
					W	L	H					
4311	3	15-1/2" x 24" (394 x 610)	11-3/4" (298)	31" (787)	16-1/4" (413)	28-1/2" 724	34-1/8" 867)	All swivel	3-1/2" (89)	29 (13.2)	18.0 (.70)	OK
4322	3	18" x 27" (457 x 686)	12-1/4" (311)	31" (787)	18-3/8" (467)	31-3/4" 806	35" 889)	All swivel	3-1/2" (89)	32 (14.5)	18.0 (.70)	NA

Measurements in () denote metric millimeters, unless otherwise specified.

1 STANDARD DUTY
300 LBS | 135 KG

Ergo-One® SYSTEM UTILITY CARTS | STAINLESS STEEL

This beneficial cart was designed with the help of an orthopedic specialist to prevent body strain and unnecessary worker's comp expenses.

- Ergonomic top shelf height 34-1/8" (867) for strain-free loading, bottom shelf is 20" (508) from the floor to prevent lifting injuries
- Vertical handle ensures wrists are in the correct position for pushing and steering
- No-mark cushion tread wheels absorb impact, reducing vibration and strain
- 5" (127) all swivel casters provide ultimate maneuverability.

- 20-gauge stainless steel shelves reinforced for added strength
- All welded construction for a stronger structure and easier-to-clean surface
- Stainless steel is easy to clean and sanitize
- Leg bumpers protect walls and furniture

ACCESSORIES (PAGE 56):

- Ergonomic Handle Grips and Bumpers, Blue
- Handle Set Both Ends
- Perimeter Channel Bumper
- 2 Brake Casters
- 4 - 5" Swivel Casters
- 2 - 5" Swivel, 2 - 5" Fixed Casters
- 2 - 5" Swivel, 2 - 5" Fixed
- High-Temp Nylon Casters

THE SAFETY ZONE

Ergonomics is the term defining work methods and tools designed to accommodate the human body. Ergo-One® System carts are designed to be "body friendly." To help prevent injuries resulting from repetitive loading and unloading,

Ergo-One® shelf heights are in the "safety zone" – the bottom shelf is 20" (508mm) from the floor; the top shelf is 34-1/8" to 35 3/4" (867 mm) from the floor.



Model #6600



Freight Class: **125**
Ships in: **3** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	FedEx ups
				W	L	H**			
6600*	2	15 - 1/2" x 24" (394 x 610)	13-1/8" (333)	16-1/2" (419)	28" 711	44- 3/8" 1127)	22 (10)	25.6 (.99)	OK
6610	2	18" x 27" (457 x 686)	13-1/8" (333)	19" (483)	31-1/8" 791	44- 3/8" 1127)	25 (11.3)	16.3 (.63)	NA

Measurements in () denote metric millimeters, unless otherwise specified. *Model 6600 caster assembly required **Includes height of ergonomic handles. Handle assembly required.





MEDIUM DUTY

To help you select the right cart for the job, all Lakeside® utility carts have a DURABILITY INDEX RATING (1 through 5).

Lakeside's Durability Index indicates how the cart will perform over time doing the tasks it was designed to do – not just the amount of weight the cart can hold. Each cart within a Durability Index category is designed and constructed to do typical tasks in typical foodservice situations. These incorporate the amount of weight the shelves will hold, the flooring types the cart is pushed over and the amount of time per day the cart is used. Listed here are typical factors that affect the longevity of a cart.

2 MEDIUM
DUTY
500 LBS | 230 KG

MEDIUM DUTY RATED CARTS

IDEAL WORKING TASKS

- Dining area bussing
- Set-up tray station
- Soiled dish station
- Transporting moderate loads – up to 500 lbs.

IDEAL FLOOR SURFACES:

- Smooth tile
- Ceramic tile floors
- Smooth indoor concrete

IDEAL DAILY USAGE AMOUNT:

- No more than:
4-9 hours per day

MEDIUM DUTY UTILITY CART DESIGN ELEMENTS

- ① Shelves are 20 gauge stainless steel.
(The lower the number, the stronger the steel.)
- ② Legs are 16 gauge stainless steel.
- ③ Shelves are reinforced with a hemmed front for moderate load and load drops.
- ④ Unitized electronic welding is used to fasten shelves and the handle to the frame. Vertical handles are bolted to the frame.
- ⑤ Angle leg and tubular frame designs, depending on the model.
- ⑥ Caster size is 4" to 5". The wheel material is rubber or thermoplastic rubber (TPR cushion tread).



2 MEDIUM DUTY
500 LBS | 230 KG

FRONT-OF-THE-HOUSE UTILITY CARTS

STAIN RESISTANT PLASTIC

These economical carts are great for multitasking with style!

- 25% more weight capacity and 30% more shelf surface than standard duty models
- Durable shelves each fit two standard bus tubs
- Stain and odor resistant material maintains professional appearance
- Seamless, contour shaped shelves with rounded corners are attractive and easy to clean
- Extruded aluminum legs are sleek and durable
- No-Mark® 4" (102) polyurethane wheels are quiet and attractive
- Dual handles allow pushing or pulling from either end to better navigate congested areas.
- Assembles easily without hardware

Large plastic shelves are stain resistant and hold two standard bus tubs.



Casters have quiet, non-marking wheels with durable snap-in mounting system



Model #2512

Freight Class: 70
Ships in: **3** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	FedEx OK KD
				W	L	H					
2510 Light Gray	3	16-3/4" x 29-1/2" (425 x 749)	11" (279)	20" (508)	42" 1067	37-1/2" 953	All swivel	4" (102)	39 (17.7)	6.7 (.26)	OK KD
2512 Charcoal	3	16-3/4" x 29-1/2" (425 x 749)	11" (279)	20" (508)	42" 1067	37-1/2" 953	All swivel	4" (102)	39 (17.7)	6.7 (.26)	OK KD


Measurements in () denote metric millimeters, unless otherwise specified. KD denotes knocked down, shipped unassembled.

2 MEDIUM DUTY
500 LBS | 230 KG

DEEP WELL UTILITY CART | STAIN RESISTANT PLASTIC

Keep supplies safely on board with this rugged load mover.

- Durable structural foam plastic construction
- Non-marking 5" plate-mount casters (2 ea. fixed, 2 ea. swivel)
- Casters mount to upright leg base for extra strength
- 3" protective edge on all shelf sides prevents accidents
- No handle assembly required
- Assembles easily in minutes



 Freight Class: **70**
Ships in: **3** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)	FedEx ups OK KD
				W	L	H					
2521	2	16" x 30-1/3" (406 x 770)	19" (483)	17-1/2" (445)	34-1/2" 876	32-3/4" 832)	2 Swivel 2 Fixed	5" (127)	35 (15.5)	3.3 (0.09)	OK KD
2523	2	24" x 36" (610 x 914)	19-3/4" (502)	25-1/2" (648)	40-1/4" 1022	32-3/4" 832)	2 Swivel 2 Fixed	5" (127)	42 (19.1)	5.4 (0.15)	OK KD

Measurements in () denote metric millimeters, unless otherwise specified.

MEDIUM DUTY
500 LBS | 230 KG

TRADITIONAL UTILITY CARTS | STAINLESS STEEL

Lakeside's classic cart satisfies all of your basic needs.

- All-welded angle leg design provides durability
- Reinforced, hemmed front adds strength where the cart is most vulnerable to stress
- Sound deadening material under shelves restricts vibration and reduces noise
- Stainless steel is easy to clean and sanitize
- Bumpers on legs and handles protect walls and furniture

FACTORY INSTALLED OPTIONS (PAGE 55):

- Perimeter and strip bumper
- 4" (102) or 5" (127) 2 ea. swivel w/brake casters
- 8" (203) all swivel casters
- 5" (127) cushion tread casters
- Models 444, 44A and 459 Hi-Temp nylon casters, up to 400° F. (204° C.), 5" (127) 2 ea. fixed, 2 ea. swivel casters
- Sta-Clean® vinyl covers

ACCESSORIES (PAGE 56):

- Detachable silverware boxes
- Waste boxes



Model #411



411A/422A/444A

ALLERGEN AWARENESS



Model #444

NEW!

Freight Class: **125**
Ships in: **3** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	FedEx ups
				W	L	H					
411	3	15- 1/2" x 24" (394 x 610)	11- 1/2" (292)	16-3/4" (425)	27-5/8" 702	32" 813)	All swivel	4" (102)	39 (17.7)	10.6 (.3)	OK
New 411A	3	15- 1/2" x 24" (394 x 610)	11- 1/2" (292)	16-3/4" (425)	27-5/8" 702	32" 813)	All swivel	4" (102)	39 (17.7)	10.6 (.3)	OK
422	3	18" x 27" (457 x 686)	11- 1/2" (292)	19" (483)	31" 787	32" 813)	All swivel	4" (102)	42 (19.1)	16.3 (.5)	NA
New 422A	3	18" x 27" (457 x 686)	11- 1/2" (292)	19" (483)	31" 787	32" 813)	All swivel	4" (102)	42 (19.1)	16.3 (.5)	NA
444	3	21" x 35" (533 x 889)	13- 1/8" (333)	22-3/8" (568)	39- 1/4" 997	37-1/4" 946)	All swivel, No-Mark, cushion tread	5" (127)	68 (30.8)	27.4 (.8)	NA
New 444A	3	21" x 35" (533 x 889)	13- 1/8" (333)	22-3/8" (568)	39- 1/4" 997	37-1/4" 946)	All swivel, No-Mark, cushion tread	5" (127)	68 (30.8)	27.4 (.8)	NA
459	3	21" x 49" (533 x 1245)	13- 1/8" (333)	22-3/8" (568)	54- 1/8" 1374	37-1/4" 946)	2 swivel, 2 fixed, No- Mark, cushion tread	5" (127)	88 (39.9)	32.6 (.9)	NA

Measurements in () denote metric millimeters, unless otherwise specified. Models with "A" suffix color-coded with purple to promote allergen awareness.

MEDIUM DUTY
500 LBS | 230 KG

GUARD RAIL UTILITY CART | STAINLESS STEEL

Guard rail carts reduce spills and breakage when transporting items that could easily tumble off shelves.

- Front rails on all three shelves for extra security
- All swivel casters provide ultimate maneuverability
- Integrated push handle for comfortable guiding cart with ease
- Sound deadening material under shelves restricts vibration and noise
- All welded construction for a stronger structure and easier-to-clean surface
- Stainless steel is easy to clean and sanitize
- Bumpers on legs and handles protect walls and furniture

FACTORY INSTALLED OPTIONS (PAGE 55):

- Lake-Glide casters and wheels



Model #526



Front rails on all three shelves prevent items from falling during transport.

Freight Class: **125**
Ships in: **3** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
				W	L	H				
526	3	18" x 27" (457 x 686)	9" (229)	19" (483)	31" 787	33-3/4" 857)	All swivel	4" (102)	45 (20.3)	27.4 (1.1)

Measurements in () denote metric millimeters, unless otherwise specified.

2 MEDIUM DUTY
500 LBS | 230 KG

TUBULAR UTILITY CARTS | STAINLESS STEEL



Model #243

Model #210



This cart's U frame construction adds greater strength and durability for all purposes, back-of-the-house chores.

- Dual handles allow for pushing from either end when narrow spaces restrict turns
- 1" thick tubing supplies longer lasting durability
- U-Shaped frame with integrated handles increases structural strength
- Reinforced edges provide extra strength for heavy loads
- All swivel casters maneuver smoothly with less strain
- Stainless steel is easy to clean and sanitize
- All models are NSF listed



Adapter bar fits over tubular cart handle to hold waste and silver boxes. Specify tubular cart model #.

FACTORY INSTALLED OPTIONS (PAGE 55):

- Round corner bumpers set of four
- Lake-Glide Casters 4" (2 brake) for models 210, 211, 221, 222, 472, 473
- Lake-Glide Casters 5" (2 brake) for models 243, 244, 492, 493
- Sta-Clean® vinyl covers

ACCESSORIES (PAGE 56):

- Detachable silverware and waste boxes with adapter bars (fits over tubular handle)



Freight Class: **125**

Ships in: **3** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	FedEx UPS
				W	L	H					
All Stainless Steel											
210	2	15-1/2" x 24" (394 x 610)	18-3/4" (476)	17-1/2" (445)	27" 686	35-3/4" 908)	All swivel	4" (102)	31 (14)	18.0 (.50)	NA
211	3	15-1/2" x 24" (394 x 610)	9-1/2" (241)	17-1/2" (445)	27" 686	35-3/4" 908)	All swivel	4" (102)	36 (16.3)	18.0 (.50)	NA
221	2	18" x 27" (457 x 686)	18-3/4" (476)	20" (508)	30" 762	35-3/4" 908)	All swivel	4" (102)	36 (16.3)	18.0 (.50)	NA
222	3	18" x 27" (457 x 686)	9-1/2" (241)	20" (508)	30" 762	35-3/4" 908)	All swivel	4" (102)	43 (19.5)	18.0 (.50)	NA
243	2	21" x 33" (533 x 838)	21-1/2" (546)	22" (559)	36" 914	40-5/8" 1032)	All swivel, No-Mark, cushion tread	5" (127)	55 (25)	25.7 (.71)	NA
244	3	21" x 33" (533 x 838)	10-3/4" (273)	22" (559)	36" 914	40-5/8" 1032)	All swivel, No-Mark, cushion tread	5" (127)	66 (29.9)	25.7 (.71)	NA
Chrome Plated Legs/Frame											
472	2	15-1/2" x 24" (394 x 610)	18-3/4" (476)	17-1/2" (445)	27" 686	35-3/4" 908)	All swivel	4" (102)	32 (14.5)	18.0 (.50)	NA
473	3	15-1/2" x 24" (394 x 610)	9-1/2" (241)	17-1/2" (445)	27" 686	35-3/4" 908)	All swivel	4" (102)	37 (16.8)	18.0 (.50)	NA
479	3	15-1/2" x 24" (394 x 610)	9-7/8" (229)	17-1/2" (445)	27" 686	35" 889)	All swivel	4" (102)	43 (19.5)	3.6 (.1)	OK KD
489	3	18" x 27" (457 x 686)	9-7/8" (229)	20" (508)	27" 686	35" 889)	All swivel	4" (102)	50 (22.7)	4.5 (.1)	OK KD
492	2	21" x 33" (533 x 838)	21-1/2" (229)	23" (584)	36" 914	40-1/8" 1019)	All swivel	5" (127)	53 (24)	27.4 (1.1)	NA
493	3	21" x 33" (533 x 838)	10-3/4" (273)	23" (584)	36" 914	40-1/8" 1019)	All swivel	5" (127)	67 (30.4)	27.4 (1.1)	NA
499	3	21" x 33" (533 x 838)	9-7/8" (229)	23" (584)	36" 914	37" 940)	All swivel	5" (127)	65 (29.5)	5.5 (.2)	OK KD

Measurements in () denote metric millimeters, unless otherwise specified. KD Denotes knocked down, shipped unassembled.



2 MEDIUM DUTY
500 LBS | 230 KG

HANDLER™ SERIES UTILITY CARTS | STAINLESS STEEL

Handler Series Carts are the smart choice for maneuvering in confined spaces.

Unique one-piece vertical handle offers more control for swiftly guiding the cart



FACTORY INSTALLED OPTIONS (PAGE 55):

- Strip and offset perimeter bumper
- 8" (203) all swivel casters,
- Models 4444 and 4459 Hi-Temp nylon casters, up to 400° F. (204° C.), 5" (127) 2 ea. fixed, 2 ea. swivel casters

Leg bumpers protect walls and furniture

Stainless steel is easy to clean and sanitize



All swivel casters provide tight turn handling for congested spaces and make it easier to navigate into storage area corners.

Model #4411

Freight Class: 125
Ships in: **3** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Top Shelf Height	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)	FedEx ups
					W	L	H					
4411	3	15- 1/2" x 24" (394 x 610)	11- 1/2" (292)	31" (787)	17-3/4" (451)	27-5/8" 702	44" 1153)	All swivel	4" (102)	39 (17.7)	18.0 (.7)	OK
4422	3	18" x 27" (457 x 686)	11- 1/2" (292)	31" (787)	20" (508)	31" 787	44" 1153)	All swivel	4" (102)	42 (19.1)	18.0 (.7)	NA
4444	3	21" x 35" (533 x 889)	13- 1/8" (333)	36-1/4" (921)	23-3/8" (594)	39 -1/4" 997	49-1/4" 1251)	All swivel, No-Mark, cushion tread	5" (127)	68 (30.8)	18.0 (.7)	NA
4459	3	21" x 49" (533 x 1245)	13- 1/8" (333)	36-1/4" (921)	23-3/8" (594)	54- 1/8" 1374	49-1/4" 1251)	All swivel, No-Mark, cushion tread	5" (127)	88 (39.9)	32.6 (.9)	NA

Measurements in () denote metric millimeters, unless otherwise specified.



Ergo-One® SYSTEM UTILITY CARTS | STAINLESS STEEL

This beneficial cart was designed with the help of an orthopedic specialist to prevent body strain and unnecessary worker's comp expenses.

- Shelf heights are within a "Safety Zone" that is the proper range for loading and unloading, bottom shelf is 20" (508) from the floor
- No-mark cushion tread wheels absorb impact, reducing vibration and strain
- 20-gauge stainless steel shelves are reinforced for added strength
- All welded construction for structural strength and easier-to-clean surface
- Stainless Steel is easy to clean and sanitize

FACTORY INSTALLED OPTIONS (PAGE 55):

- Lake-Glide casters and wheels
- Ergonomic Handle Grips and Bumpers, Blue
- Handle Set Both Ends
- Strip and offset perimeter bumper
- 2 Brake Casters
- 4 - 5" Swivel Casters
- 2 - 5" Swivel, 2 - 5" Fixed Casters
- 2 - 5" Swivel, 2 - 5" Fixed
- High-Temp Nylon Casters

THE SAFETY ZONE
Ergo-One® shelf heights are in the "safety zone" for loading and lifting—the bottom shelf is 20" (508mm) from the floor; the top shelf is 35-3/4" (867 mm) from the floor to prevent back strains.



Freight Class: **125**
Ships in: **5** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Top Shelf Height*	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	FedEx MPE
					W	L	H**					
6800	2	15- 1/2" x 24" (394 x 610)	14-1/8" (359)	35-1/4" (895)	16-1/2" (419)	28" 711	44-3/8" 1127)	All swivel, No-Mark, cushion tread	5" (127)	32 (14.5)	25.6 (.99)	OK
6810	2	18" x 27" (457 x 686)	14-1/8" (359)	35-1/4" (895)	19" (483)	31-1/8" 791	44- 3/8" 1127)	All swivel, No-Mark, cushion tread	5" (127)	35 (15.9)	16.3 (.63)	NA
6820	2	21" x 35" (533 x 889)	14-1/2" (368)	35-3/4" (908)	22" (559)	39-1/8" 994	44- 3/8" 1127)	All swivel, No-Mark, cushion tread	5" (127)	61 (27.6)	23.2 (.90)	NA
6830	2	21" x 49" (533 x 1245)	14-1/2" (368)	35-3/4" (908)	22" (559)	53-1/8" 1400	44- 3/8" 1127)	2 swivel, 2 fixed, No-Mark, cushion tread	5" (127)	128 (58.2)	80.1 (3.1)	NA

Measurements in () denote metric millimeters, unless otherwise specified. *Measured from floor. **Includes height of ergonomic handles. Handle assembly required. Model 6800 caster assembly required.






DURABILITY INDEX

HEAVY DUTY

To help you select the right cart for the job, all Lakeside® utility carts have a DURABILITY INDEX RATING (1 through 5).

Lakeside's Durability Index indicates how the cart will perform over time doing the tasks it was designed to do – not just the amount of weight the cart can hold. Each cart within a Durability Index category is designed and constructed to do typical tasks in typical foodservice situations. These incorporate the amount of weight the shelves will hold, the flooring types the cart is pushed over and the amount of time per day the cart is used. Listed here are typical factors that affect the longevity of a cart.

3 HEAVY DUTY
700 LBS | 320 KG

HEAVY DUTY RATED CARTS

IDEAL WORKING TASKS

- Receiving goods
- Moving loads for ware-washing
- Transporting loads – **up to 700 lbs.**

IDEAL FLOOR SURFACES:


- Vinyl and ceramic tile floors
- Carpet
- Indoor concrete

IDEAL DAILY USAGE AMOUNT:

- No more than:
9-12 hours per day

HEAVY DUTY UTILITY CART DESIGN ELEMENTS

- ① Shelves are 18 gauge stainless steel.
(The lower the number, the stronger the steel.)
- ② Legs are 1/8" thick stainless steel.
- ③ Shelves are reinforced with a hemmed front.
- ④ Unitized electronic welding is used to fasten shelves and the handle to the frame. Vertical handles are bolted to the frame.
- ⑤ Angle "U" frame design.
- ⑥ Caster/wheel size is 5" and 8". Wheel material is No-Mark®, cushion tread thermoplastic rubber (TPR).



3 HEAVY DUTY
700 LBS | 320 KG

TRADITIONAL UTILITY CARTS | STAINLESS STEEL

Navigating large loads over long distances is a breeze for this heavy-duty version of Lakeside's classic cart.

- Larger 8" (203) front wheels allow cart to transition over uneven surfaces with ease
- Fixed front wheels help guide cart in a straight line, while making it easier to navigate corners
- Angled "U"-shaped frame design provides superior structural strength for larger loads
- All-welded construction for a stronger structure and easier to clean surface


- No-mark®, extra load, cushion tread wheels absorb impact, reducing vibration and strain
- Stainless steel is easy to clean and sanitize
- Bumpers on legs and handles protect walls and furniture



Model #744

FACTORY INSTALLED OPTIONS (PAGE 55):

- 5" (127) all swivel casters
- Sta-Clean® vinyl covers
- Offset perimeter bumper
- 5" (127) 2 ea. swivel w/brake caster
- Hi-Temp nylon casters, up to 400° F. (204° C.), 5" (127) 2 ea. fixed, 2 ea. swivel casters
- Lake-Glide casters and wheels



Fixed wheels and swivel casters are interchangeable at factory or in the field.

ACCESSORIES (PAGE 56):

- Detachable silverware and waste boxes



Model #758

Freight Class: 125
Ships in: 4 days or less!

Model	NSF Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type*	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
					W	L	H				
710	510	2	15-1/2" x 24" (394 x 610)	19" (483)	16-1/4" (413)	30" 762	34-1/4" 870)	2-swivel 2-fixed	5" (127) 8" (203)	49 (22.2)	14.3 (.55)
711	511	3	15- 1/2" x 24" (394 x 610)	10" (254)	16-1/4" (413)	30" 762	34-1/4" 870)	2-swivel 2-fixed	5" (127) 8" (203)	57 (25.9)	14.3 (.55)
721	521	2	18" x 27" (457 x 686)	19" (483)	19-3/8" (492)	32-5/8" 829	35-1/2" 876)	2-swivel 2-fixed	5" (127) 8" (203)	53 (24)	27.4 (1.1)
722	522	3	18" x 27" (457 x 686)	10" (254)	19-3/8" (492)	32-5/8" 829	35-1/2" 876)	2-swivel 2-fixed	5" (127) 8" (203)	63 (28.6)	27.4 (1.1)
743	543	2	21" x 33" (533 x 838)	21" (533)	22-3/8" (568)	38-5/8" 981	37-1/8" 943)	2-swivel 2-fixed	5" (127) 8" (203)	64 (29)	27.4 (1.1)
744	544	3	21" x 33" (533 x 838)	11-3/8" (289)	22-3/8" (568)	38-5/8" 981	37-1/8" 943)	2-swivel 2-fixed	5" (127) 8" (203)	78 (35.4)	27.4 (1.1)
758	558	2	21" x 49" (533 x 1245)	21" (533)	22-3/8" (568)	54-5/8" 1387	37" 940)	2-swivel 2-fixed	5" (127) 8" (203)	87 (39.5)	32.3 (.90)
759	559	3	21" x 49" (533 x 1245)	11-3/8" (289)	22-3/8" (568)	54-5/8" 1387	37" 940)	2-swivel 2-fixed	5" (127) 8" (203)	108 (49)	32.3 (.90)

Measurements in () denote metric millimeters, unless otherwise specified. *Lake-Glide Casters are No-Mark, cushion tread.

3 HEAVY DUTY
700 LBS | 320 KG

DEEP SHELF UTILITY CARTS | STAINLESS STEEL



2-1/2" (64) deep top shelf holds items securely in place.



Model #727

Freight Class: 125
Ships in: **6** days or less!

Whether you need to secure a heavy load or prevent items from falling off, a deep shelf cart is your multi-purpose answer.

- 2-1/2" (64) deep top shelf is ideal for transporting supplies
- Reinforced hemmed front adds strength where the cart is most vulnerable to stress
- All-welded construction for a stronger structure and easier to clean surface
- Stainless steel is easy to clean and sanitize
- Bumpers on legs and handles protect walls and furniture

FACTORY INSTALLED OPTIONS (PAGE 55):

- 5" (127) all swivel casters
- Sta-Clean® vinyl covers
- Offset perimeter bumper
- 5" (127) 2 ea. swivel w/brake casters
- Hi-Temp nylon casters, up to 400° F. (204° C.), 5" (127) 2 ea. fixed, 2 ea. swivel casters
- Lake-Glide® casters and wheels

ACCESSORIES (PAGE 56):


- Detachable silverware and waste boxes

Model	NSF Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type*	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
					W	L	H				
727	527	2	21" x 33" (533 x 838)	19-1/4" (489)	22-1/4" (565)	38" 964	37-1/4" 945)	2-swivel 2-fixed	5" (127) 8" (203)	64 (29)	20.8 (.58)
757	557	2	21" x 49" (533 x 1245)	19-1/4" (489)	22-1/4" (565)	54" 1371	37-1/4" 945)	2-swivel 2-fixed	5" (127) 8" (203)	87 (39.5)	32.3 (.9)

Measurements in () denote metric millimeters, unless otherwise specified. *Lake-Glide Extra-Load, No-Mark® cushion tread casters.



Model #729



Front rails on all three shelves prevent items from falling during transport.

3 HEAVY DUTY
700 LBS | 320 KG

GUARD RAIL UTILITY CARTS | STAINLESS STEEL

Guard rail carts eliminate spills and breakage when transporting items that could easily tumble off shelves.

- Front rails on all shelves for extra security
- All swivel casters provide ultimate maneuverability
- Tubular push handle for comfortably guiding cart with ease
- All welded construction for a stronger structure and easier-to-clean surface
- Stainless steel is easy to clean and sanitize
- Bumpers on legs and handles protect walls and furniture

Freight Class: 125
Ships in: **6** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type*	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
				W	L	H				
725	2	18" x 27" (457 x 686)	17" (432)	19-3/8" (492)	32-5/8" 518	34-1/2" 876)	All swivel	5" (127)	56 (25.2)	18.0 (.7)
726	3	18" x 27" (457 x 686)	9" (229)	19-3/8" (492)	32-5/8" 518	34-1/2" 876)	All swivel	5" (127)	66 (29.7)	18.0 (.7)
729	2	21" x 33" (533 x 838)	18-3/4" (476)	22-3/8" (568)	38-5/8" 981	37-1/4" 946)	All swivel	5" (127)	65 (29.3)	18.0 (.7)
730	3	21" x 33" (533 x 838)	9-3/8" (238)	22-3/8" (568)	38-5/8" 981	37-1/4" 946)	All swivel	5" (127)	79 (35.6)	18.0 (.7)

Measurements in () denote metric millimeters, unless otherwise specified. *Lake-Glide, No-Mark casters with cushion tread wheels.



3 HEAVY DUTY
700 LBS | 320 KG


HANDLER™ SERIES UTILITY CART | STAINLESS STEEL

Handler Series Carts are the smart choice for maneuvering in confined spaces.

- Unique one-piece vertical handle offers more control for swiftly guiding the cart
- All swivel casters provide tight turn handling for crowded kitchens and make it easier to navigate into storage area corners.
- Angled "U"-shaped frame design provides superior structural strength for larger loads
- No-mark®, extra load, cushion tread wheels absorb impact, reducing vibration and strain
- Stainless steel is easy to clean and sanitize
- Leg bumpers protect walls and furniture

FACTORY INSTALLED OPTIONS (PAGE 55):

- 2 ea. 8" fixed wheel
- Offset perimeter bumper
- 5" (127) 2 ea. swivel w/brake casters
- Hi-Temp nylon casters, up to 400° F. (204° C.) 5" (127) 2 ea. fixed, 2 ea. swivel casters
- Lake-Glide casters and wheels



Fixed wheels and swivel casters are interchangeable at factory or in the field.



Model #4743

Freight Class: 125
Ships in: 5 days or less!

Model	NSF Model	# of Shelves	Shelf Size	Shelf Clearance	Top Shelf Height	Overall Size			Caster Type*	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
						W	L	H				
4710	4510	2	15-1/2" x 24" (394 x 610)	19" (483)	32-3/4" (832)	16-1/4" (413)	30" 762	46-1/4" (1174)	All swivel	5" (127)	49 (22.2)	14.3 (.55)
4711	4511	3	15-1/2" x 24" (394 x 610)	10" (254)	32-3/4" (832)	16-1/4" (413)	30" 762	46-1/4" (1174)	All swivel	5" (127)	57 (25.9)	14.3 (.55)
4721	4521	2	18" x 27" (457 x 686)	19" (483)	32-3/4" (832)	19-3/8" (492)	32-5/8" 829	46-1/2" 1181	All swivel	5" (127)	53 (24)	18.0 (.70)
4722	4522	3	18" x 27" (457 x 686)	10" (254)	32-3/4" (832)	19-3/8" (492)	32-5/8" 829	46-1/2" 1181	All swivel	5" (127)	63 (28.6)	18.0 (.70)
4743	4543	2	21" x 33" (533 x 838)	21" (533)	35-1/2" (902)	22-3/8" (568)	38-5/8" 981	49-1/8" 1248	All swivel	5" (127)	64 (29)	18.0 (.70)
4744	4544	3	21" x 33" (533 x 838)	11-3/8" (289)	35-1/2" (902)	22-3/8" (568)	38-5/8" 981	49-1/8" 1248	All swivel	5" (127)	78 (35.4)	18.0 (.70)
4758	4558	2	21" x 49" (533 x 1245)	21" (533)	35-1/2" (902)	22-3/8" (568)	54-5/8" 1387	49-1/8" 1248	All swivel	5" (127)	87 (39.5)	32.3 (.90)
4759	4559	3	21" x 49" (533 x 1245)	11-3/8" (289)	35-1/2" (902)	22-3/8" (568)	54-5/8" 1387	49-1/8" 1248	All swivel	5" (127)	108 (49)	32.3 (.90)

Measurements in () denote metric millimeters, unless otherwise specified. *Lake-Glide Casters are Extra-Load, No-Mark cushion tread.

3 HEAVY DUTY
700 LBS | 320 KG

Ergo-One® SYSTEM UTILITY CARTS | STAINLESS STEEL

This beneficial cart was designed with the help of an orthopedic specialist to prevent body strain and unnecessary worker's comp expenses.

- Vertical handle with comfortable grip ensures wrists are in the correct position for pushing and steering
- Shelves are located within a "Safety Zone" that is the proper height for loading and unloading, bottom shelf is 20" (508) from the floor
- No-mark®, extra load, cushion tread wheels absorb impact, reducing vibration and strain
- 18-gauge stainless steel shelves reinforced for added strength
- All welded construction for a stronger structure and easier-to-clean surface
- Stainless steel is easy to clean and sanitize
- Leg bumpers protect walls and furniture

FACTORY INSTALLED OPTIONS (PAGE 55):

- Hi-Temp nylon casters, up to 400° F. (204° C.) 5" (127) 2 ea. fixed, 2 ea. swivel casters
- Lake-Glide casters and wheels
- Handle Set Both Ends
- Perimeter Channel Bumper
- 2 Brake Casters
- 4 - 5" Swivel Casters
- 2 - 5" Swivel, 2 - 5" Fixed Casters
- 2 - 5" Swivel, 2 - 5" Fixed



Model #7025



Keep employees on the job. Injuries to the spine, wrist and major upper and lower body muscle groups can be caused by improper pushing, lifting and loading. The Ergo-One® system can reduce those injuries to minimize employee down time and workers' compensation claims.

 **Freight Class: 125**
Ships in: **5** days or less!

Model	NSF Model	# of Shelves	Shelf Size	Shelf Clearance	Top Shelf Height	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
						W	L	H		
7010	5910	2	18" x 27" (457 x 686)	18-1/2" (470)	40" (1016)	18-5/8" (473)	35-3/8" 899	46-3/4" 1187)	53 (24)	18.8 (.73)
7015	5915	3	18" x 27" (457 x 686)	10" (254)	43" (1092)	18-5/8" (473)	35-3/8" 899	46-3/4" 1187)	63 (28.6)	18.8 (.73)
7020	5920	2	21" x 33" (533 x 838)	18-1/2" (470)	40" (1016)	21-5/8" (549)	41-3/8" 1051	46-3/4" 1187)	64 (29)	25.7 (1.0)
7025	5925	3	21" x 33" (533 x 838)	10" (254)	43" (1092)	21-5/8" (549)	41-3/8" 1051	46-3/4" 1187)	78 (35.4)	27.4 (1.1)
7030	5930	2	21" x 49" (533 x 1245)	18-1/2" (470)	40" (1016)	21-5/8" (549)	57-3/16" 1453	46-3/4" 1187)	127 (57.7)	80.1 (3.1)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide Casters: 5" (127) - 2 ea. swivel, 8" (203) - 2 ea. fixed, No-Mark, cushion tread.






DURABILITY INDEX

TOUGH TRANSPORT®

To help you select the right cart for the job, all Lakeside® utility carts have a DURABILITY INDEX RATING (1 through 5).

Lakeside's Durability Index indicates how the cart will perform over time doing the tasks it was designed to do – not just the amount of weight the cart can hold. Each cart within a Durability Index category is designed and constructed to do typical tasks in typical foodservice situations. These incorporate the amount of weight the shelves will hold, the flooring types the cart is pushed over and the amount of time per day the cart is used. Listed here are typical factors that affect the longevity of a cart.

**4 TOUGH
TRANSPORT**
1000 LBS | 450 KG

TOUGH TRANSPORT RATED CARTS

IDEAL WORKING TASKS

- Receiving Dock and storage room use
- Loading and moving dishes and flatware
- Transporting loads – **up to 1000 lbs.**

IDEAL FLOOR SURFACES:

- Uneven tile floors
- Carpets
- Outdoor concrete
- Thresholds, elevators

IDEAL DAILY USAGE AMOUNT:

- No more than:
10-18 hours per day

TOUGH TRANSPORT UTILITY CART DESIGN ELEMENTS

- ① Shelves are 14 gauge stainless steel.
(The lower the number, the stronger the steel.)
- ② Legs are 1/8" thick stainless steel.
- ③ Shelves are reinforced with a hemmed front.



4 TOUGH TRANSPORT
1000 LBS | 450 KG

TRADITIONAL UTILITY CARTS | STAINLESS STEEL

Navigating large loads over long distances is a breeze for this heavy-duty version of Lakeside's classic cart.

- Larger 8" (203) front wheels allow cart to transition over uneven surfaces with ease
- Fixed front wheels help guide cart in a straight line, while making easier to navigate corners
- Angled "U"-shaped frame design provides superior structural strength for larger loads
- All joints are full bead welded to better withstand heavy loads and frequent use
- Reinforced edges provides extra capacity for heavy loads
- No-mark®, extra load, cushion tread wheels absorb impact, reducing vibration and strain
- Stainless steel is easy to clean and sanitize
- Bumpers on legs and handles protect walls and furniture
- All models are NSF listed



Optional ground and polished joint welds



Model #954

FACTORY INSTALLED OPTIONS (PAGE 55):

- Sta-Clean® vinyl covers
- Offset perimeter bumper
- 5" (127) deluxe all swivel casters
- 5" (127) 2 ea. brake casters
- Hi-Temp nylon casters, up to 400° F (204° C). 5" (127) 2 ea. fixed 2 ea. swivel casters
- Ground and polished joint welds
- Lake-Glide casters and wheels

ACCESSORIES (PAGE 56):

- Detachable silverware and waste boxes



Freight Class: **125**

Ships in: **5** days or less!



Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
				W	L	H		
938	2	18" x 27" (457 x 686)	19" (483)	19-3/4" (502)	33" 838	34-1/4" 870)	66 (29.9)	18.0 (.7)
939	3	18" x 27" (457 x 686)	10" (254)	19-3/4" (502)	33" 838	34-1/4" 870)	80 (36.3)	18.0 (.7)
943	2	21" x 33" (533 x 838)	21" (533)	22-3/4" (578)	39" 991	37-3/8" 949)	88 (39.9)	18.0 (.7)
944	3	21" x 33" (533 x 838)	11-3/8" (289)	22-3/4" (578)	39" 991	37-3/8" 949)	106 (48.1)	18.0 (.7)
947	2	24" x 36" (610 x 914)	21" (533)	25-7/8" (657)	42" 1067	37-3/8" 949)	106 (48.1)	30.18 (1.2)
949	3	24" x 36" (610 x 914)	11-3/8" (289)	25-7/8" (657)	42" 1067	37-3/8" 949)	130 (59)	30.18 (1.2)
953	2	24" x 42" (610 x 1067)	21" (533)	25-3/4" (654)	48" 1219	37-3/8" 949)	126 (57.1)	36.0 (1.4)
954	3	24" x 42" (610 x 1067)	11-3/8" (289)	25-3/4" (654)	48" 1219	37-3/8" 949)	152 (69)	36.0 (1.4)
958	2	21" x 49" (533 x 1245)	21" (533)	22-3/4" (578)	55" 1397	37" 940)	123 (55.8)	32.3 (.90)
959	3	21" x 49" (533 x 1245)	11-3/8" (289)	22-3/4" (578)	55" 1397	37" 940)	150 (68)	32.3 (.90)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide Casters: 5" (127) - 2 ea. swivel, 8" (203) - 2 ea. fixed. Extra-Load, No-Mark cushion tread.



Freight Class: 125
Ships in: **5** days or less!

NSF Model #7120

4 TOUGH TRANSPORT
1000 LBS | 450 KG

Ergo-One® SYSTEM UTILITY CARTS | STAINLESS STEEL

This beneficial cart was designed with the help of an orthopedic specialist to prevent body strain and unnecessary worker's comp expenses.

- Vertical handle with comfortable grip ensures wrists are in the correct position for pushing and steering
- "Safety Zone" shelves are the proper height for loading and unloading*
- No-mark®, extra load, cushion tread wheels absorb impact, reducing vibration and strain
- All joints are fully welded to better withstand heavy loads and frequent use
- 14-gauge stainless steel shelves reinforced for added strength
- Stainless steel is easy to clean and sanitize
- Leg bumpers protect walls and furniture
- All models are NSF listed

FACTORY INSTALLED OPTIONS (PAGE 55):

- Ground and polished joint welds
- Hi-Temp nylon casters, up to 400° F. (204° C.) 5" (127) 2 ea. fixed, 2 ea. swivel casters
- Handle Set Both Ends
- Perimeter Channel Bumper
- 2 Brake Casters
- 4 - 5" Swivel Casters
- 2 - 5" Swivel, 2 - 5" Fixed Casters
- 2 - 5" Swivel, 2 - 5" Fixed

Model	# of Shelves	Shelf Size	Shelf Clearance	Top Shelf Height	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
					W	L	H		
7120	2	21" x 33" (533 x 838)	18-1/2" (470)	40" (1016)	21-5/8" (549)	41-3/8" (1051)	46-3/4" (1187)	88 (39.9)	25.7 (1.0)
7130	2	21" x 49" (533 x 1245)	18-1/2" (470)	40" (1016)	21-5/8" (549)	57-7/16" (1459)	46-3/4" (1187)	163 (74.1)	80.1 (3.1)
7140	2	24" x 42" (610 x 1067)	18-1/2" (470)	40" (1016)	24-5/8" (625)	50-7/16" (1281)	46-3/4" (1187)	166 (75.5)	76.8 (2.9)

Measurements in () denote metric millimeters, unless otherwise specified. *Top shelf is 40" (1016) from the floor and bottom shelf is 20" (508) Handle assembly required. Lake-Glide® Casters: 5" (127) - 2 ea. swivel, 8" (203) - 2 ea. fixed; Extra load, No-Mark cushion tread.

4 TOUGH TRANSPORT
1000 LBS | 450 KG

HANDLER™ SERIES UTILITY CARTS | STAINLESS STEEL

Handler Series Carts are the smart choice for maneuvering in confined spaces, even with the heaviest loads.

- Unique one-piece vertical handle offers more control for guiding the cart
- All swivel casters provide tight turn handling for crowded kitchens and make it easier to navigate into storage area corners.
- Angled "U"-shaped frame design provides superior structural strength
- All joints are fully welded to better withstand heavy loads and frequent use
- Stainless steel shelves reinforced for added strength
- No-mark, extra load, cushion tread wheels absorb impact, reducing strain
- Stainless steel is easy to clean and sanitize
- Leg bumpers protect walls and furniture

FACTORY INSTALLED OPTIONS (55):

- Offset perimeter bumpers
- Ground and polished joint welds
- Hi-Temp nylon casters, up to 400° F. (204° C.) 5" (127) 2 ea. fixed, 2 ea. swivel casters
- 8" (203) - 2 ea. fixed wheel



Freight Class: 125
Ships in: **5** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Top Shelf Height	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
					W	L	H		
4938	2	18" x 27" (457 x 686)	19" (483)	35-3/4" (908)	19-3/4" (502)	33" (838)	46-3/4" (1174)	66 (29.9)	10.4 (.40)
4939	3	18" x 27" (457 x 686)	10" (254)	35-3/4" (908)	19-3/4" (502)	33" (838)	46-3/4" (1174)	80 (36.3)	10.4 (.40)
4943	2	21" x 33" (533 x 838)	21" (533)	35-3/4" (908)	22-3/4" (578)	39" (991)	39-3/8" (1000)	88 (39.9)	9.3 (.36)
4944	3	21" x 33" (533 x 838)	11-3/8" (289)	35-3/4" (908)	22-3/4" (578)	39" (991)	39-3/8" (1000)	106 (48.1)	25.6 (.99)
4958	2	21" x 49" (533 x 1245)	21" (533)	35-3/4" (908)	22-3/4" (578)	55" (1397)	39-3/8" (1000)	123 (55.8)	32.3 (.90)
4959	3	21" x 49" (533 x 1245)	11-3/8" (289)	35-3/4" (908)	22-3/4" (578)	55" (1397)	39-3/8" (1000)	150 (68)	32.3 (.90)

Measurements in () denote metric millimeters, unless otherwise specified. Handle assembly required. Lake-Glide Casters: 5" (127) - all swivel.




DURABILITY INDEX

EXTREME DUTY®

To help you select the right cart for the job, all Lakeside® utility carts have a DURABILITY INDEX RATING (1 through 5).

Lakeside's Durability Index indicates how the cart will perform over time doing the tasks it was designed to do – not just the amount of weight the cart can hold. Each cart within a Durability Index category is designed and constructed to do typical tasks in typical foodservice situations. These incorporate the amount of weight the shelves will hold, the flooring types the cart is pushed over and the amount of time per day the cart is used. Listed here are typical factors that affect the longevity of a cart.

5 EXTREME DUTY
1500 LBS | 680 KG

EXTREME DUTY RATED CARTS

IDEAL WORKING TASKS

- Casinos and Correctional facilities
- Receiving dock and store room/warehouse
- Transporting loads – **up to 1500 lbs.**

IDEAL FLOOR SURFACES:

- Uneven tile floors
- Carpets
- Outdoor concrete, parking lots
- Thresholds, elevators

IDEAL DAILY USAGE AMOUNT:

- No more than:
24 hours per day

EXTREME DUTY UTILITY CART DESIGN ELEMENTS

- ① Shelves are 14 gauge stainless steel.
(The lower the number, the stronger the steel.)
- ② Legs are 1" square tubing (Model 8840) or 1/8" thick angle stainless steel (Model 8820).
- ③ Shelves are reinforced with 1" square tubing.
- ④ Unitized full-bead electronic welding is used to fasten shelves and the handle to the frame. Vertical handles are bolted to the frame.
- ⑤ Square tubular or Angle "U" frame, depending on the model.
- ⑥ Caster/wheel size is 6" and 8". Wheel material is Rubber, Polyurethane or No-Mark®, cushion tread thermoplastic rubber (TPR).



5 EXTREME DUTY
1500 LBS | 680 KG

SQUARE TUBE FRAME UTILITY CART | STAINLESS STEEL

Only the strongest design and most extreme reinforcement could qualify this Lakeside cart for Extreme Duty®.

- 1" thick square tubing construction provides superior strength
- 1" thick square tubing reinforcement under 14-gauge shelves with stands heavy object drops, even on shelf edge
- Fully welded joints ensure even vulnerable points are as rugged as possible, no pry points
- No-mark, extra-load casters offer easy handling and long life over uneven surfaces
- Stainless steel is easy to clean and sanitize

FACTORY INSTALLED OPTIONS (PAGE 55):

- 6" (152) deluxe all swivel casters
- Offset perimeter bumper
- Security packages
- Sta-Clean® vinyl covers
- Lake-Glide® casters and wheels



Model #8840

Freight Class: 125
Ships in: **10** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type*	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
				W	L	H				
8840	2	21" x 33" (533 x 838)	27" (686)	22" (559)	35" (889)	50-1/8" (1273)	2 ea. swivel, 2 ea. fixed.	8" (203)	117 (53)	22 (.61)

Measurements in () denote metric millimeters, unless otherwise specified. *Lake-Glide Extra-Load, No-Mark® polyurethane casters

5 EXTREME DUTY
1500 LBS | 680 KG

ANGLE-LEG UTILITY CART | STAINLESS STEEL

Lakeside's classic cart in its most extreme version is tough enough for any job.

- Angled u-shape design virtually eliminates stress points in the frame
- 1" thick square tubing reinforcement under 14-gauge shelves withstands heavy object drops, even on shelf edge
- Fully welded joints ensure even vulnerable points are as rugged as possible, no pry points
- No-mark, extra load, cushion tread wheels absorb impact, reducing vibration and strain
- Stainless steel is easy to clean and sanitize

FACTORY INSTALLED OPTIONS (PAGE 55):

- 6" (152) deluxe all swivel casters
- Perimeter bumper. • Security packages
- Sta-Clean® vinyl covers
- Lake-Glide® casters and wheels

ACCESSORIES (PAGE 56):

- Detachable silverware and waste boxes



Underside of shelves are reinforced with 1" square tubing.



Model #8820

Freight Class: 125
Ships in: **10** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type*	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
				W	L	H				
8820	2	21" x 33" (533 x 838)	24-5/8" (625)	21-1/4" (540)	36-1/2" (927)	37-7/32" (945)	2 ea. swivel, 2 ea. fixed.	6" (152) 8" (203)	98 (44)	25.6 (.99)

Measurements in () denote metric millimeters, unless otherwise specified. *Lake-Glide Extra-Load, No-Mark cushion tread casters Model #8820 is NSF listed.

OPTIONAL ACCESSORIES | UTILITY CARTS



Corner Leg Bumpers

Vinyl bumper strips attach to the front edges of carts to protect walls and furniture. Sold in sets of two.



Round Corner Bumpers

Bumpers fit tubular legs to protect walls and doors. Made of resilient vinyl. Sold in sets of four.



Extruded Vinyl Perimeter Bumper

Safeguard doors, walls and furnishings. Perimeter bumpers are away from the cart frame in a specially engineered channel.



No-Mark® Casters

Swivel casters for easy handling, plus the added convenience of a non-marking tread.




Brake Casters

Swivel casters feature a step-on locking brake. Sold in sets of two.



Sta-Clean® Vinyl Covers

Slides over mobile equipment to protect contents. Made of durable 12 mil vinyl. A wide variety of sizes are available.



Fixed & Swivel Casters

Fixed wheels and swivel casters are interchangeable at factory or in the field.



Bussing Accessories

Optional accessories include detachable plastic silverware and waste boxes. See page 56.

Fits - Model #	Perimeter Strip Bumper	Offset Perimeter Bumper	2-5" Fixed 2-5" Swivel Casters	Hi-Temp 2-5" Fixed 2-5" Swivel	All 8" Swivel Casters	All 5" Cushion Tread	2 Brake & 2 No Brake Casters	Sta-Clean® Vinyl Covers +
311, 316, 322, 4311, 4322	●	N/A	●	N/A	N/A	●	●	●
403, 444, 4444	●	●	●	●	●	Standard	●	●
411, 422, 526, 4411, 4422	●	N/A	●	N/A	N/A	●	●	●
459, 4459	●	●	Standard	●	●	Standard	●	N/A
510, 511, 4510, 4511	N/A	●	N/A	●	N/A	Standard	●	●
521, 522, 527, 543, 544, 557, 4521, 4522, 4543, 4544	N/A	●	N/A	●	●	Standard	●	●
558, 559, 4558, 4559	N/A	●	N/A	●	●	Standard	●	N/A
603	●	●	●	●	●	Standard	●	●
610, 615	●	N/A	●	N/A	N/A	●	●	●
622, 626	●	N/A	●	N/A	N/A	●	●	●
644, 646	●	●	●	●	●	Standard	●	●
710, 711, 4710, 4711,	N/A	●	N/A	●	N/A	Standard	●	●
721, 722, 727, 743, 744, 757, 4721, 4722, 4743, 4744	N/A	●	N/A	●	●	Standard	●	●
758, 759, 4758, 4759	N/A	●	N/A	●	●	Standard	●	N/A
810, 815	●	N/A	●	●	N/A	●	●	●
822*, 844**	●	●**	●	●	●	Standard	●	●
938, 939, 943, 944 4938, 4939, 4943, 4944	N/A	●	N/A	●	N/A	Standard	●	●
947, 949, 4947, 4949	N/A	●	N/A	●	N/A	Standard	●	N/A
953, 954, 4953, 4954	N/A	●	N/A	●	N/A	Standard	●	N/A
958, 959, 4958, 4959	N/A	●	N/A	●	N/A	Standard	●	N/A

Measurements in () denote metric millimeters, unless otherwise specified. All Casters are Lake-Glide®. * Offset Perimeter bumper, 8" (203) casters, and high-temp casters not available on model 822.

**Caster configuration for Model 844 with perimeter bumper is 2 ea. 5" (127) swivel, 2 ea. 5" (127) fixed. + Not available for Handler™ Series Models.



BUSSING ACCESSORIES FOR UTILITY CARTS

To make the most of your Lakeside carts, be sure to make the job even easier with these optional accessories.

- Add capacity to your bussing operation
- Clear tables and sort flatware and waste in one quick operation
- Waterproof design is durable
- Adapter bars available to accommodate waste and silver boxes for tubular utility carts

ADAPTER BAR*

Model	Fits Shelf Size
09900	15-1/2"
09901	18"
09902	21"



* Adapter bar is for use with tubular frame carts. Fits over tubular handle to hold waste and silver boxes. Specify tubular cart model #.



Model	Description	Overall Size			Case Weight	
		W	L	H	Single Pack Lbs. (Kg)	Bulk Pack* Lbs. (Kg)
202	Waste Box	9-1/4"	13-1/2"	24"	6 (2.7)	28 (12.7)
206	Jumbo Waste Box	11-1/4"	14-3/8"	26"	8 (3.6)	36 (16.3)
208	Silver Box	6-3/4"	15-3/4"	6"	4 (1.8)	15 (6.8)

*Bulk pack is 6 ea. (except for model 206, bulk packed 4 ea). Color: Gray

OPTIONAL ACCESSORIES FOR Ergo-One® SYSTEM CARTS

Fits Model #s	6600 6610	6800 6810	6820 6830	7010 7015 7020 7025	7030	7120	7130	7140
Ergonomic Handle Grips and Bumpers, Blue	•	Std.	Std.	Std.	Std.	Std.	Std.	Std.
Handle Set Both Ends	N/A	N/A	N/A	•	•	•	•	•
Offset Perimeter Bumper	N/A	N/A	N/A	•	•	•	•	•
2 Brake Casters	N/A	•	•	•	•	•	•	•
4 - 5" Swivel Casters	N/A	N/A	N/A	•	•	N/A	N/A	N/A
2 - 5" Swivel, 2 - 5" Fixed Casters	N/A	•	N/A	N/A	N/A	•	•	•
2 - 5" Swivel, 2 - 5" Fixed High-Temp Nylon Casters	N/A	•	•	•	•	•	•	•

ENCLOSED BUSSING CARTS WITH LEDGE RODS STAINLESS STEEL with VINYL FINISH

This bussing cart practically puts money in your pocket by allowing you to accomplish and maintain a fast-turnover dining area.

- Holds up to four standard 15" x 20" (381 x 508) bus boxes inside and one on the top for increased capacity
- Durable stainless steel rod ledges hold heavy buss boxes
- Choose from a variety of popular vinyl and laminate finishes to match your décor and impress your guests (Walnut vinyl is standard)
- Compact size makes it easy to maneuver around crowded dining areas
- Stainless steel construction is easy to clean and sanitize
- All welded angle leg construction is more durable and easy to clean
- No-mark®, extra load, cushion tread wheels absorb impact, reducing vibration and noise



FINISHES (SEE BELOW):

- GROUP 1 vinyl finishes for model 890: Black, Light Maple and Red Maple
- GROUP 2 finishes
- GROUP 3 Custom laminate finishes are available

Freight Class: 125
Ships in: **4** days or less!

ACCESSORIES (PAGE 56):

- Detachable silverware and waste boxes

NEW!



Model #890



Model	Ledge Description		Shelf Clearance	Capacity Bus Boxes*	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
	# of	Size			W	L	H		
790	4	16" x 22" (406 x 559)	8" (203)	4 ea.	17-5/8" (448)	27-3/4" 705	42-7/8" 1089)	62 (28.1)	18.9 (.73)
890 Walnut	4	16" x 22" (406 x 559)	8" (203)	4 ea.	17-5/8" (448)	27-3/4" 705	42-7/8" 1089)	62 (28.1)	18.9 (.73)
New 890A	4	16" x 22" (406 x 559)	8" (203)	4 ea.	17-5/8" (448)	27-3/4" 705	42-7/8" 1089)	62 (28.1)	18.9 (.73)


Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide Casters: 5" (127) - All swivel, No-Mark cushion tread. *Bus box size: 15" x 20" (381 x 508). Models with "A" suffix color-coded with purple to promote allergen awareness.

VINYL & LAMINATE FINISHES


GROUP 1 | VINYL



GROUP 2 | LAMINATES



New



GROUP 3 | CUSTOM LAMINATES



For finishes not shown above, call us at 800-558-8565 with requested laminate manufacturer and finish information. With this information, we can research the price for you.

1 STANDARD DUTY
300 LBS | 135 KG

ENCLOSED CARTS | STAINLESS STEEL

The dependability of Stainless Steel with a smartly styled exterior finish combines the best of both worlds.

- Choose from a variety of popular vinyl and laminate finishes to match your décor and impress your guests (Walnut vinyl is standard)
- Stainless steel interior prevents odor retention from spills
- All welded angle leg construction is more durable and easy to clean
- Reinforced, hemmed front on 22 gauge shelves add strength where the cart is most vulnerable to stress


FINISHES (PAGE 57):

- GROUP 1 vinyl finishes: Black, Light Maple and Red Maple
- GROUP 2 finishes
- GROUP 3 Custom laminate finishes



FACTORY INSTALLED OPTIONS (PAGE 55):

- Strip bumpers
- Perimeter bumpers
- 2-5" fixed, 2-5" swivel casters
- All 5" cushion tread
- 2 brake and 2 no brake casters
- Sta-Clean® vinyl cover
- Hinged doors
- Door w/lock



Accessories include detachable plastic silverware and waste boxes.



Factory Option: Hinged Doors

HINGED DOORS OR DOOR W/LOCK AVAILABLE ON:

610, 615, 622, 626, 644, 646, 810, 815, 822, 844



Model #615
Shown in Gray Sand



Model #610
Shown in standard Walnut vinyl

Freight Class: 125
Ships in: 4 days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
				W	L	H		
Stainless Steel Top Shelf - 3 Edges Up, 1 Down								
610	3	15-1/2" x 24" (394 x 610)	12-3/8" (314)	16-1/2" (419)	27-3/4" (705)	32-3/4" (832)	40 (18.1)	15.8 (.61)
615	4	15-1/2" x 24" (394 x 610)	8" (203)	16-1/2" (419)	27-3/4" (705)	32-3/4" (832)	43 (19.5)	15.8 (.61)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 3-1/2" (89) - All swivel.

ENCLOSED CARTS | STAINLESS STEEL with LAMINATE FINISH

The same durable and stylish cart, but with added capacity for handling heavier loads.

- All welded angle leg construction is more durable and easy to clean
- Reinforced, 20 gauge (18 gauge on #822, 844) shelves add strength where cart is most vulnerable to stress from load drops
- Models 626 and 646 feature a flat laminate top shelf, perfect for displays or serving
- Models 646, 644, 822, and 844 have extra load casters with No-Mark® cushion tread wheels to absorb impact, reducing vibration and noise

FINISHES (PAGE 57):

- Standard exterior vinyl finish: Walnut.
- GROUP 1 vinyl finishes: Black, Light Maple and Red Maple
- GROUP 2 finishes
- GROUP 3 Custom laminate finishes

FACTORY INSTALLED OPTIONS (PAGE 55):

- Strip or perimeter bumpers
- 2-5" fixed, 2-5" swivel casters
- All 5" cushion tread
- 2 brake and 2 no brake casters
- Sta-Clean® vinyl cover
- Hinged doors (see chart)

ACCESSORIES (PAGE 56):

- Detachable silver and waste boxes



Model #644
Shown in Black



2 MEDIUM DUTY
500 LBS | 230 KG

Model #622
Shown in Hard Rock Maple



Model #626
Shown in Walnut

3 HEAVY DUTY
700 LBS | 320 KG

Model #822
Shown in Walnut

HINGED DOORS

CART MODEL	DOORS	DOOR W/LOCK
610, 810	•	•
615, 622, 626, 815, 822	•	•
644, 646, 844	•	•



Freight Class: **125**
Ships in: **6** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
				W	L	H				
Wood Laminate Top Shelf - Flat										
626	3	18" x 27" (533 x 838)	12-1/2" (318)	18-3/4" (476)	28-1/4" (718)	32-5/8" (829)	All swivel	4" (102)	70 (31.8)	15.6 (.61)
646	3	21" x 35" (533 x 889)	13-1/4" (337)	22" (559)	36" (914)	36-5/8" (930)	All swivel, No-Mark, cushion tread	5" (127)	108 (49)	27.4 (1.1)
Stainless Steel Top Shelf - 3 Edges Up, 1 Down										
810	3	15-1/2" x 24" (394 x 610)	12-1/2" (318)	16-7/8" (429)	28-1/4" (718)	34-1/2" (876)	All swivel	4" (102)	50 (22.7)	15.6 (.61)
815	4	15-1/2" x 24" (394 x 610)	9" (229)	16-7/8" (429)	28-1/4" (718)	37-1/2" (953)	All swivel	4" (102)	58 (26.3)	15.6 (.61)
622	3	18" x 27" (457 x 686)	12-1/4" (311)	19" (483)	30-3/4" (781)	33-7/8" (860)	All swivel	4" (102)	53 (24)	27.4 (1.1)
644	3	21" x 35" (533 x 889)	13-1/8" (333)	22-1/2" (572)	39-1/4" (997)	37-3/8" (949)	All swivel, No-Mark, cushion tread	5" (127)	92 (41.7)	27.4 (1.1)
822	3	18" x 27" (457 x 686)	10-3/4" (273)	19-1/2" (495)	31-1/4" (794)	34-1/2" (876)	4 swivel cushion tread	5" (127)	75 (34)	18.0 (.70)
844	3	21" x 35" (533 x 889)	12" (305)	22-1/2" (572)	39-5/16" (999)	37" (940)	2-swivel 2-fixed	5" (127) 8" (203)	99 (44.9)	18.0 (.70)

Measurements in () denote metric millimeters, unless otherwise specified. Note: Enclosed carts require vinyl or laminate exterior finish.



MEDIUM DUTY
500 LBS | 230 KG

MULTI-SHELF CARTS | STAINLESS STEEL

Multiple shelves keep trays and supplies organized in a compact footprint.

- Compact size allows for easy maneuvering
- Choose the type of shelf that best fits your needs:
 - All shelf edges down for easy loading and unloading from all sides
 - 3 edges up, 1 down to help hold items on the shelves during transport
- All welded angle leg construction for a stronger structure and easier-to-clean surface
- Stainless steel is easy to clean and sanitize
- No-Mark® cushion tread wheels absorb impact for quieter operation
- Bumpers on legs and handles protect walls and furniture
- 2 fixed and 2 swivel 5" casters guide cart in a straight line, while making turns easier

FACTORY INSTALLED OPTIONS: (SEE BELOW)

- Offset or strip perimeter bumper
- 5" (127) all swivel casters
- 8" (127) all swivel casters
- 2 Brake & 2 No Brake casters



Freight Class: 125
Ships in: **5** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
				W	L	H		
All Shelf Edges Down								
351	3	18" x 31" (457 x 787)	13-3/4" (349)	19-3/8" (492)	35" 889	36-7/8" 937)	50 (22.7)	22.0 (.47)
353	4	18" x 31" (457 x 787)	8-3/4" (222)	19-3/8" (492)	35" 889	36-7/8" 937)	57 (25.9)	22.0 (.47)
355	5	18" x 31" (457 x 787)	8-3/8" (213)	19-1/4" (489)	32-1/8" 816	45-1/8" 1146)	67 (30.4)	26.3 (1.0)
3 Edges Up, 1 Down								
352	3	18" x 31" (457 x 787)	13-1/8" (333)	19-3/8" (492)	35" 889	36-7/8" 937)	50 (22.7)	22.0 (.85)
354	4	18" x 31" (457 x 787)	8-3/8" (213)	19-3/8" (492)	35" 889	36-7/8" 937)	57 (25.9)	22.0 (.85)
357	5	18" x 31" (457 x 787)	8-1/8" (206)	19-1/4" (489)	32-1/8" 816	45-1/8" 1146)	67 (30.4)	26.3 (1.0)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide Casters: 5" (127) - 2 ea. swivel, 2 ea. fixed, No-Mark, cushion tread.

OPTIONAL ACCESSORIES FOR OPEN TRAY TRUCKS

Fits Model #	Perimeter Strip Bumper	Offset Perimeter Bumper	All 5" Swivel Casters	All 8" Swivel Casters	2 ea. Brake & 2 ea. No Brake Casters
351 - 355, 357	available	available	available	N/A	available
433, 445, 446 448, 449, 451	Std.	available	available	available	available
460, 461, 462, 463, 464, 465	Std.	N/A	available	available	available

2 MEDIUM DUTY
500 LBS | 230 KG

MULTI-SHELF CARTS | STAINLESS STEEL

UTILITY CARTS | MULTI-SHELF CARTS



Multiple shelves increase efficiency and maintain organization.

- Choose the type of shelf that best fits your needs:
 - All shelf edges down for easy loading and unloading from all sides
 - 3 edges up, 1 down to help hold items on the shelves during transport
- All welded angle leg construction for a stronger structure and easier-to-clean surface
- Stainless steel is easy to clean and sanitize
- No-Mark® cushion tread wheels absorb impact for quieter operation
- Perimeter strip bumper adds extra protection for walls and furniture
- 2 fixed and 2 swivel 5" casters guide cart in a straight line, while making turns easier

FACTORY INSTALLED OPTIONS (PAGE 60):

- Offset perimeter bumper
- 5" (127) all swivel casters
- 8" (127) all swivel casters
- 2 Brake & 2 No Brake casters

Model #448



Freight Class: **125**

Ships in: **6** days or less!

Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
				W	L	H		
All Shelf Edges Down								
445	4	21" x 35" (533 x 889)	11-1/2" (292)	22-1/4" (565)	36-3/8" 924	45-5/8" 1159)	78 (35.4)	28.6 (1.1)
433	6	21" x 35" (533 x 889)	7-3/8" (187)	22-1/4" (565)	36-3/8" 924	50-3/8" 1280)	98 (44.5)	28.5 (.80)
449	8	21" x 35" (533 x 889)	5-1/2" (140)	22-1/4" (565)	36-3/8" 924	54-1/2" 1384)	119 (54)	30.8 (.86)
460	4	21" x 50" (533 x 1270)	11-1/2" (292)	22-1/4" (565)	51-3/8" 1305	45-5/8" 1159)	155 (70.5)	45.9 (1.9)
462	6	21" x 50" (533 x 1270)	7-3/8" (187)	22-1/4" (565)	51-3/8" 1305	50-3/8" 1280)	167 (75.9)	42.8 (1.20)
464	8	21" x 50" (533 x 1270)	5-1/2" (140)	22-1/4" (565)	51-3/8" 1305	54-1/2" 1384)	178 (80.7)	46 (1.29)
3 Edges Up, 1 Down								
446	4	21" x 35" (533 x 889)	11-1/8" (283)	22-1/4" (565)	36-3/8" 924	45-5/8" 1159)	78 (35.4)	28.6 (1.1)
448	6	21" x 35" (533 x 889)	7-1/8" (181)	22-1/4" (565)	36-3/8" 924	50-3/8" 1280)	98 (44.5)	28.5 (.80)
451	8	21" x 35" (533 x 889)	5-3/8" (137)	22-1/4" (565)	36-3/8" 924	54-1/2" 1384)	119 (54)	30.8 (.86)
461	4	21" x 50" (533 x 1270)	11-1/8" (283)	22-1/4" (565)	51-3/8" 1305	45-5/8" 1159)	155 (70.5)	45.9 (1.3)
463	6	21" x 50" (533 x 1270)	7-1/8" (181)	22-1/4" (565)	51-3/8" 1305	50-3/8" 1280)	167 (75.9)	42.8 (1.20)
465	8	21" x 50" (533 x 1270)	5-3/8" (137)	22-1/4" (565)	51-3/8" 1305	54-1/2" 1384)	178 (80.7)	46 (1.29)

Lake-Glide® Casters: 5" (127) - 2 ea. swivel, 2 ea. fixed, No-Mark cushion tread. Includes perimeter strip bumper.



3 HEAVY DUTY
700 LBS | 320 KG

MULTI-SHELF CARTS | STAINLESS STEEL

This cart maneuvers heavy loads easily in narrow or crowded service areas.

- Narrow width fits easily in elevators and other confined spaces
- U-shaped frame provides superior strength
- Choose the type of shelf that best fits your needs:
 - All shelf edges down for easy loading and unloading from all sides
 - 3 edges up, 1 down to help hold items on the shelves during transport
- All welded angle leg construction for a stronger structure and easier-to-clean surface
- Stainless steel is easy to clean and sanitize
- No-Mark® cushion tread wheels absorb impact for quieter operation
- 2 fixed and 2 swivel 5" casters guide cart in a straight line, while making turns easier

FACTORY INSTALLED OPTIONS: (SEE BELOW)

- Offset perimeter bumper
- All 5" swivel casters
- All 8" swivel casters
- 2 Brake & 2 No Brake casters



Model #745

Freight Class: 125
Ships in: **5** days or less!

NSF Model	Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
					W	L	H				
All Shelf Edges Down											
745	545	4	21" x 33" (533 x 838)	11-1/2" (292)	21-1/2" (546)	38-1/2" 978	49-1/8" 1248	2-swivel, 2-fixed	5" (127)	99 (44.9)	28.5 (.81)
733	533	6	21" x 33" (533 x 838)	7-3/8" (187)	21-1/2" (546)	38-1/2" 978	54-1/2" 1384	2-swivel, 2-fixed	5" (127)	129 (58.5)	30.8 (.88)
760	560	4	21" x 49" (533 x 1245)	11-1/2" (292)	21-1/2" (546)	54-1/2" 1384	49-1/4" 1251	2-swivel, 2-fixed	5" (127)	133 (60.3)	42.1 (1.18)
762	562	6	21" x 49" (533 x 1245)	7-3/8" (187)	21-1/2" (546)	54-1/2" 1384	54-5/8" 1387	2-swivel, 2-fixed	5" (127)	178 (80.7)	46.1 (1.29)
3 Edges Up, 1 Down											
746	546	4	21" x 33" (533 x 838)	11" (279)	21-1/2" (546)	38-1/2" 978	49-1/8" 1248	2-swivel, 2-fixed	5" (127)	99 (44.9)	28.5 (.81)
748	548	6	21" x 33" (533 x 838)	7" (178)	21-1/2" (546)	38-1/2" 978	54-1/2" 1384	2-swivel, 2-fixed	5" (127)	129 (58.5)	30.8 (.88)
761	561	4	21" x 49" (533 x 1245)	11" (279)	21-1/2" (546)	54-1/2" 1384	49-1/4" 1251	2-swivel, 2-fixed	5" (127)	139 (63.1)	42.1 (1.18)
763	563	6	21" x 49" (533 x 1245)	7" (178)	21-1/2" (546)	54-1/2" 1384	54-5/8" 1387	2-swivel, 2-fixed	5" (127)	178 (80.7)	46.1 (1.29)

Measurements in () denote metric millimeters, unless otherwise specified.



Offset Perimeter Bumper provides protection for walls and furnishings.

OPTIONAL ACCESSORIES FOR BANQUET CARTS

Fits Model #	Offset Perimeter Bumper	All 5" Swivel Casters	All 8" Swivel Casters	2-Brake & 2-No Brake Casters
533, 545, 546, 548, 733, 745, 746, 748	available	available	available	available
560, 561, 760, 761, 562, 563, 762, 763	available	available	available	available

VIDEOS



100s of new videos added Spring 2015

eLakesideFoodservice.com/videos


WHATS NEW/
COMING SOON!
PAGES 6-9



Learn about our NEW products:
eLakesideFoodservice.com/new



REVIT DRAWINGS:



eLakesideFoodservice.com/Revit

eLakesideFoodservice.com



Download a digital version of this catalog.

eLakesideFoodservice.com/catalog

Find your local Lakeside Rep.

eLakesideFoodservice.com/rep

ASSOCIATIONS & PARTNERSHIPS





LAKESIDE
NSF
CERTIFIED

L LAKESIDE®



BEST IN CLASS PERFORMANCE

Year after year, Lakeside carts are recognized as the best carts money can buy. Now dealers and consultants have also voted Lakeside as the industry leading supplier of Self-Leveling Dispensers, with the introduction of our oval and square plate dispensers.

DISPENSING

When it comes to self leveling dispensers, look to the industry leader. . . .

Since Lakeside changed the landscape of plate levelers 30 years ago with our Adjust-A-Fit® adjustable diameter plate levelers, the brand has become the standard for innovation and design.

Over the years, the line has expanded to include tray, rack, and pellet base dispensers. Be sure to check out our latest additions, including dispensers for oval and even square plates.


HOW TO SELECT PLATE DISPENSERS

A. DETERMINE WHICH TYPE OF DISPENSING APPLICATION IS BEST FOR YOU...

- 1. MOBILE UNIT WITH BUILT-IN DISPENSER(S)** – Choose a Mobile Unit for mobile buffet lines, temporary set-ups or when dish or tray transport is needed.
- 2. STATIONARY COUNTER WHEN DISPENSERS DROP INTO COUNTER CUTOUTS** – Choose Drop-in dispensers for permanent serving applications when adequate space is available for built-in counters and separate dish or tray transport equipment is used.



Mobile unit with built-in dispenser(s) – Model #935 shown



Counter Cutout for Drop-in Dispensers

B. WILL AN OPEN, SHIELDED OR HEATED SELF-LEVELING DISPENSER WORK BEST FOR YOU...

Consider Heated Dispensers when serving hot food and temperature maintenance is an issue.



Open model



Shielded model



Heated model

C. YOU NEED ADJUST-A-FIT® DISPENSERS WHEN...

- 1. YOU WANT DISPENSER FLEXIBILITY** – For example, using one dispenser for 7" diameter salad plate for lunch service and 9-1/2" for dinner service.
- 2. THE DIAMETER OF THE PLATES AND/OR BOWLS IS NOT KNOWN** – For example, specification design/ construction applications. Or, your china has not yet been chosen.
- 3. YOUR CHINA BRAND AND STYLES CHANGE FREQUENTLY.**



D. CHOOSE REGULAR DISPENSERS WHEN...

1. Exact plate and bowl diameters are known.
2. China is not changed frequently.
3. You prefer a lower cost dispensing option.




Regular Dispensers have a fixed size.

E. CHOOSE THE SMALLEST DISPENSER SIZE THAT ACCOMMODATES THE CHINA SIZE

Lakeside dispensers are sized to accommodate a 1/8" variance in nominal china sizes. Please verify with the china manufacturer that their diameter variance nominal size is no more than 1/8".



Regular models have 25" (635) stacking height capacity. ADA-compliant height models: 22" (559) stacking height capacity.



F. CALCULATE PLATE CAPACITY BY STACKING YOUR PLATES

25" high for regular height counters and 22" for ADA compliant counters. Count the number of plates to determine the capacity per dispenser.

CONSIDER THE EASE OF **ADJUSTING THE DISPENSERS IN THE FIELD**

HEIGHT ADJUSTMENT

Both styles of Lakeside® Self-Leveling Dispensers feature a spring tension design that is field-adjustable without tools. This ensures proper dispensing levels for dishes, trays or racks.



ADJUST-A-FIT® SIZE ADJUSTMENT

These models also feature unique size adjustability design that is field-adjustable for plate or bowl diameter within a range of 3-1/4". No tools required.



ADJUST-A-FIT® and REGULAR EXPRESS HEAT™ PLATE DISPENSER DOUBLE-WALL CABINETS HEATED | STAINLESS STEEL

Heated plates help maintain safe food temperatures for banquets and on-demand meals.

- Double wall construction also promotes quick, efficient heating
- Single thermostatic control allows you to manage and adjust temperature for both dispenser tubes
- Dispenser height tension is hand adjustable to accommodate various plate weights
- Easy glide design is non-stick for smooth operation
- All 4" swivel casters, 2 with brake, allow easy maneuverability.
- All welded construction increases durability
- Stainless steel material is easy to clean and sanitize
- Dispensers have 25" (635) stacking height capacity

Adjust-A-Fit diameter hand adjustment of 3 1/4" (83) allows flexibility for varying dish sizes

Units include 2 ea. heat retaining covers



Forced air design heats dishes evenly up to 150°F in 90 minutes



Freight Class: 92.5
Ships in: **10** days or less!

Model #E927


ADJUST-A-FIT EXPRESS HEAT PLATE DISPENSERS

Model	Accommodates Plate Sizes	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		W	L	H		
E917	4-1/4" to 7-1/2" (108 to 191)	20-3/4" (527)	36-1/2" 927	39-1/8" 994	124 (56.3)	19.5 (.54)
E927	6-1/2" to 9-3/4" (165 to 248)	20-3/4" (527)	36-1/2" 927	39-1/8" 994	136 (61.8)	19.5 (.54)
E937	8-3/4" to 12" (222 to 305)	22-3/4" (568)	42-1/2" 1080	39-1/8" 994	152 (69.1)	22.5 (.64)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 4" (102) all swivel, 2 ea.; with brake, extra-load. 7" (2134) cord with 5-15P NEMA plug for 120V included. All models are 750 W, 6.5 A, 120 VAC.



Model #E6209

 Freight Class: **92.5**
Ships in: **10** days or less!

REGULAR EXPRESS HEAT™ PLATE DISPENSERS

Model	Accommodates Plate Sizes	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
		W	L	H		
E6200	Up to 5" (127)	20-3/4" (527)	36-1/2" 927	39-7/8" 1013)	110 (50)	19.5 (.54)
E6205	5-1/8" to 5-3/4" (130 to 146)	20-3/4" (527)	36-1/2" 927	39-7/8" 1013)	110 (50)	19.5 (.54)
E6206	5-7/8" to 6-1/2" (149 to 165)	20-3/4" (527)	36-1/2" 927	39-7/8" 1013)	113 (51.3)	19.5 (.54)
E6207	6-5/8" to 7-1/4" (168 to 184)	20-3/4" (527)	36-1/2" 927	39-7/8" 1013)	116 (52.7)	19.5 (.54)
E6208	7-3/8" to 8-1/8" (187 to 206)	20-3/4" (527)	36-1/2" 927	39-7/8" 1013)	127 (57.7)	19.5 (.54)
E6209	8-1/4" to 9-1/8" (210 to 232)	20-3/4" (527)	36-1/2" 927	39-7/8" 1013)	131 (59.5)	19.5 (.54)
E6210	9-1/4" to 10-1/8" (235 to 257)	20-3/4" (527)	36-1/2" 927	39-7/8" 1013)	135 (61.4)	19.5 (.54)
E6211	10-1/4" to 11" (260 to 279)	22-3/4" (568)	42-1/2" 1080	39-7/8" 1013)	138 (62.7)	22.5 (.64)
E6212	11-1/4" to 12-1/4" (286 to 311)	22-3/4" (568)	42-1/2" 1080	39-7/8" 1013)	148 (67.3)	22.5 (.64)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 4" (102) – all swivel, 2 ea; with brake, extra-load. 7" (2134) cord with 5-15P NEMA plug for 120V included. All models are 750 W, 6.5 A, 120 VAC.



CONVECTION HEATED PLATE DISPENSERS | STAINLESS STEEL

Convected air plate dispensers provide even heat distribution to ensure faster, consistent and efficient plate heating.

- Even heat transfer to all plates helps plates maintain safe food temperatures
- Unique lid design holds in heat without gaskets, helping plates maintain heat
- Dispenser cabinet is fully insulated to conserve energy
- Single heat control for 2 or 3 dispensers in a single compartment
- Dispensers are self-lubricating for smooth, accident-free operation without maintenance
- Self-leveling dispenser units are removable for convenient cleaning and tension adjustment
- Push handle for more control during transportation
- All 5" swivel casters, 2 with brake, allow easy maneuverability
- Stainless steel construction increases durability, and is easy to clean and sanitize
- Each dispenser accommodates a 27" stack of plates with a diameter of 7 to 10 1/4"



Freight Class: 125
Ships in: **14** days or less!

ELECTRICAL SPECIFICATIONS			
Model #7511	3200 W 60 Hz	16.3 A Single Phase	208/220 V
Model #7512	3200 W 60 Hz	16.3 A Single Phase	208/220 V

Model	# of Dispensers	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		W	L	H				
7511	2	33-3/8" (849)	23-3/4" 603	42-3/4" 1086)	4 swivel 2 w/ brake	5" (127)	260 (117.9)	24.0 (.68)
7512	3	43-7/16" (1103)	23-3/4" 603	42-3/4" 1086)	4 swivel 2 w/ brake	5" (127)	300 (136.1)	31.1 (.88)

Measurements in () denote metric millimeters, unless otherwise specified. 50 Hz also available, please specify. Includes 10' (3048) power cord.

PELLET DISPENSING ACCESSORIES



Model #7504



Model #7506



Model #7507

New

Model	Description	Size
7504	Safe Rim® Stainless steel pellet	9-1/3" (237)
7506	Suction Cup	-
7507	Suction Cup with Arm	-

HEATED PELLET DISPENSERS | STAINLESS STEEL

Evenly heat pellets before serving to help maintain safe food temps throughout your meal delivery service.

- Convected forced air heating ensures even heat transfer to all pellets to ensure each pellet will maintain safe food temperatures
- Unique lid design holds in heat without gaskets, so pellets maintain heat
- Dispenser cabinet is fully insulated to conserve energy
- Single heat control for 2 or 3 dispensers in a single compartment
- Dispensers are self-lubricating for smooth operation
- Push handle for more control during transportation
- All 5" swivel casters, 2 with brake, allow easy maneuverability
- Stainless steel construction increases durability, easy to clean and sanitize
- Each dispensers accommodates a 27" stack of pellets with a diameter of 7 to 10 1/4"
- Handles both metal and plastic pellet systems for added flexibility

DUO-THERM™ HEATED PELLET and PLATE DISPENSERS | STAINLESS STEEL

The convenience of heating both plates and pellets in one unit, where separate plate and pellet units are not practical – to save time and energy.

- Model 7500 heats pellets and plates in one mobile unit with the same innovative features and construction of Lakeside's convection heated dispensers
- Convected forced air heating ensures even heat transfer to all pellets and plates
- Two heated compartments are independently controlled for flexibility
- Adjustable hi-temp shut-off control for safety

ELECTRICAL SPECIFICATIONS			
Model #7500	3200 W 60 Hz	17.2 A Single Phase	208/220 V
Model #7501	3200 W 60 Hz	16.3 A Single Phase	208/220 V
Model #7502	3200 W 60 Hz	16.3 A Single Phase	208/220 V



Dispensers are removable for convenient cleaning and adjustments.



Model #7502 has 3 dispensers and a single control for heating pellets.

Model #7500



Model 7500 safely heats both pellets and plates in one mobile unit.



Freight Class: **125**
Ships in: **7** days or less!

Model	# of Dispensers	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		W	D	H				
7500 Duo-Therm	2	36" (914)	24" 610	42-3/4" 1086)	4 swivel 2 w/ brake	5" (127)	285 (129.3)	32.7 (.93)
7501 1 Control	2	33-3/8" (849)	23-3/4" 603	42-3/4" 1086)	4 swivel 2 w/ brake	5" (127)	260 (117.9)	24.0 (.68)
7502 1 Control	3	43-7/16" (1103)	23-3/4" 603	42-3/4" 1086)	4 swivel 2 w/ brake	5" (127)	300 (136.1)	31.1 (.88)

Measurements in () denote metric millimeters, unless otherwise specified. 50 Hz power also available, please specify. Includes 10' (3048) power cord.



OVAL PLATE DISPENSERS – MOBILE CABINET | STAINLESS STEEL

Oval plates and platters can now be dispensed with award-winning ease.

- Adjusting height level is easy and convenient. Simply detach and attach springs as needed with no tools required
- Easy glide design is non-stick for smooth, accident-free operation
- All 4" swivel casters, 2 with brake, allow easy maneuverability.
- All welded construction increases durability
- Stainless steel material is easy to clean and sanitize
- For heated models each dispenser features its own thermostatic control to manage and adjust temperature
- Dispensers have 25" (635) stacking height capacity
- Model 991 and 992 have Adjust-A-Fit® diameter hand adjustment for flexibility in varying platter sizes



Model #991



Model #V5210



Freight Class: 92.5
Ships in: **7** days or less!



ELECTRICAL SPECIFICATIONS		
900 W	7.5 A	120 V
208 / 240V, 60 Hz; 220V, 50 Hz also available, please specify.		

Non-Heated Model	Case Wt Lbs. (Kg)	Heated Model	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)	Accommodates Platter Sizes	Overall Size		
						W	L	H
Adjust-a-Fit®								
991	118 (53.5)	992	148 (67.1)	18.9 (.53)	8-3/4" x 9-3/4" to 11-3/8" x 13-1/2"	19-1/2" (495)	35-1/8" 892	39-1/8" 994
Regular								
V5210	101 (45.8)	V6210	128 (58.0)	24.6 (.68)	6-3/4" x 9-3/4" to 7-3/4" x 10-1/2"	18-1/2" (470)	32" 813	39-7/8" 1013
V5211	103 (46.7)	V6211	131 (59.4)	24.6 (.68)	8" x 10-3/4" to 8-1/2" x 11-1/2"	18-1/2" (470)	32" 813	39-7/8" 1013
V5212	106 (48.0)	V6212	133 (60.3)	24.6 (.68)	8-3/4" x 11-3/4" to 9-1/4" x 12-1/2"	20-3/4" (527)	36-1/2" 927	39-7/8" 1013
V5213	108 (49.0)	V6213	135 (61.2)	24.6 (.68)	9-1/2" x 12-3/4" to 10-1/4" x 13-1/2"	20-3/4" (527)	36-1/2" 927	39-7/8" 1013
V5214	111 (50.3)	V6214	138 (62.6)	24.6 (.68)	9-3/4" x 13-3/4" to 10-3/4" x 14-1/2"	22-3/4" (578)	40-1/2" 1028	39-7/8" 1013

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 4" (102) - All swivel, 2 ea. w/brake. Heated models include 6' (1829) coiled cord with 5-15P NEMA plug. Optional stainless steel Dish Covers available, see page 79.

REGULAR SQUARE PLATE DISPENSERS – MOBILE CABINET | STAINLESS STEEL

Square plates? No problem with Lakeside self-leveling Square Plate Dispensers.

- Adjusting height level is easy and convenient. Simply detach and attach springs as needed with no tools required
- Easy glide design is non-stick for smooth, accident-free operation
- All welded construction increases durability
- Stainless steel material is easy to clean and sanitize
- For heated models each dispenser features its own thermostatic control to manage and adjust temperature
- Dispensers have 25" (635) stacking height capacity



ELECTRICAL SPECIFICATIONS		
900 W	7.5 A	120 V
208 / 240V, 60 Hz; 220V, 50 Hz also available, please specify.		

Freight Class: **92.5**
Ships in: **9** days or less!

Non-Heated Model	Case Wt Lbs. (Kg)	Heated Model	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)	Accommodates Platter Sizes	Overall Size		
						W	L	H
S5206	83 (37.7)	-	-	14.9 (.42)	5" to 5-3/4" (127 to 146)	18-1/2" (470)	32" 813	39-7/8" 1013
S5207	87 (39.5)	-	-	14.9 (.42)	6-1/4" to 7-1/2" (159 to 191)	18-1/2" (470)	32" 813	39-7/8" 1013
S5209	96 (43.6)	S6209	121 (54.9)	14.9 (.42)	8-1/2" to 9-1/4" (216 to 235)	18-1/2" (470)	32" 813	39-7/8" 1013
S5210	98 (44.5)	S6210	125 (56.7)	24.4 (.69)	9-1/2" to 10-1/4" (241 to 260)	20-3/4" (527)	36-1/2" 927	39-7/8" 1013
S5211	105 (47.3)	S6211	130 (58.5)	24.4 (.69)	10-1/2" to 11-1/4" (267 to 286)	20-3/4" (527)	36-1/2" 927	39-7/8" 1013
S5212	110 (50.0)	S6212	138 (62.6)	24.4 (.69)	11-1/2" to 12" (292 to 309)	20-3/4" (527)	36-1/2" 927	39-7/8" 1013

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 4" (102) - All swivel, 2 ea. w/brake. Heated Models include 6' (1829) coiled cord with 5-15P NEMA plug for 120 V. Optional stainless steel Dish Covers available, see page 79.




REGULAR PLATE DISPENSERS: CABINETS

Non-Heated or Heated, Lakeside's award-winning plate dispensers are just what you need to easily transport and distribute plates.

- Adjusting height level is easy and convenient. Simply detach and attach springs as needed with no tools required
- Easy glide design is non-stick for smooth, accident-free operation
- All 4" swivel casters, 2 with brake, allow easy maneuverability.
- All welded construction increases durability

- Stainless steel material is easy to clean and sanitize
- Corner bumpers protect walls and furniture
- Dispensers have 25" (635) stacking height capacity
- On Heated Models, each dispenser features its own thermostatic control to manage and adjust temperature

 Freight Class: **92.5**
Ships in: **4** days or less!

NON-HEATED | STAINLESS STEEL



Model	Accommodates Plate Sizes	Overall Size				Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		W	L	H	(W L H)		
1 Stack - Non-Heated							
5100	Up to 5" (Up to 127)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	74 (33.3)	17.5 (.48)
5105	5-1/8" to 5-3/4" (130 to 146)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	74 (33.3)	17.5 (.48)
5106	5-7/8" to 6-1/2" (149 to 165)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	76 (34.2)	17.5 (.48)
5107	6-5/8" to 7-1/4" (168 to 184)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	79 (35.6)	17.5 (.48)
5108	7-3/8" to 8-1/8" (187 to 206)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	85 (38.3)	17.5 (.48)
5109	8-1/4" to 9-1/8" (210 to 232)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	87 (39.2)	17.5 (.48)
5110	9-1/4" to 10-1/8" (235 to 257)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	89 (40.1)	17.5 (.48)
5111	10-1/4" to 11" (260 to 279)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	90 (40.8)	17.5 (.48)
5112	11-1/4" to 12-1/4" (286 to 311)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	93 (41.9)	17.5 (.48)
2 Stack - Non-Heated							
5200	Up to 5" (Up to 127)	18-1/2"	32"	39-7/8"	(470 813 1013)	83 (37.7)	19.5 (.54)
5205	5-1/8" to 5-3/4" (130 to 146)	18-1/2"	32"	39-7/8"	(470 813 1013)	83 (37.7)	19.5 (.54)
5206	5-7/8" to 6-1/2" (149 to 165)	18-1/2"	32"	39-7/8"	(470 813 1013)	85 (38.6)	19.5 (.54)
5207	6-5/8" to 7-1/4" (168 to 184)	18-1/2"	32"	39-7/8"	(470 813 1013)	87 (39.5)	19.5 (.54)
5208	7-3/8" to 8-1/8" (187 to 206)	18-1/2"	32"	39-7/8"	(470 813 1013)	94 (42.6)	19.5 (.54)
5209	8-1/4" to 9-1/8" (210 to 232)	18-1/2"	32"	39-7/8"	(470 813 1013)	96 (43.6)	19.5 (.54)
5210	9-1/4" to 10-1/8" (235 to 257)	18-1/2"	32"	39-7/8"	(470 813 1013)	98 (44.5)	19.5 (.54)
5211	10-1/4" to 11" (260 to 279)	20-3/4"	36-1/2"	39-7/8"	(527 927 1013)	105 (47.6)	24.4 (.67)
5212	11-1/4" to 12-1/4" (286 to 311)	20-3/4"	36-1/2"	39-7/8"	(527 927 1013)	110 (49.8)	24.4 (.67)
3 Stack - Non-Heated							
5300	Up to 5" (Up to 127)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	149 (67.7)	28.0 (.77)
5305	5-1/8" to 5-3/4" (130 to 146)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	149 (67.7)	28.0 (.77)
5306	5-7/8" to 6-1/2" (149 to 165)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	152 (69.1)	28.0 (.77)
5307	6-5/8" to 7-1/4" (168 to 184)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	180 (81.8)	28.0 (.77)
5308	7-3/8" to 8-1/8" (187 to 206)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	192 (87.3)	28.0 (.77)
5309	8-1/4" to 9-1/8" (210 to 232)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	196 (89.1)	28.0 (.77)
5310	9-1/4" to 10-1/8" (235 to 257)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	200 (90.9)	28.0 (.77)
4 Stack - Non-Heated							
5400	Up to 5" (Up to 127)	32"	32"	39-7/8"	(813 813 1013)	176 (80.0)	33.0 (.91)
5405	5-1/8" to 5-3/4" (130 to 146)	32"	32"	39-7/8"	(813 813 1013)	176 (80.0)	33.0 (.91)
5406	5-7/8" to 6-1/2" (149 to 165)	32"	32"	39-7/8"	(813 813 1013)	177 (80.5)	33.0 (.91)
5407	6-5/8" to 7-1/4" (168 to 184)	32"	32"	39-7/8"	(813 813 1013)	177 (80.5)	33.0 (.91)
5408	7-3/8" to 8-1/8" (187 to 206)	32"	32"	39-7/8"	(813 813 1013)	178 (80.9)	33.0 (.91)
5409	8-1/4" to 9-1/8" (210 to 232)	32"	32"	39-7/8"	(813 813 1013)	183 (83.2)	33.0 (.91)
5410	9-1/4" to 10-1/8" (235 to 257)	32"	32"	39-7/8"	(813 813 1013)	184 (83.6)	33.0 (.91)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 4" (102) - All swivel, 2 ea. w/brake, extra-load.



FACTORY INSTALLED OPTIONS:

- Bottom perimeter bumper
- 8" (203) one-piece vertical handle (except 4 stack) - see page 75
- Group 2 laminate exterior - see page 125

ACCESSORIES (PAGE 79):

- Stainless Steel Dish Covers



Lakeside's award-winning mobile heated cabinet gives you the flexibility to distribute heated plates at point of service.



Freight Class: **92.5**
Ships in: **5** days or less!

HEATED | STAINLESS STEEL



Model	Accom. Plate Size	Overall Size				Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
		W	L	H	(W L H)		
1 Stack - Heated							
6100	Up to 5" (Up to 127)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	93 (42.1)	17.5 (.48)
6105	5-1/8" to 5-3/4" (130 to 146)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	93 (42.1)	17.5 (.48)
6106	5-7/8" to 6-1/2" (149 to 165)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	95 (42.8)	17.5 (.48)
6107	6-5/8" to 7-1/4" (168 to 184)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	98 (44.1)	17.5 (.48)
6108	7-3/8" to 8-1/8" (187 to 206)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	105 (47.3)	17.5 (.48)
6109	8-1/4" to 9-1/8" (210 to 232)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	110 (49.5)	17.5 (.48)
6110	9-1/4" to 10-1/8" (235 to 257)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	115 (51.8)	17.5 (.48)
6111	10-1/4" to 11" (260 to 279)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	115 (51.8)	17.5 (.48)
6112	11-1/4" to 12-1/4" (286 to 311)	18-1/2"	22-1/2"	39-7/8"	(470 571 1013)	122 (55.0)	17.5 (.48)
2 Stack - Heated							
6200	Up to 5" (Up to 127)	18-1/2"	32"	39-7/8"	(470 813 1013)	100 (45.2)	19.5 (.54)
6205	5-1/8" to 5-3/4" (130 to 146)	18-1/2"	32"	39-7/8"	(470 813 1013)	100 (45.2)	19.5 (.54)
6206	5-7/8" to 6-1/2" (149 to 165)	18-1/2"	32"	39-7/8"	(470 813 1013)	103 (46.7)	19.5 (.54)
6207	6-5/8" to 7-1/4" (168 to 184)	18-1/2"	32"	39-7/8"	(470 813 1013)	106 (48.1)	19.5 (.54)
6208	7-3/8" to 8-1/8" (187 to 206)	18-1/2"	32"	39-7/8"	(470 813 1013)	117 (53.1)	19.5 (.54)
6209	8-1/4" to 9-1/8" (210 to 232)	18-1/2"	32"	39-7/8"	(470 813 1013)	121 (54.9)	19.5 (.54)
6210	9-1/4" to 10-1/8" (235 to 257)	18-1/2"	32"	39-7/8"	(470 813 1013)	125 (56.7)	19.5 (.54)
6211	10-1/4" to 11" (260 to 279)	20-3/4"	36-1/2"	39-7/8"	(527 927 1013)	138 (62.6)	24.4 (.67)
6212	11-1/4" to 12-1/4" (286 to 311)	20-3/4"	36-1/2"	39-7/8"	(527 927 1013)	138 (62.6)	24.4 (.67)
3 Stack - Heated							
6300	Up to 5" (Up to 127)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	171 (77.4)	28.0 (.77)
6305	5-1/8" to 5-3/4" (130 to 146)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	171 (77.4)	28.0 (.77)
6306	5-7/8" to 6-1/2" (149 to 165)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	176 (80.0)	28.0 (.77)
6307	6-5/8" to 7-1/4" (168 to 184)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	180 (81.8)	28.0 (.77)
6308	7-3/8" to 8-1/8" (187 to 206)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	192 (87.3)	28.0 (.77)
6309	8-1/4" to 9-1/8" (210 to 232)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	196 (89.1)	28.0 (.77)
6310	9-1/4" to 10-1/8" (235 to 257)	18-1/2"	46-3/8"	39-7/8"	(470 1178 1013)	200 (90.9)	28.0 (.77)
4 Stack - Heated							
6400	Up to 5" (Up to 127)	32"	32"	39-7/8"	(813 813 1013)	188 (85.4)	33.0 (.91)
6405	5-1/8" to 5-3/4" (130 to 146)	32"	32"	39-7/8"	(813 813 1013)	188 (85.4)	33.0 (.91)
6406	5-7/8" to 6-1/2" (149 to 165)	32"	32"	39-7/8"	(813 813 1013)	192 (87.3)	33.0 (.91)
6407	6-5/8" to 7-1/4" (168 to 184)	32"	32"	39-7/8"	(813 813 1013)	193 (87.3)	33.0 (.91)
6408	7-3/8" to 8-1/8" (187 to 206)	32"	32"	39-7/8"	(813 813 1013)	220 (100.0)	33.0 (.91)
6409	8-1/4" to 9-1/8" (210 to 232)	32"	32"	39-7/8"	(813 813 1013)	222 (100.1)	33.0 (.91)
6410	9-1/4" to 10-1/8" (235 to 257)	32"	32"	39-7/8"	(813 813 1013)	225 (102.3)	33.0 (.91)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 4" (102) - All swivel, 2 ea. w/brake, extra-load. Heated Models include 6' (1829) coiled cord with 5-15P NEMA except Models 6409 & 6410, which include 5-20P plug for 120 V.

ELECTRICAL SPECIFICATIONS

Model #6106, #6206	300 W	2.5 A	120 V	Model #6309, #6310	1350 W	11.3 A	120 V
Model #6107, #6108, #6109, #6110, #6111	450 W	3.8 A	120 V	Model #6406, #6407, #6408	1200 W	10.0 A	120 V
Model #6112, #6207, #6208, #6209, #6210, #6211	900 W	7.5 A	120 V	Model #6409, #6410	1800 W	15.0 A	120 V
Model #6212, #6306, #6307, #6308	900 W	7.5 A	120 V				

208 / 240V, 60 Hz; 220V, 50 Hz also available, please specify.

ADJUST-A-FIT® PLATE DISPENSER CABINETS – HEATED/NON-HEATED | STAINLESS STEEL

Hold a variety of different size plates in the same cabinet for ultimate award-winning flexibility.

- Choose up to four plate stacks to conveniently hold varying sizes and number of plates
- Each heated dispenser features its own thermostatic control to manage and adjust temperature
- Adjust-a-fit diameter hand adjustment of 3 1/4" (83) allows flexibility for varying dish sizes
- Adjusting height level is easy and convenient.
- Easy glide design is non-stick for smooth operation
- All 4" swivel casters, 2 with brake, allow easy maneuverability.
- All welded construction increases durability
- Stainless steel material is easy to clean and sanitize
- Dispensers have 25" (635) stacking height capacity



1. Height Adjustment – Simply detach or attach springs to adjust tension for the height level you desire.
2. & 3. Adjust-a-Fit® Size Adjustment – Easily re-position and lock the dish guides with a turn of the wrist. No tools necessary!



FACTORY INSTALLED OPTIONS:

- Bottom perimeter bumper
- 8" (203) one piece vertical handle (except 4 stack)

ACCESSORIES (PAGE 79):

- Stainless Steel Dish Covers
- 12" (305) Dispenser Tray available for Models 935, 937 972 and 975



One piece vertical handle

ELECTRICAL SPECIFICATIONS

Model	W	A	V
Model #917	600 W	5.0 A	120 V
Model #937	900 W	7.5 A	120 V
Model #965	1350 W	11.3 A	120 V
Model #927	900 W	7.5 A	120 V
Model #975	1350 W	11.3 A	120 V
Model #929	1800 W	15.0 A	120 V

208 / 240V, 60 Hz; 220V, 50 Hz also available, please specify.

Freight Class: **92.5**
Ships in: **4** days or less!



Model	Accommodates Plate Sizes	Overall Size				Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	Case Cube Cu. ft. (m³)
		W	L	H	(W L H)			
2 Stack - Non-Heated Models								
905	2-3/4" to 6" (70 to 152)	17-1/4"	26-1/8"	39-1/8"	(438 664 994)	85 (38.6)	12.9 (.4)	12.9 (.4)
915	4-1/4" to 7-1/2" (108 to 191)	17-1/4"	26-1/8"	39-1/8"	(438 664 994)	92 (41.7)	12.9 (.4)	12.9 (.4)
925	6-1/2" to 9-3/4" (165 to 248)	17-1/4"	30-5/8"	39-1/8"	(438 778 994)	100 (45.4)	14.9 (.4)	14.9 (.4)
935	8-3/4" to 12" (222 to 305)	19-1/2"	35-1/8"	39-1/8"	(495 892 994)	115 (52.2)	18.9 (.5)	18.9 (.5)
3 Stack - Non-Heated Models								
942	2-3/4" to 6" (70 to 152)	17-3/16"	38-5/16"	39-1/8"	(437 973 994)	112 (50.8)	18.4 (.5)	18.4 (.5)
952	4-1/4" to 7-1/2" ((108 to 191)	17-3/16"	38-5/16"	39-1/8"	(437 973 994)	120 (54.4)	18.4 (.5)	18.4 (.5)
962	6-1/2" to 9-3/4" (165 to 248)	17-3/16"	45-1/16"	39-1/8"	(437 1145 994)	132 (59.9)	22.2 (.6)	22.2 (.6)
972	8-3/4" to 12" (222 to 305)	19-3/16"	51-13/16"	39-1/8"	(487 1316 994)	152 (69)	27.1 (.8)	27.1 (.8)
4 Stack - Non-Heated Models								
908	2-3/4" to 6" (70 to 152)	30-5/8"	30-5/8"	39-1/8"	(778 778 994)	127 (57.6)	19.5 (.5)	19.5 (.5)
918	4-1/4" to 7-1/2" ((108 to 191)	30-5/8"	30-5/8"	39-1/8"	(778 778 994)	131 (59.4)	19.5 (.5)	19.5 (.5)
928	6-1/2" to 9-3/4" (165 to 248)	30-5/8"	30-5/8"	39-1/8"	(778 778 994)	153 (69.4)	25.8 (.7)	25.8 (.7)
2 Stack - Heated Model								
917	4-1/4" to 7-1/2" (108 to 191)	17-1/4"	30-5/8"	39-1/8"	(438 778 994)	113 (51.3)	14.9 (.4)	14.9 (.4)
927	6-1/2" to 9-3/4" (165 to 248)	17-1/4"	30-5/8"	39-1/8"	(438 778 994)	126 (57.2)	14.9 (.4)	14.9 (.4)
937	8-3/4" to 12" (222 to 305)	19-1/2"	35-1/8"	39-1/8"	(495 892 994)	142 (64.4)	18.9 (.5)	18.9 (.5)
3 Stack - Heated Models								
955	4-1/4" to 7-1/2" (108 to 191)	17-3/16"	45"	39-1/8"	(437 1145 994)	151 (68.5)	21.9 (.6)	21.9 (.6)
965	6-1/2" to 9-3/4" (165 to 248)	17-3/16"	45"	39-1/8"	(437 1145 994)	167 (75.8)	21.9 (.6)	21.9 (.6)
975	8-3/4" to 12" (222 to 305)	19-3/16"	51-13/16"	39-1/8"	(487 1316 994)	175 (79.4)	28.1 (.8)	28.1 (.8)
4 Stack - Heated Model								
919	4-1/4" to 7-1/2" (108 to 191)	30-5/8"	30-5/8"	39-1/8"	(778 778 994)	190 (86.2)	25.8 (.7)	25.8 (.7)
929	6-1/2" to 9-3/4" (165 to 248)	30-5/8"	30-5/8"	39-1/8"	(778 778 994)	196 (88.9)	25.8 (.7)	25.8 (.7)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 4" (102) - All swivel, 2 ea. w/brake, extra-load. Heated Models include 6' (1829) coiled cord with 5-15P NEMA (except Model 929 which includes 5-20P) plug for 120 V.) All models 25" (635) plate stacking capacity per dispenser tube.

DROP-IN DISPENSERS for SQUARE and OVAL PLATES

Square or Oval Plate Dispensers provide a unique fit for your modern-shaped plates.

- Adjusting height level is easy and convenient. Simply detach and attach springs as needed without tools
- Easy glide design is non-stick for smooth operation
- Choose the type of dispenser that best fits your needs:
 - **Open model** for economic dispensing
 - **Shielded** to protect against contaminants and plate chipping
 - **Heated** with adjustable thermostatic control to maintain food safe temperatures (thermostat min- 100° F, max- 175° F)
- Stainless steel material is durable and easy to clean and sanitize

- Regular height models have 25" (635) stacking height capacity
- Model 968 has Adjust-A-Fit® diameter hand adjustment for flexibility in varying platter sizes
- Overall size is 15 1/3"W x 17 1/2" L x 28 1/4" H (389 W x 445 L x 718" H)

ELECTRICAL SPECIFICATIONS		
450 W	3.8 A	120 V
208 / 240V, 60 Hz; 220V, 50 Hz also available, please specify.		



Open Model #S4010

Adjust-a-Fit® Model #968

Regular Model #V4010

ACCESSORIES (PAGE 79):

- Stainless Steel Dish Covers



Ships in: **21** days or less!

REGULAR SQUARE PLATE DISPENSERS – DROP-IN | STAINLESS STEEL

Open Model	Case Weight Lbs. (Kg)	Shielded Model	Case Weight Lbs. (Kg)	Heated Model	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	Accommodates Plate Sizes
S4006	12 (5.4)	-	-	-	-	3.9 (.11)	5 to 5-3/4" (127 to 146)
S4007	13 (5.9)	-	-	-	-	3.9 (.11)	6-1/4" to 7-1/2" (159 to 191)
S4009	16 (7.2)	S5009	23 (10.4)	S6009	26 (11.8)	6.9 (.19)	8-1/2" to 9-1/4" (216 to 235)
S4010	17 (7.7)	S5010	24 (10.9)	S6010	28 (12.7)	6.9 (.19)	9-1/2" to 10-1/4" (241 to 260)
S4011	18 (8.1)	S5011	26 (11.7)	S6011	30 (13.5)	6.9 (.19)	10-1/2" to 11-1/4" (267 to 286)
S4012	19 (8.6)	S5012	29 (13.2)	S6012	32 (14.5)	6.9 (.19)	11-1/2" to 12" (292 to 309)

OVAL PLATE DISPENSERS - DROP-IN | STAINLESS STEEL

Open Model	Case Weight Lbs. (Kg)	Shielded Model	Case Weight Lbs. (Kg)	Heated Model	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	Accommodates Plate Sizes
Adjust-A-Fit®							
968	24 (10.9)	-	-	970	41 (18.6)	7 (.20)	8-3/4" x 9-3/4" to 11-3/4" x 13-1/2"
Regular							
V4010	18 (8.2)	V5010	26 (11.8)	V6010	30 (13.6)	7.1 (.18)	6-3/4" x 9-3/4" to 7-3/4" x 10-1/2"
V4011	20 (9.1)	V5011	28 (12.7)	V6011	32 (14.5)	7.1 (.18)	8" x 10-3/4" to 8-1/2" x 11-1/2"
V4012	22 (10.0)	V5012	30 (13.6)	V6012	34 (15.4)	7.1 (.18)	8-3/4" x 11-3/4" to 9-1/4" x 12-1/2"
V4013	24 (10.9)	V5013	32 (14.5)	V6013	36 (16.3)	7.1 (.18)	9-1/2" x 12-3/4" to 10-1/4" x 13-1/2"
V4014	27 (12.2)	V5014	35 (15.9)	V6014	39 (17.7)	7.1 (.18)	9-3/4" x 13-3/4" to 10-3/4" x 14-1/2"

Measurements in () denote metric millimeters, unless otherwise specified. Heated Models include 5' (1524) cord with 5-15R NEMA twist lock plug. Thermostat minimum 100°F - maximum 200°F. All models can ship FedEx Ground or UPS. For Ring Cut Out Information and Top Ring Size, please contact factory. Height to top rim is 27-3/4" (705) for open models, 28" (711) for shielded and heated models.

HEIGHT AND CUT OUT INFORMATION – SQUARE DISPENSERS

Open Models	Height to Ring	Shielded/Heated Models	Height to Ring	Flange L x W	Counter Cut Out Size
S4006	27-3/4" (705)	-	-	9-1/8" x 9-1/8" (232 x 232)	8-1/16" x 8-1/16" (204 x 204)
S4007	27-3/4" (705)	-	-	10-7/8" x 10-7/8" (276 x 276)	9-13/16" x 9-13/16" (249 x 249)
S4009	27-3/4" (705)	S5009, S6009	28" (711)	12-1/2" x 12-1/2" (318 x 318)	11-1/2" x 11-1/2" (292 x 292)
S4010	27-3/4" (705)	S5010, S6010	28" (711)	13-1/2" x 13-1/2" (343 x 343)	12-1/2" x 12-1/2" (317 x 317)
S4011	27-3/4" (705)	S5011, S6011	28" (711)	14-1/2" x 14-1/2" (368 x 368)	13-1/2" x 13-1/2" (343 x 343)
S4012	27-3/4" (705)	S5012, S6012	28" (711)	15-3/8" x 15-3/8" (390 x 390)	14-1/3" x 14-1/3" (364 x 364)

For counter cut out information for drop-in oval dispenser models, refer to product specification sheet SL-1V.

REGULAR and ADA-COMPLIANT ADJUST-A-FIT® DROP-IN PLATE DISPENSERS: OPEN, SHIELDED and HEATED | STAINLESS STEEL

Fits into counter cutout for attractive hidden dispensing with quick and easy access.

- Adjust-a-fit diameter hand adjustment of 3 1/4" (83) allows flexibility for varying dish sizes
- Adjusting height level is easy and convenient. Simply detach and attach springs as needed with no tools required
- Choose the type of dispenser that best fits your needs
 - **Open model** for economic dispensing
 - **Shielded** to protect against contaminates and plate chipping
 - **Heated** with adjustable thermostatic control to heat dishes (thermostat min- 100° F, max- 175° F)
- Stainless steel material is durable and easy to clean and sanitize
- Regular height models have 25" (635) stacking height capacity
- ADA-compliant height models have 22" (559) stacking height capacity



Freight Class: **92.5**

Regular Models Ship in: **4** days or less!

ADA Models Ship in: **10** days or less!



Standard Height Model	ADA* Model	Accommodates Plate Sizes	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
Open Models				
902	90225	2-3/4" to 6" (70 to 152)	13 (5.9)	3.9 (.11)
912	91225	4-1/4" to 7-1/2" (108 to 191)	15 (6.8)	3.9 (.11)
922	92225	6-1/2" to 9-3/4" (165 to 248)	18 (8.2)	6.9 (.19)
932	93225	8-3/4" to 12" (222 to 305)	20 (9.1)	6.9 (.19)
1942	194225	10" to 13-1/4" (254 to 337)	21 (9.6)	6.9 (.19)
Shielded Models				
903	90325	2-3/4" to 6" (70 to 152)	20 (9.1)	3.9 (.11)
913	91325	4-1/4" to 7-1/2" (108 to 191)	22 (10.0)	3.9 (.11)
923	92325	6-1/2" to 9-3/4" (165 to 248)	27 (12.2)	6.9 (.19)
933	93325	8-3/4" to 12" (222 to 305)	31 (14.1)	6.9 (.19)
1943	194325	10" to 13-1/4" (254 to 337)	32 (14.5)	6.9 (.19)
Heated Models				
914	91425	4-1/4" to 7-1/2" (108 to 191)	25 (11.3)	3.9 (.11)
924	92425	6-1/2" to 9-3/4" (165 to 248)	30 (13.6)	6.9 (.19)
934	93425	8-3/4" to 12" (222 to 305)	34 (15.4)	6.9 (.19)
1944	194425	10" to 13-1/4" (254 to 337)	35 (15.9)	6.9 (.19)

*ADA counter height models. Measurements in () denote metric millimeters, unless otherwise specified. Heated Models include 5' (1524) cord with L5-15P NEMA twist lock plug for 120 V. All models can ship FedEx Ground or UPS.

HEIGHT AND RING CUT OUT INFORMATION (INCLUDES ADA COMPLIANT MODELS)

Regular Model	Height to Ring	ADA Models	Height to Ring	Ring Diameter	Counter Cut Out Size
902	27-3/4" (705)	90225	24-3/4" (629)	10" (254)	9-1/8" (232)
903	28" (711)	90325	25" (635)	10" (254)	9-1/8" (232)
912	27-3/4" (705)	91225	24-3/4" (629)	11-1/2" (292)	10-5/8" (270)
913, 914	28" (711)	91325, 91425	25" (635)	11-1/2" (292)	10-5/8" (270)
922	27-3/4" (705)	92225	24-3/4" (629)	13-3/4" (349)	12-7/8" (327)
923, 924	28" (711)	92325, 92425	25" (635)	13-3/4" (349)	12-7/8" (327)
932	27-3/4" (705)	93225	24-3/4" (629)	16" (406)	15-1/8" (384)
933, 934	28" (711)	93325, 93425	25" (635)	16" (406)	15-1/8" (384)
1942	27-3/4" (705)	194225	24-3/4" (629)	17-1/16" (432)	16-1/4" (413)
1943, 1944	28" (711)	194325, 194425	25" (635)	17-1/16" (432)	16-1/4" (413)

ELECTRICAL SPECIFICATIONS

Model #914, 91425	300 W	2.5 A	120 V
Model #924, 92425	450 W	3.8 A	120 V
Model #934, 93425	450 W	3.8 A	120 V
Model #1944, 194425	450 W	3.8 A	120 V

208 / 240V, 60 Hz; 220V, 50 Hz also available, please specify.

ACCESSORIES (BELOW):

- Stainless Steel Dish Covers
- 12" (305) Dispenser Tray available for Models 935, 937 972 and 975

Heated Models include 5' (1524) cord with L5-15P NEMA twist lock plug for 120 V.

Simply detach and attach springs as needed for easy height adjustment. No tools required!

Model #924 / Model #92425
Heated Model


Model #922 / Model #92225
Open Model




Regular models have 25" (635) stacking height capacity. ADA-compliant height models: 22" (559) stacking height capacity.

OPTIONAL PLATE DISPENSER DISH COVERS AND TRAYS | STAINLESS STEEL

Cover Model	Fits Models	Overall Size		
		W	L	H
09340	S6009, S6209	13"	13"	3-3/4"
09341	S6010, S6210	14"	14"	3-3/4"
09342	S6011, S6211	15"	15"	3-3/4"
09343	S6012, S6212	15-3/4"	15-3/4"	3-3/4"
09344	V6010, V6210	11-3/4"	14 1/2"	3-3/4"
09345	V6011, V6211	12-1/2"	15-1/2"	3-3/4"
09346	V6012, V6212	13-1/4"	16-1/2"	3-3/4"
09347	V6013, V6213	14"	17-1/2"	3-3/4"
09348	V6014, V6214	14-1/2"	18-1/4"	3-3/4"
09537	902	7-1/4"	7-1/4"	3-1/4"
09538	914, 917	8-3/4"	8-3/4"	3-1/4"
09539	924, 927, 929, 965, 777	11" (279)	11" (279)	3-1/4"
09540	934, 937, 975, 778	13-1/4"	13-1/4"	3-1/4"
09555	6005, 6105, 6205, 6305, 6405	6-1/4"	6-1/4"	4"
09556	6006, 6106, 6206, 6306, 6406	7"	7"	4"
09557	6007, 6107, 6207, 6307, 6407	7-3/4"	7-3/4"	4"
09558	6008, 6108, 6208, 6308, 6408	8-3/4"	8-3/4"	4"
09559	6009, 6109, 6209, 6309, 6409, 8209	9-3/4"	9-3/4"	4"
09560	6010, 6110, 6210, 6310, 6410, 8210	10-3/4"	10-3/4"	4"
09561	6011, 6111, 6211	11-1/2"	11-1/2"	4"
09562	6012, 6112, 6212, 8212	12-3/4"	12-3/4"	4"



#09559 Round Dish Cover



#09345 Oval Dish Cover



#09342 Square Dish Cover



#09831 12" (305) Tray



Optional 12" (308) Tray #09831. For use only on models 932, 933, 934, 935, 937, 975, 93225, 93325 and 93425. - Use 8 trays for 3" (76) high cups. - Use 5 trays for 5" (127) high glasses.

REGULAR and ADA-COMPLIANT DROP-IN PLATE DISPENSERS OPEN, SHIELDED and HEATED | STAINLESS STEEL

Fits into counters for attractive hidden dispensing with quick and easy access.

- Adjusting height level is easy and convenient. Simply detach and attach springs as needed with no tools required
- Easy glide design is non-stick for smooth operation
- Choose the type of dispenser that best fits your needs
 - **Open model** for economic dispensing
 - **Shielded** to protect against contaminants and plate chipping
 - **Heated** with adjustable thermostatic control to heat dishes (thermostat min- 100° F, max- 175° F)
- Stainless steel material is durable and easy to clean and sanitize
- Regular height models have 25" (635) stacking height capacity
- ADA-compliant height models have 22" (559) stacking height capacity

ELECTRICAL SPECIFICATIONS			
Models #6000, 6005, 6006, 6007, 6008, 600025, 600525, 600625, 600725, 600825	300 W	2.5 A	120 V
Models #6009, 6010, 6012, 600925, 601025, 601225	450 W	3.8 A	120 V
<i>208 / 240V, 60 Hz; 220V, 50 Hz also available, please specify.</i>			

ACCESSORIES (PAGE 75):

- Stainless Steel Dish Covers

 Freight Class: **92.5**
Ships in: **4** days or less!



Regular Model	ADA* Model	Accommodates Plate Sizes	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
Open Models				
4000	400025	Up to 5" (127)	10 (4.5)	3.9 (.11)
4005	400525	5-1/8" to 5-3/4" (130 to 146)	11 (4.9)	3.9 (.11)
4006	400625	5-7/8" to 6-1/2" (149 to 165)	12 (5.4)	3.9 (.11)
4007	400725	6-5/8" to 7-1/4" (168 to 184)	12 (5.4)	3.9 (.11)
4008	400825	7-3/8" to 8-1/8" (200 to 206)	12 (5.4)	3.9 (.11)
4009	400925	8-1/4" to 9-1/8" (210 to 232)	15 (6.8)	6.9 (.19)
4010	401025	9-1/4" to 10-1/8" (235 to 257)	16 (7.3)	6.9 (.19)
4011	401125	10-1/4" to 11" (260 to 279)	17 (7.7)	6.9 (.19)
4012	401225	11-1/4" to 12-1/4" (286 to 311)	18 (8.2)	6.9 (.19)
Shielded Models				
5000	500025	Up to 5" (127)	15 (6.8)	3.9 (.11)
5005	500525	5-1/8" to 5-3/4" (130 to 146)	16 (7.3)	3.9 (.11)
5006	500625	5-7/8" to 6-1/2" (149 to 165)	17 (7.7)	3.9 (.11)
5007	500725	6-5/8" to 7-1/4" (168 to 184)	18 (8.2)	3.9 (.11)
5008	500825	7-3/8" to 8-1/8" (200 to 206)	20 (9.1)	3.9 (.11)
5009	500925	8-1/4" to 9-1/8" (210 to 232)	23 (10.4)	6.9 (.19)
5010	501025	9-1/4" to 10-1/8" (235 to 257)	24 (10.9)	6.9 (.19)
5011	501125	10-1/4" to 11" (260 to 279)	26 (11.8)	6.9 (.19)
5012	501225	11-1/4" to 12-1/4" (286 to 311)	29 (13.2)	6.9 (.19)
Heated Models				
6000	600025	Up to 5" (127)	20 (9.1)	3.9 (.11)
6005	600525	5-1/8" to 5-3/4" (130 to 146)	20 (9.1)	3.9 (.11)
6006	600625	5-7/8" to 6-1/2" (149 to 165)	20 (9.1)	3.9 (.11)
6007	600725	6-5/8" to 7-1/4" (168 to 184)	21 (9.5)	3.9 (.11)
6008	600825	7-3/8" to 8-1/8" (200 to 206)	23 (10.4)	3.9 (.11)
6009	600925	8-1/4" to 9-1/8" (210 to 232)	26 (11.8)	6.9 (.19)
6010	601025	9-1/4" to 10-1/8" (235 to 257)	28 (12.7)	6.9 (.19)
6011	601125	10-1/4" to 11" (260 to 279)	30 (13.6)	6.9 (.19)
6012	601225	11-1/4" to 12-1/4" (286 to 311)	32 (14.5)	6.9 (.19)

*ADA counter height models. Measurements in () denote metric millimeters, unless otherwise specified. Heated Models include 5' (1524) cord with NEMA L5-15P twist lock plug for 120 V. All Models can ship FedEx Ground and UPS.



Regular models have 25" (635) stacking height capacity. ADA-compliant height models: 22" (559) stacking height capacity.



Model #4006 / #400625
Open Model



Model #6009 / #600925
Heated Model

Easy glide design is non-stick for smooth, accident-free operation


Stainless steel material is durable and easy to clean and sanitize

Heated Models include 5' (1524) cord with L5-15P NEMA twist lock plug for 120 V.

HEIGHT AND RING CUT OUT INFORMATION (INCLUDES ADA-COMPLIANT MODELS)

Open Models	Height to Ring	ADA Open Models	Height to Ring	Shielded/Heated Models	Height to Ring	Shielded/Heated ADA Models	Height to Ring	Ring Diameter	Counter Cut Out Size
4000	27-3/4" (705)	400025	24-3/4" (629)	5000, 6000	28" (711)	500025, 600025	25" (635)	8-1/4" (210)	7-7/16" (189)
4005	27-3/4" (705)	400525	24-3/4" (629)	5005, 6005	28" (711)	500525, 600525	25" (635)	9" (229)	8-3/16" (208)
4006	27-3/4" (705)	400625	24-3/4" (629)	5006, 6006	28" (711)	500625, 600625	25" (635)	9-3/4" (248)	8-15/16" (227)
4007	27-3/4" (705)	400725	24-3/4" (629)	5007, 6007	28" (711)	500725, 600725	25" (635)	10-1/2" (267)	9-11/16" (246)
4008	27-3/4" (705)	400825	24-3/4" (629)	5008, 6008	28" (711)	500825, 600825	25" (635)	11-3/8" (289)	10-9/16" (268)
4009	27-3/4" (705)	400925	24-3/4" (629)	5009, 6009	28" (711)	500925, 600925	25" (635)	12-3/8" (314)	11-9/16" (294)
4010	27-3/4" (705)	401025	24-3/4" (629)	5010, 6010	28" (711)	501025, 601025	25" (635)	13-3/8" (340)	12-9/16" (319)
4011	27-3/4" (705)	401125	24-3/4" (629)	5011, 6011	28" (711)	501125, 601125	25" (635)	14-1/4" (356)	13-9/16" (344)
4012	27-3/4" (705)	401225	24-3/4" (629)	5012, 6012	28" (711)	501225, 601225	25" (635)	15-7/8" (403)	14-11/16" (373)

CUT OUT ADAPTER RING



Counter cut out too large? Stainless steel adapter rings make it easy to convert existing counter cut out holes to accept Lakeside drop-in dispensers. Adapter rings simply set over the existing cut out to reduce it to the correct size. When ordering, specify existing cut out diameter and the Lakeside drop-in dispenser model number.



ADJUST-A-FIT® TUBULAR FRAME PLATE DISPENSERS | STAINLESS STEEL

The convenience and mobility of an Adjust-A-Fit® cabinet in a tubular frame design.

- Lightweight open tubular frame design for back-of-the-house applications
- Adjust-a-fit diameter hand adjustment of 3 1/4" (83) allows flexibility for varying dish sizes
- Adjusting height level is easy and convenient. Simply detach and attach springs as needed with no tools required
- Easy glide design is non-stick for smooth operation
- Heated models feature individual thermostatic controls for heat regulation flexibility
- All 4" swivel casters, 2 with brake, allow easy maneuverability. Extra load casters provide additional support for full dispensers
- Stainless steel material is easy to clean and sanitize

FACTORY INSTALLED OPTIONS:

- Round corner bumpers

ACCESSORIES (PAGE 79):

- Stainless Steel Dish Covers



Model #773



Freight Class: 92.5
Ships in: **4** days or less!

Non-Heated Model	Case Wt Lbs. (Kg)	Case Cube Cu. ft. (m³)	Heated Model	Case Wt Lbs. (Kg)	Case Cube Cu. ft. (m³)	Accom. Plate Size	Overall Size		
							W	L	H
2 Stack									
772	87 (39.5)	21.5 (.61)	776	93 (42.2)	21.5 (.8)	4-1/4" to 7-1/2" (108 to 191)	17-3/4" (451)	35-1/2" 902	38-5/16" 989
773	95 (43.1)	21.5 (.61)	777	102 (46.3)	21.5 (.8)	6-1/2" to 9-3/4" (165 to 248)	17-3/4" (451)	35-1/2" 902	38-5/16" 989
774	105 (47.6)	21.5 (.61)	778	113 (51.3)	21.5 (.8)	8-3/4" to 12" (222 to 305)	17-3/4" (451)	35-1/2" 902	38-5/16" 989
3 Stack									
782	119 (54)	28.1 (.8)	786	127 (57.6)	28.1 (.8)	4-1/4" to 7-1/2" (108 to 191)	17-3/4" (451)	45-3/4" 1162	38-5/16" 989
783	129 (58.5)	28.1 (.8)	787	139 (63.1)	28.1 (.8)	6-1/2" to 9-3/4" (165 to 248)	17-3/4" (451)	45-3/4" 1162	38-5/16" 989
784	142 (64.4)	28.1 (.8)	788	153 (69.4)	28.1 (.8)	8-3/4" to 12" (222 to 305)	17-3/4" (451)	52-1/2" 1334	38-5/16" 989
4 Stack									
792	141 (64)	25.8 (.7)	796	147 (66.7)	25.8 (.7)	4-1/4" to 7-1/2" (108 to 191)	31" (787)	31" 787	38-5/16" 989
793	153 (69.4)	25.8 (.7)	797	161 (73)	25.8 (.7)	6-1/2" to 9-3/4" (165 to 248)	31" (787)	31" 787	38-5/16" 989

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 4" (102) - All swivel, 2 ea. w/brake. Heated Models include 6' (1829) cord with 5-15P NEMA plug for use with 120 V except Model 797 (5-20P)

REGULAR TUBULAR FRAME PLATE DISPENSERS | STAINLESS STEEL



Award-winning plate dispensing with the sturdiness of tubular frame design.

- Lightweight open tubular frame design for back-of-the-house applications
- Adjusting height level is easy and convenient. Simply detach and attach springs as needed
- Easy glide design is non-stick for smooth operation
- All 4" swivel casters, 2 with brake, allow easy maneuverability
- Extra load casters provide additional support for full dispensers
- Stainless steel material is easy to clean

FACTORY INSTALLED OPTIONS:

- Round corner bumpers

ACCESSORIES (PAGE 79):

- Stainless Steel Dish Covers



Freight Class: **92.5**
Ships in: **4** days or less!

Non-Heated Model	Case Wt Lbs. (Kg)	Case Cube Cu. ft. (m³)	Heated Model	Case Wt Lbs. (Kg)	Case Cube Cu. ft. (m³)	Accom. Plate Size	Overall Size		
							W	L	H
2 Stack									
7200	65 (29.5)	18.9 (.5)	8200	73 (33.1)	18.9 (.5)	Up to 5" (127)	17-3/4" (451)	35-1/2" 902	38-5/16" (989)
7205	67 (30.4)	18.9 (.5)	8205	75 (34)	18.9 (.5)	5-1/8" to 5-3/4" (130 to 146)	17-3/4" (451)	35-1/2" 902	38-5/16" (989)
7206	68 (30.8)	18.9 (.5)	8206	78 (35.4)	18.9 (.5)	5-7/8" to 6-1/2" (149 to 165)	17-3/4" (451)	35-1/2" 902	38-5/16" (989)
7207	70 (31.8)	18.9 (.5)	8207	79 (35.8)	18.9 (.5)	6-5/8" to 7-1/4" (168 to 184)	17-3/4" (451)	35-1/2" 902	38-5/16" (989)
7208	74 (33.6)	18.9 (.5)	8208	86 (39)	18.9 (.5)	7-3/8" to 8-1/8" (187 to 206)	17-3/4" (451)	35-1/2" 902	38-5/16" (989)
7209	77 (34.9)	18.9 (.5)	8209	90 (40.8)	18.9 (.5)	8-1/4" to 9-1/8" (210 to 232)	17-3/4" (451)	35-1/2" 902	38-5/16" (989)
7210	80 (36.3)	18.9 (.5)	8210	93 (42.2)	18.9 (.5)	9-1/4" to 10-1/8" (235 to 257)	17-3/4" (451)	35-1/2" 902	38-5/16" (989)
7211	85 (38.3)	18.9 (.5)	8211	95 (42.8)	18.9 (.5)	10-1/4" to 11" (260 to 279)	17-3/4" (451)	35-1/2" 902	38-5/16" (989)
7212	90 (40.8)	18.9 (.5)	8212	96 (43.6)	18.9 (.5)	11-1/4" to 12-1/4" (286 to 311)	17-3/4" (451)	35-1/2" 902	38-5/16" (989)
3 Stack									
7300	90 (40.8)	21.3 (.6)	8300	101 (45.8)	21.3 (.5)	Up to 5" (127)	17-3/4" (541)	52-1/2" 1334	38-5/16" (989)
7305	92 (41.7)	21.3 (.6)	8305	104 (47.2)	21.3 (.5)	5-1/8" to 5-3/4" (130 to 146)	17-3/4" (541)	52-1/2" 1334	38-5/16" (989)
7306	95 (43.1)	21.3 (.6)	8306	106 (48.1)	21.3 (.5)	5-7/8" to 6-1/2" (149 to 165)	17-3/4" (541)	52-1/2" 1334	38-5/16" (989)
7307	97 (44)	21.3 (.6)	8307	109 (49.4)	21.3 (.5)	6-5/8" to 7-1/4" (168 to 184)	17-3/4" (541)	52-1/2" 1334	38-5/16" (989)
7308	102 (46.3)	21.3 (.6)	8308	115 (52.1)	21.3 (.5)	7-3/8" to 8-1/8" (187 to 206)	17-3/4" (541)	52-1/2" 1334	38-5/16" (989)
7309	106 (48.1)	21.3 (.6)	8309	120 (54.4)	21.3 (.5)	8-1/4" to 9-1/8" (210 to 232)	17-3/4" (541)	52-1/2" 1334	38-5/16" (989)
7310	110 (49.9)	21.3 (.6)	8310	124 (56.3)	21.3 (.5)	9-1/4" to 10-1/8" (235 to 257)	17-3/4" (541)	52-1/2" 1334	38-5/16" (989)
4 Stack									
7400	102 (46.3)	25.8 (.7)	8400	115 (52.1)	25.8 (.7)	Up to 5" (127)	31" (787)	31" 787	38-5/16" (989)
7405	106 (48.1)	25.8 (.7)	8405	120 (54.4)	25.8 (.7)	5-1/8" to 5-3/4" (130 to 146)	31" (787)	31" 787	38-5/16" (989)
7406	107 (48.5)	25.8 (.7)	8406	121 (54.9)	25.8 (.7)	5-7/8" to 6-1/2" (149 to 165)	31" (787)	31" 787	38-5/16" (989)
7407	108 (49)	25.8 (.7)	8407	122 (55.3)	25.8 (.7)	6-5/8" to 7-1/4" (168 to 184)	31" (787)	31" 787	38-5/16" (989)
7408	130 (59)	25.8 (.7)	8408	146 (66.2)	25.8 (.7)	7-3/8" to 8-1/8" (187 to 206)	31" (787)	31" 787	38-5/16" (989)
7409	135 (61.2)	25.8 (.7)	8409	152 (69)	25.8 (.7)	8-1/4" to 9-1/8" (210 to 232)	31" (787)	31" 787	38-5/16" (989)
7410	140 (63.5)	25.8 (.7)	8410	157 (71.2)	25.8 (.7)	9-1/4" to 10-1/8" (235 to 257)	31" (787)	31" 787	38-5/16" (989)

#'s in () denote millimeters unless noted. Lake-Glide® Casters: 4" (102) - All swivel, 2 ea. w/brake, extra-load. Heated Models include 6' (1829) cord w/ 5-15P NEMA plug for 120 V except Models 8409 and 8410 (5-20P).

ELECTRICAL SPECIFICATIONS 208 / 240V, 60 Hz; 220V, 50 Hz also available, please specify.

Models #776, 777, 778, 786, 787, 788, 796, 797

900 W 7.5 A 120 V

Models #8200, 8205, 8206, 8207, 8208,

600 W 5.0 A 120 V

Models #8210, 8212, 8300, 8305, 8306

900 W 7.5 A 120 V

8400, 8405, 8406, 8407, 8408

8409, 8410



MOBILE CANTILEVER DISPENSERS | STAINLESS STEEL

This cantilever dispenser conveniently and ergonomically distributes trays to your customers.

- Open on three sides cantilever dispensing is easier to load, provides flexible storage and is a lighter design for easy transport
- Spring tension keeps trays and racks at the proper height for dispensing to minimize back strain
- Adjusting height level is easy and convenient. Simply detach and attach springs as needed
- Handy platform base stores used or empty trays or racks for added storage
- Variety of single and double platform dispensers to fit popular size trays and racks
- All 4" swivel casters, 2 with brake, allow easy maneuverability.
- Stainless steel construction increases durability
- Stainless steel material is easy to clean and sanitize
- Corner bumpers protects walls and furnishings

ACCESSORIES:

- Top mounted silverware cylinder holder rack

Freight Class: **92.5**
Ships in: **6** days or less!



Model	Accommodates Tray Size	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		W	L	H		
Single Platform						
814	12" x 22" (305 x 559)	23-1/2" (567)	32-1/2" 826	36-1/2" 927)	113 (51.4)	17 (.48)
816	10" x 20" (254 x 508)	23-1/2" (567)	32-1/2" 826	36-1/2" 927)	111 (50.4)	15.8 (.61)
818	14" x 18" (356 x 457)	23-1/2" (567)	26-1/2" 673	36-1/2" 927)	112 (50.8)	18.4 (.71)
819	15" x 20" (381 x 508)	23-1/2" (567)	26-1/2" 673	36-1/2" 927)	113 (51.3)	18.4 (.71)
820	20" x 20" (508 x 508)	23-1/2" (567)	31-1/2" 800	36-1/2" 927)	154 (69.9)	24.4 (.75)
Double Platform						
2814	12" x 22" (305 x 559)	24-1/4" (616)	47" 1194	36-1/2" 927)	224 (101.8)	63.8 (1.8)
2816	10" x 20" (254 x 508)	24-1/4" (616)	47" 1194	36-1/2" 927)	220 (100)	63.8 (1.8)
2818	14" x 18" (356 x 457)	27-1/4" (692)	47" 1194	36-1/2" 927)	222 (100.9)	63.8 (1.8)
2819	15" x 20" (381 x 508)	27-1/4" (692)	47" 1194	36-1/2" 927)	225 (102.3)	63.8 (1.8)
2820	20" x 20" (508 x 508)	32-1/4" (819)	47" 1194	36-1/2" 927)	226 (102.7)	63.8 (1.8)


Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 4" (102) - 4 ea. swivel, 2 ea. w/brakes, extra-load. Field adjustable spring tension.

Easy loading three sides open cantilever dispensing

Corner bumpers protect walls and doorways.

Handy platform base stores used or empty trays or racks for added storage

All 4" swivel casters, 2 with brake, allow easy maneuverability.



Spring tension is field-adjustable by simply attaching or detaching carriage springs to attain the proper dispensing height.



Model #820

Model #2818



MOBILE TRAY AND GLASS RACK DISPENSERS | STAINLESS STEEL

Mobile dispensers allow quick transporting and refilling so your customers can readily access trays.

- Adjusting height level is easy and convenient. Simply detach and attach springs as needed with no tools required

- Handy platform base stores empty trays or racks for added storage
- All 4" swivel casters, 2 with brake, allow easy maneuverability.
- Stainless steel construction ensures long life and durability
- Stainless steel material is easy to clean and sanitize, stain- and rust-resistant
- Perimeter bumper protects walls and furnishings



Model 986 includes convenient flatware dispenser to accommodate eight flatware cylinders (cylinders not included)

ACCESSORIES:

- Flatware cylinder rack (for Model 999)



Simply detach or attach springs to adjust tension for the height level you desire.



Model #997



Model #996

Freight Class: **92.5**
Ships in: **3** days or less!



Model	Capacity	Accommodates Tray/Rack Size	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
			W	L	H		
986* Open 2 sides	150 ea. 150 ea.	14" x 18" (356 x 457) Trays 15" x 20" (381 x 508) Trays	23-3/4" (603)	19-7/8" 505	50-7/8" 1292)	92 (41.7)	15.8 (.61)
996 Open 2 sides	150 ea. 150 ea.	14" x 18" (356 x 457) Trays 15" x 20" (381 x 508) Trays	23-3/4" (603)	19-7/8" 505	36-1/8" 918)	80 (36.3)	15.8 (.61)
997 Open 2 sides	14 ea. 7 ea.	10" x 20" (254 x 508) Racks* 20" x 20" (508 x 508) Racks*	25-11/16" (652)	23-3/4" 603	36-1/8" 918)	82 (37.2)	18.4 (.71)
998 Enclosed sides	14 ea. 7 ea.	10" x 20" (254 x 508) Racks* 20" x 20" (508 x 508) Racks*	25-11/16" (652)	23-3/4" 603	36-1/8" 918)	94 (42.6)	18.4 (.71)
999 Enclosed sides	150 ea. 150 ea.	14" x 18" (356 x 457) Trays 15" x 20" (381 x 508) Trays	23-3/4" (603)	19-7/8" 505	36-1/8" 918)	88 (39.9)	15.8 (.61)

Measurements in () denote metric millimeters, unless otherwise specified. *Rack capacity based on 4" (102) high rack. *Model 986 includes flatware dispenser (cylinders not included).
Lake-Glide® Casters: 4" (102) - All swivel, extra load, 2 w/brakes.

TRAY STARTER MOBILE STATIONS | STAINLESS STEEL

A mobile station puts tray make-up items at your fingertips for efficient, ergonomic workflow.

Choose from three different models to find the features that best fit your operation:

• Model 2620

- Cantilever tray dispenser and 2 plate dispensers keep items at the ergonomically correct height for less back strain
- Stainless steel cutouts in overshelves hold quarter size pans to organize condiments and other tray items in an easy-to-see and reach location
- Backside of cabinet features additional shelves to increase storage and keep restock items within quick reach.

• Model 2610

- Lower compartment provides 14" x 18" or 15" x 20" tray storage for quick access
- Stainless steel back panel accepts two rows of hanging plastic bins (not included) to organize condiments and other tray items
- Square tubing frame shelf provides strength and support to hold full, half and third size pans with flexible arrangement options

• Model 2600

- Specially designed to position over conveyors or other equipment for convenience and increased speed in tray preparation
- Angled stainless steel panel with cutouts allows quick and easy access to tray items, holds full, half and third size pans
- Models 2610 and 2600 feature 1" square tubing construction for ultimate stability and a large top shelf for added storage
- Stainless steel construction increases durability, easy to clean and sanitize



Extra storage is built into the back of Model 2620.



Freight Class: **125**
Ships in: **7** days or less!

Model	Accommodates	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		W	D	H				
2600	Pans	52-1/2" (1334)	25-1/2" 648	58" 1473)	4 swivel, 2 w/ brake	5" (127)	62 (27.9)	62.2 (1.7)
2610	Bins, Pans Trays	52" (1321)	23-3/4" 603	63" 1600)	4 swivel, 2 w/ brake	5" (127)	155 (69.8)	62.4 (1.72)
2620	Pans, Trays Dishes*	39" (991)	35-1/2" 901	60-1/4" 1530)	4 swivel, 2 w/ brake	5" (127)	228 (102.7)	52.1 (1.43)

Measurements in () denote metric millimeters, unless otherwise specified. *Model 2620 has 2 ea dispensers for 5-1/8" to 5-3/4" dishes. NOTE: Bins, pans and trays are not included.



TRAY and FLATWARE / CONDIMENT CARTS STAINLESS STEEL

Providing an organized selection of silverware and trays in one small space makes this cart a necessity.

- Holds any selection of tray sizes on bottom shelf with open easy access
- Choose a top type to increase serving capacity:
 - Ten flatware cylinders (Model 213)
 - Four 1/4 size pans (Model 214)
 - Five 1/4 size pans (Model 216)
- All swivel casters allow easy maneuverability for quick restocking and flexible location options
- Durable stainless steel construction has a 500 lb. capacity
- Stainless steel material is easy to clean and sanitize

- Model 603 is available in a variety of attractive finishes to complement your dining décor

FACTORY INSTALLED OPTIONS (MODEL 213):

- Round corner bumpers
- Brake casters 2 per set

FINISHES (MODEL 603):

- GROUP 1 vinyl finishes for model 603 (see below)
- GROUP 2 laminate finishes for model 603 (see page 125)
- GROUP 3 custom laminate finishes for model 603 (see page 125)



Freight Class: **125***

Ships in: **4** days or less!

* Model 986 Freight Class: 92.5

Model	Tray Capacity	Accommodates Tray Size	Load Capacity Lbs. (Kg)	Shelf Size		Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
				W	L	W	L	H				
213	130 ea.	16" x 22" (406 x 559)	500 (230)	21-1/2" (546)	33-3/4" (857)	22-1/2" (565)	34-3/4" (883)	39-3/4" (1010)	All swivel, No-Mark, cushion tread	5" (127)	55 (25)	20.66 (1.7)
214	130 ea.	16" x 22" (406 x 559)	500 (230)	21-1/2" (546)	33-3/4" (857)	22-1/2" (565)	34-3/4" (883)	39-3/4" (1010)	All swivel, No-Mark, cushion tread	5" (127)	53 (23.8)	20.66 (1.7)
216	130 ea.	16" x 22" (406 x 559)	500 (230)	21-1/2" (546)	33-3/4" (857)	22-1/2" (565)	34-3/4" (883)	39-3/4" (1010)	All swivel, No-Mark, cushion tread	5" (127)	53 (23.8)	20.66 (1.7)
403	120 ea.	16" x 22" (406 x 559)	500 (230)	21" (533)	35" (889)	22-1/4" (565)	36-1/4" (921)	39-3/4" (1010)	All swivel, No-Mark, cushion tread	5" (127)	94 (42.6)	20.9 (.81)
986	150 ea.	14" x 18" (356 x 457)	500 (230)	-	-	19-7/8" (505)	23-3/4" (603)	50-7/8" (1292)	All swivel, 2 w/ brake	4" (102)	92 (41.7)	15.8 (.61)
	150 ea.	15" x 20" (381 x 508)										

Walnut Finish

603	120 ea.	16" x 22" (406 x 559)	500 (230)	21" (533)	35" (889)	22-1/4" (565)	36-1/4" (921)	39-3/4" (1010)	All swivel, No-Mark, cushion tread	5" (127)	94 (42.6)	20.9 (.81)
-----	---------	--------------------------	--------------	--------------	--------------	------------------	------------------	-------------------	------------------------------------	-------------	--------------	---------------

Measurements in () denote metric millimeters, unless otherwise specified.

GROUP 1 VINYL FINISHES (Model 603) – Commercial grade vinyl over stainless steel.



Walnut



Black



Light Maple

OPTIONAL ACCESSORIES FOR TRAY AND FLATWARE / CONDIMENT CARTS

Fits Model #	Strip Bumpers	Perimeter Bumpers	All 5" Swivel Casters	2- 5" Fixed 2- 5" Swivel Casters	All 8" Swivel Casters	2-Brake & 2-No Brake Casters	Sta-Clean® Vinyl Covers
403, 603	•	•	Standard	•	•	•	•

DROP-IN TRAY and GLASS RACK DISPENSERS | STAINLESS STEEL

Keep your trays at counter height for quick and easy access.

- Easily drop into built-in counters for attractive hidden dispensing
- Adjustable dispensing height assures proper dispensing level
- Stainless steel construction increases durability, easy to clean and sanitize



Model #976



Model #977



Model #973

Freight Class: **92.5**
Ships in: **5** days or less!

Model	Counter			Capacity*	Accommodates Tray/Rack Size	Cut-out Size	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	FedEx ups
	W	L	H						
973 Open sides	14-5/8" (371)	23-1/4" 591	28-1/4" 718)	6 ea.	10" x 20" (254 x 508) Racks	13-1/16" x 21-5/16" (332 x 541)	38 (17.2)	7.2 (.2)	OK
976 Open sides	19-3/8" (492)	23-1/4" 591	28-1/4" 718)	150 ea. 150 ea.	14" x 18" (356 x 457) Trays 15" x 20" (381 x 508) Trays	18" x 21-5/16" (457 x 541)	46 (20.9)	12.2 (.47)	OK
977 Open sides	23-1/4" (591)	25-3/16" 640	28-1/4" 718)	12 ea. 6 ea.	10" x 20" (254 x 508) Racks 20" x 20" (508 x 508) Racks	21-5/16" x 23-13/16" (541 x 605)	47 (21.3)	15.2 (.59)	OK

Measurements in () denote metric millimeters, unless otherwise specified. * Rack capacity based on rack size: 4" (102) high rack.

MOBILE GLASS and CUP RACKS | STAINLESS STEEL

These all-welded racks are ideal for transport and storage of 20" x 20" glass/cup racks.



Model #198



Model #197

- Vertical storage maintains compact footprint for small spaces
- Stainless steel construction increases durability, easy to clean and sanitize
- All 4" swivel casters, 2 with brake, allow easy maneuverability
- Model 197 has 1 ea. solid shelf and 2 sets of ledges

ACCESSORIES:

- Sta-Clean® vinyl cover #09509 for Model 197



Freight Class: **125**
Ships in: **5** days or less!

Model	Rack Capacity	Caster Type	Caster Dia.	Ledge Description		Shelf Clearance	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
				Style	Size		W	L	H		
197	5 ea.	All swivel 2 w/brakes	4" (102)	Angle	1-1/4" (32)	Middle 7-3/4" (197) Bottom 6-3/4" (171)	21" (533)	24-1/2" 622	36" 914)	36 (16.3)	14.8 (.41)
198	10 ea.	All swivel	5" (127)	Angle	1-1/4" (32)	5" (127)	22" (559)	22-1/4" 565	58-1/2" 1486)	52 (23.6)	19.2 (.54)

Measurements in () denote metric millimeters, unless otherwise specified. Rack capacity based on 20" x 20" x 4" (508 x 508 x 102) size.





START YOUR DAY RIGHT!

**BREAK
FAST...**

STOP
THE BUFFET



MOBILE MERCHANDISING AND SERVING

Imagine the opportunities you will find when you put your serving operation on wheels...

From increased profitability to overall customer satisfaction, mobile food stations can improve marketability, and enhance the dining experience of any foodservice venue.

Smart exterior finishes and durable stainless steel features accompany customizable options so you can find the product that works best for your merchandising needs. Insulating materials and storage keep you worry-free by maintaining safe food temperatures for hot or cold food products. We've even added energy efficient cooking technology for greener, cost-saving options.

BREAKOUT DINING STATION | LAMINATE

The breakout dining station was engineered to bring style, flexibility and ease to any office-dining occasion.

Waterproof durable laminate serving surface.

- Allows you to prep all food and beverage before wheeling it into your function.
- Ample interior storage is designed to hold all requirements for a small catering function.
- 5" recessed heavy-duty casters; two swivel, two fixed for smooth easy glide support
- Laminate top and cabinet construction, available in a variety of standard and custom finishes.

FACTORY INSTALLED OPTIONS:

- Hinged doors
- Hinged doors w/lock
- Top display shelf
- Stainless steel pan ledges (3" spacing)
- Up to 3 ea. drop-in induction stoves (120VAC, 1800W)
- Up to 3 ea. drop-in stainless steel insulated (ice cooled) cold pans
- Combination induction and ice pan configurations
- Solid Resin Top

FINISHES (PAGE 125):

- Group 2 laminate finishes
- Group 3 custom laminate finishes



Interior compartments feature open storage with adjustable shelves. Shown with optional ledges for full-size pans.



Watch the video!

Concealed storage for supplies and bulk food.

Model # 6855 shown in Hard Rock Maple finish with optional doors, pan ledges, induction stove, and cold pan

Optional drop-in induction stoves (up to 3) available for cook-to-order meals.

Optional cold pans keep drinks chilled.

Compartment stores popular beverage dispensers.



Top railing on three sides helps hold items securely on top.

Recessed plate storage eliminates clutter and allows easy access for guests.

Drop leaf sides increase counter top surface area by 50%.

Stainless steel base panel conceals casters for a "built-in" appearance.



With drop leaf sides folded down and heavy-duty casters for mobility, you can easily transform any location into an upscale bistro.

Model # 6850
shown in custom Lacewood finish



Freight Class: **125**
Ships in: **15** days or less!

Model	Top*		Interior Compartments**				Dish Compartment			Drop Leaves		Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m ³)	
	L	W		W	D	H	W	D	H	W	D	Leaves	W	L			H
6850	83-1/2" (2121)	30-1/2" (775)	Left:	25-1/4" (641)	27-1/4" (692)	30-1/2" (775)	36" (914)	12" (305)	11" (279)	16-3/8" (416)	30-1/2" (775)	Up:	32-1/2" (826)	87-1/4" (2216)	38" (965)	315 (142)	40.1 (1.14)
			Right:	19-1/2" (495)	27-1/4" (692)	30-1/2" (775)			Down:			32-1/2" (826)	55" (1397)	38" (965)			
6855	95" (2413)	30-1/2" (775)	Left:	17" (432)	27-1/4" (692)	30-1/2" (775)	48" (1219)	12" (305)	11" (279)	16-3/8" (416)	30-1/2" (775)	Up:	32-1/2" (826)	99" (2515)	38" (965)	365 (164.4)	66.5 (1.89)
			Center:	27-1/4" (692)	27-1/4" (692)	30-1/2" (775)						Down:	32-1/2" (826)	67" (1702)	38" (965)		
			Right:	11-1/2" (292)	27-1/4" (692)	30-1/2" (775)											

Measurements in () denote metric millimeters, unless otherwise specified. *Usable area with drop leaves up. **Each interior compartment includes 1 adjustable shelf. Please specify laminate choice in Group 2 or 3, see page 125.

New BUSSING/SETUP STATIONS

Mobile stations can be easily positioned in patio or indoor dining areas.

- Setup Stations feature compartments and drawer for utensils/supplies, touchscreen computer compartment, with enclosed storage beneath
- Ideal for patios or indoor dining areas
- Welded stainless steel construction
- Laminate models available in 12 standard finishes and custom finishes

FACTORY INSTALLED OPTIONS:

- Full or half overshelf (#4610, 12, 15, 18)
- Sink with faucet (#4610, 12, 15, 18)
- No left door
- 6" casters, wide tread
- Leveling feet

ACCESSORIES (Bussing Stations):

- 23-gal. poly waste bin (20" x 11" x 30")

LAMINATE FINISHES (PAGE 125):

- Group 2 laminate finishes
- Group 3 custom laminate finishes



Order without door for faster access to storage items




Touchscreen computer compartment

Storage compartment for easy access to cleaners, smallwares, etc.



Clear top shield.

Touchscreen computer compartment features clear top shield for protection from rain and the elements.



Optional leveling feet



Heavy-duty 5" casters provide mobile flexibility

Model # 4608 shown in Victorian Cherry

Freight Class: **125**
Ships in: **20** days or less!



Model	Description	Exterior Finish*	Interior Compartment(s)			Top Compartment (R)			Top Compartment (L)			Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m ³)
			W	D	H	W	D	H	W	D	H	W	D	H		
<i>New</i> 4605	Setup	Stainless	22 1/4" (565)	21 3/4" 552	24 3/4" 629)	22 1/4" (565)	22 1/4" 565	15 1/2" 394)	22 1/4" (565)	22 1/4" 565	21 1/4" 540)	48" (1219)	23" 584	55" 1397)	389 (176)	47.5 (1.35)
<i>New</i> 4608	Setup	Laminate	22 1/4" (565)	21 3/4" 552	24 3/4" 629)	22 1/4" (565)	22 1/4" 565	15 1/2" 394)	22 1/4" (565)	22 1/4" 565	21 1/4" 540)	48" (1219)	23" 584	55" 1397)	396 (180)	47.5 (1.35)
<i>New</i> 4610	Bussing (4-tub)	Stainless	26 1/2" (673)	21 3/4" 552	33" 838)	n/a	n/a	n/a	n/a	n/a	n/a	49 1/4" (1251)	23" 584	46 1/4" 1175)	355 (161)	40.5 (1.15)
<i>New</i> 4612	Bussing (4-tub)	Laminate	26 1/2" (673)	21 3/4" 552	33" 838)	n/a	n/a	n/a	n/a	n/a	n/a	49 1/4" (1251)	23" 584	46 1/4" 1175)	362 (164)	40.5 (1.15)
<i>New</i> 4615	Bussing (8-tub)	Stainless	26 1/2" (673)	21 3/4" 552	33" 838)	n/a	n/a	n/a	n/a	n/a	n/a	69 3/4" (1772)	23" 584	46 1/4" 1175)	377 (171)	57.4 (1.62)
<i>New</i> 4618	Bussing (8-tub)	Laminate	26 1/2" (673)	21 3/4" 552	33" 838)	n/a	n/a	n/a	n/a	n/a	n/a	69 3/4" (1772)	23" 584	46 1/4" 1175)	384 (174)	57.4 (1.62)

Measurements in () denote metric millimeters, unless otherwise specified. *For available Group 2 laminate finishes, see page 125. Custom laminate finishes available.

New BUSSING/SETUP STATIONS

- Bussing Stations include standard 7-gal. sealed receptacle to prevent spills
- Ideal for patios or indoor dining areas
- Welded stainless steel construction
- Setup Stations feature compartments and drawer for utensils/supplies, computer terminal, with enclosed storage beneath
- Laminate models available in 12 standard finishes and custom finishes



Optional, removable overshell in two sizes for storage of setup items



Model # 4612
shown in Hard Rock Maple

DON'T SEE WHAT YOU NEED HERE?

Visit: eLakesideFoodservice.com/BussingSetupStations to see additional versions we have made for other customers and let us know what you need.



Liquid waste drains to a sealed standard 7-gallon receptacle.



Ample storage on all units for utensils and supplies



Optional sink with faucet for stationary plumbed application

Model # 4615

New WASTE & RECYCLING STATIONS | STAINLESS STEEL

Waste and recycling stations combine attractive functionality with the durability of stainless steel.

- Durable stainless steel construction for easy-to-clean applications
- Front- or top-access styles available
- Liquid/Cup Refuse units include 7-gal. sealed receptacle to prevent spills
- Liquid/Cup Refuse units include recessed drainage sink to minimize dripping and spillage as waste beverages are poured out.
- Leveling feet provide easy floor leveling
- Cabinets include stainless steel floor to protect carpeted facilities
- Laminate models available in 12 standard finishes and custom finishes

FACTORY INSTALLED OPTIONS:


- Solid surface resin top (in place of stainless steel, black is standard)
- 4" high industrial legs

ACCESSORIES:

- 23-gal. poly waste bin (20" x 11" x 30")
- 35-gal. poly waste bin (20" x 20" x 27")

LAMINATE FINISHES (PAGE 125):

- Group 2 laminate finishes
- Group 3 custom laminate finishes



Model # 3318 shown with optional 23-gal. waste bins

Doors open 270° for easy access to waste bins by staff. Also prevents obstruction to flow of customer traffic.

Universally recognized shapes used for receptacle openings.



TRASH



CANS/
BOTTLES



PAPER



Optional solid surface top



Optional 4" high industrial legs (Adds 3" to O.A. height)



Model # 3415 shown in Light Maple laminate finish

DON'T SEE WHAT YOU NEED HERE?

Visit: eLakesideFoodservice.com/WasteRecyclingStations to see additional versions we have made for other customers and let us know what you need.




Model # 4310



Liquid & Cup Refuse units include drainage sink and refuse chute.

New



Model #3320

Model #4312



Model	Description	Exterior Finish*	Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m³)
			W	D	H		
<i>Top Access Style</i>							
<i>New</i> 3310	Refuse	Stainless Steel	26 1/2" (673)	23 1/4" (591)	34 1/2" (876)	61 (27.7)	21.4 (0.6)
<i>New</i> 3312	Refuse/Recycle	Stainless Steel	26 1/2" (673)	23 1/4" (591)	34 1/2" (876)	61 (27.7)	21.4 (0.6)
<i>New</i> 3315	Refuse/Recycle/Paper	Stainless Steel	37 1/2" (953)	23 1/4" (591)	34 1/2" (876)	84 (38.1)	25.2 (.07)
<i>New</i> 3318	Refuse(2)/Recycle/Paper	Stainless Steel	48 1/2" (1232)	23 1/4" (591)	34 1/2" (876)	102 (46.3)	32 (.09)
<i>New</i> 3320	Liquid/Cup Refuse	Stainless Steel	26 1/2" (673)	23 1/4" (591)	34 1/2" (876)	61 (27.7)	21.4 (0.6)
<i>New</i> 3410	Refuse	Laminate	26 1/2" (673)	23 1/4" (591)	34 1/2" (876)	65 (29.5)	21.4 (0.6)
<i>New</i> 3412	Refuse/Recycle	Laminate	26 1/2" (673)	23 1/4" (591)	34 1/2" (876)	65 (29.5)	21.4 (0.6)
<i>New</i> 3415	Refuse/Recycle/Paper	Laminate	37 1/2" (953)	23 1/4" (591)	34 1/2" (876)	88 (39.9)	25.2 (.07)
<i>New</i> 3418	Refuse(2)/Recycle/Paper	Laminate	48 1/2" (1232)	23 1/4" (591)	34 1/2" (876)	106 (48.1)	32 (.09)
<i>New</i> 3420	Liquid/Cup Refuse	Laminate	26 1/2" (673)	23 1/4" (591)	34 1/2" (876)	65 (29.5)	21.4 (0.6)
<i>Front Access Style</i>							
<i>New</i> 4310	Refuse	Stainless Steel	26 1/2" (673)	23 1/4" (591)	45 1/2" (1156)	75 (34)	21.4 (0.6)
<i>New</i> 4312	Refuse/Recycle	Stainless Steel	26 1/2" (673)	23 1/4" (591)	45 1/2" (1156)	75 (34)	21.4 (0.6)
<i>New</i> 4315	Refuse/Recycle/Paper	Stainless Steel	37 1/2" (953)	23 1/4" (591)	45 1/2" (1156)	91 (41.3)	29.4 (0.8)
<i>New</i> 4410	Refuse	Laminate	26 1/2" (673)	23 1/4" (591)	45 1/2" (1156)	80 (36.3)	21.4 (0.6)
<i>New</i> 4412	Refuse/Recycle	Laminate	26 1/2" (673)	23 1/4" (591)	45 1/2" (1156)	80 (36.3)	21.4 (0.6)
<i>New</i> 4415	Refuse/Recycle/Paper	Laminate	37 1/2" (953)	23 1/4" (591)	45 1/2" (1156)	95 (43.1)	29.4 (0.8)

Measurements in () denote metric millimeters, unless otherwise specified. *For available Group 2 laminate finishes, see page 125. Custom laminate finishes available.

BEVERAGE SERVICE CARTS | STAINLESS STEEL with LAMINATE FINISH

Create a hospitality area anywhere with this versatile cart.

- Durable laminate top is waterproof and stain proof for a clean, attractive display
- Three interior shelves provide discrete storage of back-up items and supplies
- Durable vinyl exterior is attractive and easy to maintain. Walnut is standard
- Optional contour top adds contemporary flair to décor

FACTORY INSTALLED OPTIONS:

- Casters w/brakes (see below)
- Pull-out silverware drawer with removable plastic insert for Model 681.
- Hinged doors, with or without lock (see below)
- Contour top
- Solid Resin Top

FINISHES (SEE PAGE 125):

- Group 1 Black, Light Maple, and Walnut finishes
- Group 2 laminate finishes
- Group 3 Custom laminate finishes



BEVERAGE SERVICE CART OPTIONS

Model	Full Hinged Doors	*Partial Hinged Doors	Doors w/lock	2 ea. Brake Casters	Pull-Out Silverware Drawer
636, 672	•	N/A	•	•	N/A
675, 678	•	N/A	•	•	N/A
676, 681	•	•	•	•	•

*For access to pull-out silverware drawer.



Model #636
Shown in Light Maple.



Model #636 Shown in Black
with optional hinged doors.

All swivel casters for easy maneuverability



Optional contemporary contour top for all Beverage Service Cart styles and sizes.



Freight Class: **125**

Ships in: **6** days or less!

Model	Top Size	Interior Shelf Description			Overall Size			Caster Type	Caster Dia.	Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m³)
		# of	Size	Clearance	W	L	H				
636	19-1/2" x 27-7/16" (495 x 697)	2 ea.	15-1/2" x 24" (394 x 610)	7-3/8" (187)	21" (533)	30-1/4" (768)	38-5/16" (973)	All swivel	4" (102)	107 (48.6)	76.8 (2.9)
		1 ea.	15-1/2" x 24" (394 x 610)	12-3/8" (314)							
678	22-1/2" x 37-15/16" (572 x 964)	2 ea.	21" x 35" (533 x 889)	6-1/4" (159)	24" (610)	40-3/4" (1035)	38-5/16" (973)	All swivel, No Mark, cushion tread	5" (127)	164 (74.6)	76.8 (2.9)
		1 ea.	21" x 35" (533 x 889)	12-1/4" (311)							
681	22-1/2" x 55-9/16" (572 x 1411)	2 ea.	21" x 50" (533 x 1270)	6-1/4" (159)	24" (610)	58-3/8" (1483)	38-5/16" (973)	All swivel, No Mark, cushion tread	5" (127)	184 (83.6)	80.1 (3.1)
		1 ea.	21" x 50" (533 x 1270)	12-1/4" (311)							

Measurements in () denote metric millimeters, unless otherwise specified.

DROP-LEAF BEVERAGE SERVICE CARTS

STAINLESS STEEL with VINYL FINISH

Eliminate the need for serving tables by transporting and serving from these attractive carts

- Drop leaves open to create a spacious top for coffee urns, snack trays and more
- Fold drop leaves down when serving in tight areas or for compact storage
- 2" high protective edge on top 3 sides prevents items from falling or slipping
- Three interior shelves provide convenient storage of back-up items and supplies
- Stainless steel shelves and interior are durable, easy to clean and sanitize
- Durable vinyl exterior is attractive and easy to maintain. Walnut is standard
- All swivel casters for easy maneuverability
- Optional contour top adds contemporary flair to décor



Model #675
Shown with optional Victorian Cherry Group 2 finish and optional hinged doors

FACTORY INSTALLED OPTIONS:

- 2 Ea. brake casters.
- Pull-out silverware drawer with removable plastic insert for Model 676.
- Hinged doors, with or without locks (see page 98)
- Contour top (see page 98)

FINISHES (SEE PAGE 125):

- Group 1 Black, Light Maple, and Walnut finishes
- Group 2 laminate finishes
- Group 3 Custom laminate finishes



Freight Class: **125**
Ships in: **6** days or less!



Model	Top Description		Interior Shelf Description			Overall Size			Caster Type	Caster Dia.	Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m ³)
	Leaves	Size	# of	Size	Clearance	W	L	H				
672	Up:	19-1/2" x 45-3/8" (495 x 1153)	2 ea.	15-1/2" x 24" (394 x 610)	7-3/8" (187)	21" (533)	33-1/8" 841	38-5/16" 973)	All swivel	4" (102)	128 (58.2)	76.8 (2.9)
	Down:	19-1/2" x 27-3/8" (495 x 695)	1 ea.	15-1/2" x 24" (394 x 610)	12-3/8" (314)							
675	Up:	22-1/2" x 72" (572 x 1829)	2 ea.	21" x 35" (533 x 889)	6-1/4" (159)	24" (610)	44-5/16" 1126	38-5/16" 973)	All swivel, No-Mark, cushion tread	5" (127)	211 (95.9)	76.8 (2.9)
	Down:	22-1/2" x 44-1/2" (572 x 1130)	1 ea.	21" x 35" (533 x 889)	12-1/4" (311)							
676	Up:	22-1/2" x 93-1/4" (572 x 2369)	2 ea.	21" x 50" (533 x 1270)	6-1/3" (159)	24" (610)	61-3/4" 1568	38-5/16" 973)	All swivel, No-Mark, cushion tread	5" (127)	231 (105)	80.1 (3.1)
	Down:	22-1/2" x 56" (572 x 1422)	1 ea.	21" x 50" (533 x 1270)	12-1/4" (311)							

Measurements in () denote metric millimeters, unless otherwise specified.

CREATION STATION® MOBILE COOKING/ACTION STATION

Create a memorable dining experience that will keep your customers coming back.

- Interactive cooking creates a fun atmosphere for executive lunches, breakfast omelette stations and more
- Solid top surface is heat resistant and easy to clean
- Choose the type of cook type to best suit your needs
 - **Induction** – State of the art cooking method that is the most energy efficient. Top surface cooks without flame, while remaining cool to the touch for the safest demonstration method.
 - **Propane** – Traditional economical cooking method with the flair of a cooking flame
- Eutectic refrigerated 10" x 12" x 6" bin is built into the center of the top for easy access and storage of perishable ingredients
- Universal ledges in interior compartment holds sheet pans, full size steam table pans or plastic food boxes to keep ingredients at your fingertips
- Ledges and pull-out shelves are height adjustable and ledges are removable to create a storage area that fits your requirements
- Stainless steel interior is easy to clean and sanitize
- Choice of standard or custom laminate exterior finishes enhances your decor.
- 5" (27) all swivel, 2 with brakes, No-Mark polyurethane casters for easy maneuverability. Casters are recessed for a more attractive appearance



FACTORY INSTALLED OPTIONS:

- 220 VAC for Induction stoves (2600 W)
- Sneeze guard
- Demonstration mirror
- Sneeze guard/demonstration mirror combination

FINISHES (PAGE 125):

- GROUP 2 and Solid Color laminate finishes
- Group 3 custom laminate finishes



Model 3070 shown shown in Gray Sand finish, with optional Sneeze Guard and Demonstration Mirror combination.

 Freight Class: **125**
Ships in: **7** days or less!

 **MADE IN THE USA**

Model	Slide-Out Shelf		Left and Right Compartments			Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m³)
	W	D	W	D	H	W	L	H		
3070	18-1/2" (470)	23" (584)	19-1/2" (495)	25" (635)	21-3/4" (552)	32" (813)	60" (1524)	35-3/4" (908)	432 (196)	80.9 (2.3)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 5" (127) - All swivel. 2 ea. adjustable, removable pull-out shelves, 3 sets universal ledges. Please specify laminate choice in Group 2 or 3, see page 125.

**CHEF
DESIGNED**

COOKTOP TYPES

Induction (120V 1800W) cook stove is ETL listed. Units with Induction stoves require 50 amp service. Note: Cookware quality will affect induction cooking performance.



Propane (7,300 BTU)

Eutectic refrigerated bin helps keep ingredients fresh and ready



Induction stove top surface cooks while remaining cool to the touch.

Easy-to-clean, heat-resistant solid resin top surface

Laminate exterior finish to complement your décor

Create custom storage areas with height-adjustable ledges and pull-out shelves


Model #3070

CREATION EXPRESS™ MOBILE COOKING/ACTION STATION

Feature demonstration cooking almost anywhere with this conveniently sized cart.

- Interactive cooking creates a fun atmosphere for executive lunches, breakfast omelette stations and more
- Stainless steel top surface is heat resistant and easy to clean
- Compact design is easier to transport and set up demonstrations in small spaces
- Welded stainless steel cabinet is durable and easy to sanitize
- Laminate exterior finish enhances your décor
- 5" (27) all swivel, No-Mark® polyurethane casters for maneuverability

Induction cook tops provide state-of-the-art flameless cooking:

- More energy efficient because heat is directed to the food, not the cooking surface
- Cooking surface is safe to touch because it has no flame or heat, better for exhibition cooking when safety is of utmost importance
- Fast and accurate temperature control and maintenance allow for heating, finishing and holding
- LED control panel offers a choice of cook/power mode or temperature mode for safe thorough cooking. Cook mode power levels range from 1-20; temperature mode range is 90° to 440° F.
- Tempered glass surface wipes off easily for quick cleaning
- Each induction unit is 1800 W, 15 amps per unit and 120 VAC
- Cooktops are ETL listed 

BUILT-IN DOWN DRAFT FILTRATION SYSTEM

(Available on Induction Stove models only.)

- Three stage filtration process reduces fumes for cleaner air:
 - Washable Baffle Prefilter removes grease, mist, dust and other particulates
 - Rigid Cell Filter removes smoke and other fine particulates
 - Carbon Absorption Filter removes odor, gaseous and particulate pollutants
- Each filtration unit slides out of the interior compartment for quick and easy maintenance
- Only maintenance required is changing the filter
- Filters are specially designed for use with induction cooking only
- Model 2085 has two filtration units for deluxe cleaning and safety, models 2065, 2075 and 2075A have one filtration unit
- Filter units are UL listed
- Each filter unit is 350W, 3.0 amps and 120 VAC



Each filtration unit slides out and top removes for quick and easy maintenance.

INDUCTION ELECTRICAL REQUIREMENTS:

Induction models with two or three cooktops feature a power management package as standard and require 220 VAC 50 amp circuit with NEMA 14-50P plug. On units that do not include the power management package, each 120 VAC induction cooktop requires its own 20 amp circuit. Filter(s) can be included on each circuit. Induction units available without Power Management Package.



Model #2085
(front view)



Model #2085

 Freight Class: **125**

Ships in: **12** days or less!



MADE IN THE USA

Model	# of Cooktops	# of Filters	Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m ³)
			W	L	H		
Filtration System Included							
2065	1	1	22" 559	34" (864)	40-1/2" 1028	154 (70)	19.8 (0.6)
2075	2	1	22" 559	34" (864)	40-1/2" 1028	164 (75)	19.8 (0.6)
New 2075A	2	1	22" 559	34" (864)	40-1/2" 1028	164 (75)	19.8 (0.6)
2085	3	2	22" 559	48" (1219)	40-1/2" 1028	298 (136)	27.5 (0.8)
Without Filtration System							
2060	1	-	22" 559	34" (864)	35-1/2" 901	110 (50)	19.8 (0.6)
2070	2	-	22" 559	34" (864)	35-1/2" 901	120 (55)	19.8 (0.6)
2080	3	-	22" 559	48" (1219)	35-1/2" 901	210 (96)	27.5 (0.8)

Lake-Glide® Casters: 5" (127) - All swivel, No-Mark cushion tread. Interior shelf is standard on models 2060, 2070, and 2080. Please specify laminate choice in Group 2 or 3, see page 125.

Models with "A" suffix color-coded with purple to promote allergen awareness.

FACTORY INSTALLED OPTIONS:

- 220 VAC for induction stoves (2600 W)
- Adjustable sneeze guard
- Push handle
- Adjustable overhead demonstration mirror
- 12" (304) side mounted stainless steel drop leaf
- Adjustable sneeze guard/ demonstration mirror combination
- 12" (304) drop leaf with cutouts for 3 ea. 1/4 size pans (pans not included)

FINISHES (PAGE 125):

- GROUP 2 and Solid Color "Customer Choice" laminate finishes
- Group 3 custom laminate finishes



Optional demonstration mirror and sneeze guard available.



12" drop leaf provides additional work space.



Interior stainless steel shelf holds cooking utensils, condiments and more (13" shelf clearance). Standard on models 2060, 2070, 2072 and 2080.



Induction stoves heat the food, not the stove top surface – safer for exhibition cooking and buffet service.



Built-in downdraft ventilation system available.

NEW!

#2075A

! ALLERGEN AWARENESS

Download a **FREE** infographic about food allergies at:
www.eLakesidefoodservice.com/allergen-awareness

Also, check out more food allergy info, tools and resources at: www.foodallergy.org

Model #2075 shown in Hard Rock Maple

MART CARTS

Generate more sales with a flexible mobile kiosk.

Just imagine where you can sell using this smaller size kiosk cart...

- Deliver continental breakfast to your patients' or residents' rooms to reduce waste.
- Offer foodservice away from the main dining area to capture those extra sales.
- Sell snacks and beverages where people congregate.

- Flexible interior compartments include adjustable height stainless steel slide-out shelves for easy access and storage
- Shelves remove to expand space for holding hot/cold items in optional insulated containers
- Customize compartments with adjustable dividers. Accepts standard insert plastic and metal pans for organization
- Top shelf tilts toward operator for easy access
- Stainless steel countertop work surface and interior are easy to clean and sanitize.
- Interior compartment floor has drain hole for quick drying
- 4 swivel casters w/ brake and 2 fixed casters allow turning in tight spots, while providing superior support
- Design and build your own cart from the base up with your own combination of the deluxe cart features and accessories
- Choice of laminate finishes available.



Model #680
Deluxe Mart Cart in Gray Sand Group 2 Finish



Freight Class: **125**
Ships in: **7** days or less!

Model	Slide-Out Shelves		Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m ³)
	W	D	W	L	H		
68010	Left: 26-1/2" (673) Right: 22-1/2" (572)	25-1/2" (648) 25-1/2" (648)	27-1/2" (699)	60" 1524	70" 1778)	380 (172.2)	43.7 (1.22)

Measurements in () denote metric millimeters, unless otherwise specified. Unit weight: Model 660 - 85 lbs.(84 kg.), Model 680 - 275 lbs. (125 kg.), Total unit capacity: 400 lbs. (181). Please specify laminate choice in Group 2 or 3, see page 125.

FACTORY INSTALLED OPTIONS:

- Half size stainless steel overshelf (specify Model 68030)
- Full size stainless steel overshelf (3 post design, specify Model 68040)
- Full size plastic overshelf (3 post design, specify Model 68020)
- Insulated container for hot and/or cold items (model 680 series)
- Cup dispenser for cup size 2-5/8" to 3-1/4" (143 to 83), mounted on overhead shelf
- Locking cash drawer
- 6 ft. (1829) diameter black & white umbrella (model 680 series),
- Merchandising panels

FINISHES (PAGE 125):

- GROUP 2 laminate finishes
- Group 3 custom laminate finishes



Optional Merchandising Panel



Optional Insulated Container

Build Your Own Mart Cart!

Base Cart
680 Base Cart with Ergo handles and casters <i>(Choose your standard or custom finish)</i>
Add any of these options to customize your cart! <i>You tell us what you want. We'll build it for you...</i>
Plastic overshelf, half size
Plastic overshelf, full size
Stainless steel overshelf, full size
Stainless steel overshelf, half size
Slide-out shelf, large size, left side
Slide-out shelf, small size, right side
Pull-out work shelf
Cash drawer
Umbrella, black & white
Cup dispenser
Merchandising front panel
Merchandising overshelf panel, half size
Group 2 Laminate "Customer Choice"
Group 3 Custom laminate



Model #660
Compact Mart Cart in Royal Blue
Group 2 Finish

COMPACT MART CART

*Just imagine where you can sell using this smaller size kiosk cart...
Put your foodservice operation on wheels!*

- 5" heavy duty, extra-load casters reduce the impact of uneven surfaces for lightweight, easy maneuvering
- Pull-out laminate under-counter shelf provides added work space
- Under counter shelf removes to expand space for holding hot/cold items in optional insulated containers
- Height adjustable 2 post overshelf – 41-1/4" L x 13" W x 4-1/4" D (1048 L x 330 W x 108 D) – design increases storage. Accepts standard insert plastic and metal pans for organization
- Top shelf tilted toward the operator for easy access to products
- Stainless steel countertop work surface and interior are easy to clean and sanitize.
- Sized just right for maneuvering into elevators and down corridors to quickly and easily reach all points of sale
- Laminate finishes available.



Freight Class: **125**
Ships in: **7** days or less!

Model	Slide-Out Shelf		Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m³)
	W	D	W	L	H		
660	38-1/2" (978)	25" (635)	28-1/4" (692)	49" 1245	72-1/4" 1835	229 (103.9)	35.9 (1.0)

Unit weight: 185 lbs. (84). Total unit capacity: 400 lbs. (181). Please specify laminate choice in Group 2 or 3, see page 125.

SERV 'N EXPRESS® MOBILE KIOSK

Increase foodservice sales away from main serving areas by providing mobility and convenience.

- Choose the work surface that best suits your needs
 - Flat surface offers flexibility for a large workspace or displays (Model 682-10)
 - Cut-out surface conveniently holds 3 full sized pans for easy access to food items* (Model 682-20)
- Laminate pull out shelf: Height clearance is 5" (127).
- Narrow size is easy to maneuver through doorways, corridors and kitchen areas
- 8" all swivel cushion tread casters, 2 with brake, transition over uneven surfaces with ease for safe food transport
- Stainless steel interior and work surface is durable and easy to clean and sanitize
- Stylish laminate exterior finishes standard in popular school colors to match existing decor. Top counter standard color is black

FINISHES (PAGE 125):

- GROUP 2 and Solid Color "Customer Choice" laminate finishes
- GROUP 3 custom laminate finishes



Freight Class: 125
Ships in: 7 days or less!



Durable metal push handles on both sides for easy maneuvering for one or two workers.

Durable stainless steel interior is easy to clean and sanitize

Optional built-in cash drawer provides security.

Open compartments hold popular brands of insulated hot/cold containers.



Model	Left and Right Compartments			Center Compartment			Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m ³)
	W	D	H	W	D	H	W	L	H**		
682-10	23" (584)	24" 610	23-3/4" 603)	13-1/2" (343)	24" 559	23-3/4" 603)	28-1/4" (717)	77-1/4" 1962	52-1/2" 1334)	485 (220)	70 (1.95)
682-20	23" (584)	24" 610	23-3/4" 603)	13-1/2" (343)	24" 559	23-3/4" 603)	28-1/4" (717)	77-1/4" 1962	52-1/2" 1334)	485 (220)	70 (1.95)

Measurements in () denote metric millimeters, unless otherwise specified. *Full size pans not included. ** Without umbrella. Umbrella optional colors: royal blue, red, purple or green and white panels. Unit weight: 380 lbs. (172 kg). Lake-Glide® Casters: 8" (207) 4 swivel, 2 w/ swivel lock, 2 w/brake. Top counter standard color is black. PLEASE SPECIFY LAMINATE IN GROUP 2 or 3, see page 125.

CUSTOMIZING YOUR SERV 'N EXPRESS®

You tell us what you want on your mobile kiosk. We'll build it for you working from one of our two base carts.

Lakeside makes building your custom Serv 'N Express Mobile Kiosk very easy. First, choose one of our base carts with the surface that best suits your operation: flat (#682-10) or with 3 full size cutouts (#682-20). Then, add from among the convenient options at right to increase customer traffic and boost sales! *Bon appetit!*



Model #682-10
(base model shown above; shown left with optional slide-out shelf, set of universal ledges, cash drawer and umbrella)



Narrow cart maneuvers easily through tight spaces

Acrylic panel protects food from contamination and theft

Laminated pull-out shelf is ideal for holding cash box

Model # 682-20

Base Cart

682-10 Base Cart (Choose Group 2 Laminate)

682-20 Base Cart (Choose Group 2 Laminate)

Add any of these options to customize your cart!

You tell us what you want. We'll build it for you...

Stainless steel slide-out shelf (L or R)

Adjustable universal ledges, Set of 2 for left or right compartment(s)

Shelf for center compartment at special clearance. Please specify

Built-in locking cash drawer

Umbrella, 6 ft. black & white panels

Umbrella, 6 ft. with royal blue, red, purple or green & white panels

Merchandising front panel

8" Pneumatic casters, set of 4

Group 3 custom laminate finish



Optional universal ledges hold a variety of containers, from food boxes to sheet pans.



Optional slide out stainless steel shelf is height adjustable for added flexibility.



Optional front merchandising panel can be customized

Optional 6-foot umbrella

BREAKFAST / SNACK MULTI DAYPART CART

Provide nutritious breakfast and snack items in style.

Add mobility and style to your breakfast or snack service.

- Durable stainless steel construction is easy to clean and sanitize
- Spacious interior compartment stores additional food and beverages for convenient resupply
- Laminate and stainless steel exterior models available
- Rolls easily on 5" cushion-tread casters (2 ea. swivel with brake, 2 ea. fixed)

FACTORY INSTALLED OPTIONS:

- Heated well(s)
- 18" stainless steel dropleaf w/cord port (for Model #668)
- Custom graphic front panel (for Model #668)
- Custom magnetic graphic front panel (for Model #663)
- Overhead LED light strip (120 V 15 Amp)
- Battery pack for LED light strip

FINISHES (PAGE 125):

- GROUP 2 solid and textured laminate finishes available (model 668)
- GROUP 3 custom laminate finishes



Plastic bins, 3 qty

Easily change magnetic front panels to customize for different dayparts



Variable-height overhead shelf displays food within reach

Wicker baskets, 3 qty

Optional LED Light Strip

Insulated stainless steel ice bin with drain

Comfortable ergonomic handles for easy maneuvering

Perimeter bumper protects walls and doorways



Optional hot well(s)



Interior storage compartment



Optional 18" stainless steel drop leaf



Standard stainless steel exterior



Blue laminate finish with optional graphic panel



Red laminate finish

Freight Class: **125**
Ships in: **10** days or less!



Model	Exterior Finish	Bumper Type	Top W x L	Interior Compartment W x D x H	Overall Size W x L x H*	Push Handle	Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m ³)
668	Laminate	Full Perimeter	With Bin 26 3/4" x 48" (679 x 1219)	43" x 26" x 25 1/2" (1092 x 660 x 648)	28-1/2" x 54 3/4 x 67" (724 x 1391 x 1702)	Ergonomic Vertical	374 (169.6)	42.8 (1.21)
663	Stainless Steel	Corner	Solid SS 26 3/4" x 48" (679 x 1219)	43" x 26" x 25 1/2" (1092 x 660 x 648)	28-1/4" x 52 1/4" x 67" (717 x 1327 x 1702)	Horizontal	369 (167.4)	42.8 (1.21)

Measurements in () denote metric millimeters, unless otherwise specified. * With overhead shelf in highest position. For Model 668, please specify laminate in Group 2 or 3, see page 125.

New BREAKFAST / SNACK MULTI DAYPART CART

Attractive styling and graphics draw more students and customers.

Various cart and graphics options add flexibility and appeal to your breakfast and snack services.

- Model #764 features flat top. Optional drop leaf available.
- Model #768 features cashier shelf and an 18" round drop leaf
- Optional hot and cold top wells offer easy serving of items
- Combine spacious interior shelves with warming or chilled drawers for accessible resupply of food and beverages
- Durable stainless steel construction is easy to clean and sanitize

FACTORY INSTALLED OPTIONS:

- Heated well(s)
- Chilled (eutectic) well(s)
- Menu board
- Wicker storage/display basket(s)
- Warming drawer(s)
- Chilled (eutectic) drawer(s)
- 18" drop leaf (Model 764)
- Custom banner and front panel graphics also available. Ask for details.
- Overhead LED light strip (120V 15 Amp)
- Battery pack for LED light strip

FINISHES (PAGE 125):


- GROUP 2 solid and textured laminate finishes available
- GROUP 3 custom laminate finishes



Model #768
Shown with custom graphics and finish, optional chilled and heated wells, wicker basket kit, and menu board.



Standard Banner / Front Panel Graphics



Optional overhead LED lighting illuminates countertop offerings.



Choose from a combination of optional warming drawers, chilled drawers and storage space.

- 2 warming drawers / 2 cold drawers
- 2 warming drawers / storage area
- 2 cold drawers / storage area
- 1 warming drawer / 1 cold drawer / storage area



Model #768
Shown with **Snack Shack** graphics.



Model #764
Shown with **Breakfast First** graphics and optional drop leaf.

Don't see what you want? We can create custom graphics that meet your needs!



Freight Class: **125**

Ships in: **21** days or less!

Model	Description	Top Surface Size W x L	Overall Size Including Handles & Banner			Caster Type	Caster Dia.	Case Weight* Lbs (Kg)	Case Cube Cu. Ft. (m ³)
			W	L	H				
<i>New</i> 764	Flat Top	35 1/2" x 62 1/4" (902 x 1581)	35 1/2" (902)	65-1/2" 1664	80" 2032)	All swivel, 2 ea. w/brake	5" (127)	239 (108.4)	69.3 (1.96)
<i>New</i> 768	Two-level Top w/Drop Leaf	With Drop Leaf Down 35 1/2" x 62 1/4" (902 x 1581) Cashier Shelf 35 1/2" x 19" (902 x 483)	Drop Leaf Up			All swivel, 2 ea. w/brake	5" (127)	260 (117.9)	70.5 (2.00)
			35 1/2" (902)	84 1/2" 2102	80" 2032)				
			Drop Leaf Down						
			35 1/2" (902)	66 3/4" 1695	80" 2032)				

Measurements in () denote metric millimeters, unless otherwise noted. Height of drop leaf on Model #764 is 36" and on Model #768 is 33". Specify laminate in Group 2 or 3, see page 125.

* Case weight can be up to 750 lbs. (340 kg) or more depending on options selected.

COFFEE KIOSK

Attract customers and gain profitable on-site beverage sales.

- Durable stainless steel square tubing frame construction with decorative laminate panels
- Optional overhead frame with eye-catching decorative pendant lights
- Built-in outlet supplies convenient 120 VAC/15 Amp power for for cash register and/or optional lights
- Three-sided toe skirting conceals casters for a finished look
- Spacious interior compartments with removable stainless steel shelves store bus tub (for water, coffee ground drainage), additional supplies and beverages for convenient resupply
- Service panel includes cup dispensers, compartments for whipped cream dispensers (not included) and light switch
- Large 18" stainless steel dropleaves for cash register and additional serving area
- Ports on top and drop leaf for power cords and drain hoses
- Rolls easily on 5" cushion-tread swivel casters

FACTORY INSTALLED OPTIONS:

- 208 VAC, 50 Amp power supply package
- Custom graphic front panels (3)

FINISHES (PAGE 125):

- GROUP 2 solid and textured laminate
- GROUP 3 custom laminate



DELUXE ACCESSORY PACKAGE

Includes:

- Black overhead arched frame with sign panel
- Pendant lights (2) for overhead frame
- 2 ea. cup dispensers
- Chilled compartment for whipped cream dispensing

Increase coffee service traffic with an inviting mobile kiosk!



Freight Class: **125**
Ships in: **10** days or less!



MADE IN THE USA

Model	Counter Size W x D	Overall Size W x D x H Leaves Up Leaves Down	Compartment Size W x D x H Lower Left Upper Right Lower Right	Counter Height	Case Weight Lbs (kg)	Case Cube Cu. ft. (m3)
6120	30 x 60 (762 x 1524)	96 1/4" x 30" x 56" (2445 x 762 x 1422) 72" x 30" x 56" (1829 x 762 x 1422)	35 1/2" x 23 1/2" x 9" 15" x 23 1/2" x 11" 15" x 23 1/2" x 13"	34" (864)	515 (233.6)	46.3 (1.3)

Measurements in () denote metric millimeters, unless otherwise specified. O.A. height with optional overhead frame is 89" (2261). Please specify standard laminate in Group 2 or 3, see page 125.



ELECTRICAL SPECIFICATIONS	
120 VAC	15 Amp

Additional electrical configurations are available. Call factory with specific requirements.

Model # 6120
Shown with custom laminate graphic panels.



Sturdy 14 gauge stainless steel top easily accommodates various coffee machines.



Interior with optional compartment for whipped cream, 208V/50A power package



Shown In Red laminate with optional Deluxe Accessory Package

New MOBILE HYDRATION STATIONS

*Ideal for staffed applications.
Encourage regular hydration at assisted living and long-term care facilities.*

- 4 different models offer 4 different configurations to suit your beverage serving needs
- Welded stainless steel construction
- 5" all-swivel No-Mark® cushion tread casters are recessed for attractive, quiet transport
- Ample serving and storage areas
- Ample serving and storage areas

FACTORY INSTALLED OPTIONS:

- Utility or chilled drawers
- Laminate exterior or vinyl graphic wraps. Call to customize!
- Dual bumpers
- Hinged doors



Models #8702/#8704 with optional Beige Suede Laminate. (Group 2 Laminates pg. 121)

Vivid Graphics Stimulate Hydration!

- Wraps available on all models
- Custom wraps available (see website)



Vinyl Wrap #1



Vinyl Wrap #2



Vinyl Wrap #3



Model #8704 with optional drawer, fixed or pull-out shelf(s) and dual bumper



Model #8704

- Low profile curved back on #8702 / #8704
- Two compartments with adjustable universal ledges



Model #8702

- Shown with Vinyl Wrap #1
- 1 ea. fixed interior shelf
- Wrap-around bumper on three sides
- Top edges concealed with high-impact edge molding



Model #8708 serving side.



Model #8708

- Flat top design
- High-profile sculpted back on #8706 / #8708



Freight Class: **125**

Ships in: **21** days or less!

Model	Description	W	Overall D	H	Top Height	Compartment Shelf Clearance	Interior Compartments			Size	Casters Type	Case Weight (Kg)	Case Cube Cu. Ft. (m ³)
<i>New</i> 8702	Flat Top, 1 Ea. Interior Shelf	43 3/4" (1137)	25 3/4" (654)	38 1/4" (972)	34 1/2" (876)	T 12" (305) B 13" (330)	40" (1016)	23 3/4" (603)	26" (660)	5"	All Swivel	129 (58.5)	38.0 (1.08)
<i>New</i> 8704	Flat Top, 2 Ea. Interior Compartments	43 3/4" (1137)	25 3/4" (654)	38 1/4" (972)	34 1/2" (876)	N/A	L 17 1/2" (445) R 20-1/2" (521)	23 3/4" (603) 23 3/4" (603)	25-3/4" (654) 25-3/4" (654)	5"	All Swivel	165 (74.8)	38.0 (1.08)
<i>New</i> 8706	Dual Height Top, 2 Ea. Interior Compartments	43 3/4" (1137)	25 3/4" (654)	42 1/2" (1080)	H 38 1/2" (978) L 34 1/2" (876)	N/A	L 15 1/4" (387) R 22 1/4" (565)	24" (610) 24" (610)	25-3/4" (654) 29-3/4" (756)	5"	All Swivel	182 (82.6)	41.3 (1.17)
<i>New</i> 8708	Flat Top, High Sides, 2 Ea. Interior Compartments	43 3/4" (1137)	25 3/4" (654)	42 1/2" (1080)	34 1/2" (876)	N/A	L 15 1/4" (387) R 22 1/4" (565)	24" (610) 24" (610)	25-3/4" (654) 25-3/4" (654)	5"	All Swivel	185 (83.9)	41.3 (1.17)

New MOBILE HYDRATION STATIONS

Self-Serve Hydration Carts allow ambulatory residents at senior living facilities to serve beverages themselves.

- Model #8713 offers three corner shelves and is compact to fit in small spaces and tight corners
- Model #8715 provides more storage with six corner shelves and has a larger top for additional serving area
- Reverse side features stainless steel storage compartment
- Quiet 5" No-Mark® cushion tread wheels, all-swivel, 2 ea. with brake

FACTORY INSTALLED OPTIONS:

- Hinged door for storage compartment
- Fixed shelves (storage compartment)
- Recessed front plate compartment

FINISHES (PAGE 125):

- Group 2 laminate finishes
- Group 3 custom laminate finishes




Stainless steel top rails keep beverage containers secure during transport.



Optional recessed plate compartment.

Model #8715
Shown in Red Maple laminate



Stainless steel shelves



Shown in Light Maple Laminate



Model #8713
Shown in Hard Rock Maple laminate finish

Black laminate top is standard. See page 121 for optional Group 2 laminate finishes.

Durable HDPE base extends beyond perimeter of cart to act as bumper.



Reverse side storage compartment shown with two optional fixed shelves. Can be rolled flush against wall.



Reverse side shown with optional fixed shelf. Can be rolled flush against wall.

Model	Description	Overall Size			Top Height	Compartments			Casters Size	Casters Type	Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m³)
		W	D	H		W	D	H				
<i>New</i> 8713	Compact, 3 Ea. Storage	35" (889)	26" (660)	39 1/4" (997)	35" (889)	13 1/2" (343)	22 1/2" (572)	8 3/4" (222)	5"	All Swivel, 2 ea. w/brake	108 (49)	34.2 (0.97)
<i>New</i> 8715	Full size, 6 Ea. Storage	47" (1194)	26" (660)	38" (965)	35" (889)	13 1/2" (343)	22 1/2" (572)	8 3/4" (222)	5"	All Swivel, 2 ea. w/brake	130 (58)	43.2 (1.22)

Measurements in () indicate metric millimeters unless otherwise noted.

MOBILE HYDRATION/NUTRITION STATIONS

Help meet the critical hydration needs of residents and patients with this versatile cart.

- Provides a solution to satisfying vital patient/resident hydration as required by federal mandates
- Chilled drawers provide concealed storage for refills
- Full-size eutectic drop-in pans in drawers and on top keep items chilled for extended periods without ice
- Utility drawers and additional compartments provide ample storage for supplies, saving labor by reducing trips to the storage
- Welded stainless steel cabinet is durable and easy to clean and sanitize
- 5" (127) No-Mark®, cushion tread casters provide easy, quiet maneuverability to reach all points of service
- Available in textured and solid color finishes to enhance any décor.



Chilled storage available in a drop-in compartment for quick access.



Attractive front view.

Cup holders can be built-in for added convenience.



Utility drawers store the items you need close at hand.



Drawers are available with a drop-in chilled eutectic full-size pan for keeping drinks cold.

Concealed storage with sliding doors keeps refills and supplies handy.

Model #690 -10
Shown in Beige Suede Group 2 Finish

MOBILE STATION CONFIGURATIONS*

MODEL #690-10

- 1 ea. top mounted removable full-size drop-in chilled pan
- 2 ea. cup dispensers
- 1 ea. drawer with full size drop-in chilled pan
- 1 ea. 3" (76) deep utility drawer
- Stainless steel storage compartment with sliding doors



MODEL #690-20

- 2 ea. 3" (76) deep utility drawers
- Expanded stainless steel storage compartment with additional stainless steel shelf and sliding doors



MODEL #690-30

- 1 ea. top mounted removable full-size drop-in chilled pan
- 2 ea. drawers with full-size drop-in chilled pan for each drawer
- 1 ea. 3" (76) deep utility drawer
- Stainless steel storage compartment with sliding doors



MODEL #690-40

- 2 ea. drawers with full-size drop-in chilled pan for each drawer
- Expanded stainless steel storage compartment with additional stainless steel shelf and sliding doors



* Custom configurations are also available, contact Factory.



Optional wire basket adds visual storage space.



Optional push handle for easy maneuvering.



Optional drop leaf provides work space when you need it.



Optional contour top provides a contemporary look.

FACTORY INSTALLED OPTIONS:

- Wire storage basket
- Push handle
- Drop leaf for standard top only
- Contour top
- Key lock for drawers

FINISHES (PAGE 125):

- GROUP 2 solid and textured laminate
- GROUP 3 custom laminate



Ships in: **7** days or less!

Model	Version	Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m ³)
		W	L	H		
690-10	1	26" (660)	44-1/2" 1130	37-3/4" 959	237 (106.8)	76.8 (2.1)
690-20	2	26" (660)	44-1/2" 1130	37-3/4" 959	227 (102.3)	76.8 (2.1)
690-30	3	26" (660)	44-1/2" 1130	37-3/4" 959	247 (111.3)	76.8 (2.1)
690-40	4	26" (660)	44-1/2" 1130	37-3/4" 959	237 (106.8)	76.8 (2.1)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 5" (127) - all swivel. Please specify standard laminate in Group 2 or 3, see page 125.

CONDI EXPRESS® | STAINLESS STEEL BASE with LAMINATE EXTERIOR, LAMINATE TOP and MANUAL PUMP DISPENSERS

Replace costly serving packets with a cart that rolls wherever you need it. Create easy-to-use stations for colleges/universities, stadiums, food courts, school foodservice, convenience stores and more...

- Choose from several standard pump configurations or create your own custom dispensing top.
- Dispensers housed in recesses to hold them securely and neatly in place
- Two heights available to meet your needs
 - Regular height 36 1/2" (927) for teens and adults
 - Lower height is 31" (787) for young students
 - Dual height model serves young students, teens and adults
- Narrow size is easy to maneuver into elevators, down corridors and into serving areas
- 5" No-Mark® cushion tread wheels, 2 swivel w/ brake and 2 fixed, guide cart in a straight line while making it easier to navigate corners
- Interior compartment with shelves provides additional storage space
- Wide counter provides a handy space for your customers to prepare their food
- Sliding doors conceal interior's contents; located on the serving side for quick access when placed against a wall
- Dispensing surface is durable laminate over a wood base for easy cleaning
- Stainless steel body is tough, laminate exterior is easy to clean
- Light gray laminate top



Model #70530
Shown in Hard Rock Maple
Group 2 Laminate Finish



Model #70510
Shown in Red
Group 2 Laminate Finish




Freight Class: **125**


Ships in: **18** days or less!




Stainless steel Interior compartment with shelves provides added storage




#70510 / 70410 – Includes 4 ea. 1.5 gal. Pump Dispensers, and 2 ea. isoposable cup dispensers.



#70520 / 70420 – Includes 6 ea. 1.5 gal. Pump Dispensers.



#70530 / 70430 – Includes 6 ea. 1.5 gal. Pump Dispensers, and 2 ea. disposable cup dispensers.



#70550 – Includes 6 ea. 1.5 gal. Pump Dispensers, with 2-level top serving height.

CONDI EXPRESS® | DISPENSING OPTIONS and CONFIGURATIONS

CHOOSE THE DISPENSING OPTION THAT WORKS BEST FOR YOU

New

- Convenient pumps in plastic and optional stainless steel available in standard or custom configurations.
- Pump dispensers are NSF listed.
- Optional hinged lid containers available for relishes, thick salsa, chopped onions and more...



Model #70520
Shown in Green
Group 2 Laminate Finish



Optional hinged container with ladle for relishes, thick salsa, chopped onions and more.



Model #70550
Shown in Blue
Group 2 Laminate Finish

FACTORY INSTALLED OPTIONS:

- Double sided serving top (See below)
- Stainless steel pumps
- Round pumps

FINISHES (PAGE 125):

- GROUP 2 solid and textured laminate
- GROUP 3 custom laminate



CRYOVAC® DISPENSING SYSTEM

- Dispenses from a sealed 1.5 gal. (6 L) pouch.
- Consult your food distributor for condiment choices.
- Pumps dispense up to 1 oz. (3mL) per stroke, and are adjustable in 1/4 oz. increments.



Optional round pump (Reduces the number of total pumps available.)



Optional stainless steel pump

Optional Double Sided Top – All configurations above are available with a double sided serving top**. Serving shelf is 10-1/2" (267) wide on both sides. Pumps may be turned in either direction.

MADE IN THE USA

Model	Counter Height	Top Size W x L	W	Overall Size L	H	Caster Type	Caster Dia.	Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m³)
<i>New</i> 70510	36-1/2" (927)	25" x 51-1/2" (635 x 1308)	25" (635)	51-1/2" (1308)	50" (1270)	4 swivel, 2 w/brake	5" (127)	200 (91)	57.8 (1.64)
<i>New</i> 70520	36-1/2" (927)	25" x 51-1/2" (635 x 1308)	25" (635)	51-1/2" (1308)	50" (1270)	4 swivel, 2 w/brake	5" (127)	205 (95)	75.8 (2.15)
<i>New</i> 70530	36-1/2" (927)	25" x 69-1/2" (635 x 1765)	25" (635)	69-1/2" (1765)	50" (1270)	4 swivel, 2 w/brake	5" (127)	275 (125)	75.8 (2.15)
<i>New</i> 70410	31" (787)	25" x 51-1/2" (635 x 1308)	25" (635)	51-1/2" (1308)	44-1/2" (1130)	4 swivel, 2 w/brake	5" (127)	195 (88)	52.1 (1.48)
<i>New</i> 70420	31" (787)	25" x 51-1/2" (635 x 1308)	25" (635)	51-1/2" (1308)	50" (1270)	4 swivel, 2 w/brake	5" (127)	202 (92)	68.4 (1.94)
<i>New</i> 70430	31" (787)	25" x 69-1/2" (635 x 1765)	25" (635)	69-1/2" (1765)	44-1/2" (1130)	4 swivel, 2 w/brake	5" (127)	270 (122)	68.4 (1.94)
<i>New</i> 70550	36-1/2" & 31" (927) (787)	25" x 59" (635 x 1500)	25" (635)	59" (1500)	50" (1270)	4 swivel, 2 w/brake	5" (127)	260 (118)	65.2 (1.85)

Measurements in () denote metric millimeters, unless otherwise specified. **Overall width with double sided serving top is 32" (813). Please specify laminate choice in Group 2 or 3 see page 125.

E-Z SERVE™ CONDIMENT CARTS | STAINLESS STEEL

Simple to use manual pumps combined with sanitary volume pack pouches help reduce labor and save costs.

- No electrical power, no CO2 bottle and no refrigeration needed. Operates with manual pump canisters to save energy
- Pumps can be easily cleaned in place or disassembled for a more thorough cleaning
- Supply hoses will NOT deteriorate when exposed to acidic condiments nor become dry and brittle with age, reducing replacement cost
- One connector fits all 3-gallon (11 L) condiment pouches for easy hook up (connectors included)
- Ample interior working space for changing pouches, canisters and cleaning
- Durable, easy-to-use dispensers are at the correct height for teens and adults
- Narrow size is easy to maneuver into elevators, down corridors and into serving areas
- Doors are located on the serving side for quick access when placed against a wall
- Locking doors secure interior contents
- Stainless steel interior and exterior are easy-to-clean and sanitize

FACTORY INSTALLED OPTIONS:

- Color coded knobs screw onto pump mechanism
- Stainless steel overshelf [12" x 39-3/4" x 4 (305 x 1010 x 102)]
- GROUP 2 solid and textured laminate finishes (page 125)
- GROUP 3 custom laminate finishes (page 125)



IS A CONDIMENT POUCH DISPENSING SYSTEM RIGHT FOR YOUR OPERATION?

1. What is your food product cost versus a 3 gallon Volpak pack of the same quality product? The average cost of a 3 gallon (11 L) bulk pouch of ketchup is approx. \$3.75 per gallon.

2. What are your labor costs to refill bottles or dispenser containers? It takes approx. 5 minutes to refill an automated system.

3. What are your labor costs to clean bottles or dispenser containers? It takes approx. 15 minutes to clean an automated system.

4. What is your waste? Consider theft, waste during cleaning, refilling, and freshness issues in your calculation. When used correctly, less than 1% waste left in a 3 gallon (11 L) bulk pouch.



Convenient hand key screw clamps make hose removal easy.



Snap-on connectors make changing bags easy. One connector fits all brands.



Lift-out bins simplify changing Volpak condiment pouches.

Model	Description	Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m³)
		W	L	H		
Flat Top Surface Models						
70201	8 manual pumps Dispenses up to 4 products	27-1/2" (698)	50-1/4" 1276	48-1/2" 1232	455 (205.0)	82.1 (2.32)
70211	6 manual pumps Dispenses up to 3 products	27-1/2" (698)	50-1/4" 1276	48-1/2" 1232	455 (205.0)	82.1 (2.32)
70271	12 manual pumps Dispenses up to 3 products	27-1/2" (698)	50-1/4" 1276	48-1/2" 1232	467 (210.4)	82.1 (2.32)
70221	4 manual pumps Dispenses up to 2 products	27-1/2" (698)	33" 838	48-1/2" 1232	371 (167.1)	82.1 (2.32)
Tower Pump Models						
70200	8 manual pumps Dispenses up to 4 products	27-1/2" (698)	50-1/4" 1276	47" 1194	460 (208.7)	82.1 (2.32)
70210	6 manual pumps Dispenses up to 3 products	27-1/2" (698)	50-1/4" 1276	47" 1194	460 (208.7)	82.1 (2.32)
70270	12 manual pumps Dispenses up to 3 products	27-1/2" (698)	50-1/4" 1276	47" 1194	472 (214.5)	82.1 (2.32)
70220	4 manual pumps Dispenses up to 2 products	27-1/2" (698)	33" 838	47" 1194	375 (168.9)	82.1 (2.32)

Measurements in () denote metric millimeters, unless otherwise specified. Top surface is 39" from floor. Lake-Glide® Casters: 5" (127) - 2 swivel w/brake, 2 fixed, heavy-duty, extra-load. Height from floor to bottom of cart 6-3/4" (171).

Model #70271



Optional etched or color coded knobs easily identify condiments. Specify when ordering.

Manual pumps eliminate the need for bulky CO₂ canisters, and clean easily without disassembling.

Locking hinged doors allow easy access for refilling and cleaning.

Standard stainless steel interior and exterior. Laminate finishes available.



Model #70270



Lakeside can design and build a Condiment Station to fit your special application.

In addition to the many standard dispenser configurations offered, Lakeside can easily customize Condiment Carts for your unique application. Configurations are available that include (but are not limited to):

- Expanded cabinet size
- Multi-directional dispenser placement
- Sneeze guards
- Relish/solid condiment bins
- Custom laminate finishes
- Flatware cylinders
- Napkin and cup dispensers
- Solid resin or granite top
- Tray slides (one or both sides)



Freight Class: **125**
Ships in: **8** days or less!

CASHIER STAND | STAINLESS STEEL with LAMINATE FINISH

Streamline your lunch service with this practical and portable Cashier Stand.

- Accommodates conventional cash register or POS computer equipment for electronic payment systems to best fit your needs
- Segmented interior compartments conveniently store and organize computer, printer and other supplies
- CPU compartment features a vented back to prevent overheating
- All welded stainless steel construction is durable, easy to clean and sanitize
- 4 swivel casters, 2 w/ brake are 5" No Mark cushion tread for heavy-duty support and easy maneuverability

FACTORY INSTALLED OPTIONS:

- Back-mounted tray slide in place of two side-mounted tray slides
- Back-mounted tray slide
- Built-in locking cash drawer
- Pull out keyboard shelf (for models without cash drawers only)
- Top monitor shelf

FINISHES (PAGE 125):

- GROUP 2 solid and textured laminate
- GROUP 3 custom laminate



Tray slides fold down out of the way when not in use.



Convenient optional top shelf elevates your monitor to eye level for distortion-free viewing.



Perforated panel provides proper ventilation for POS electronic equipment.



Height adjustable tray slide for elementary students or ADA compliance.



Model #641 shown with optional locking cash drawer

Freight Class: **125**
Ships in: **5** days or less!



Model	Computer Compartment			Center Compartment			Overall Size*			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m ³)
	W	D	H	W	D	H	W	L	H		
641	10-1/2" (257)	22-3/4" (557)	18-3/4" (459)	16-1/2" (404)	22-3/4" (557)	11-1/2" (292)	26-1/4" (851)	51-1/4" (1305)	35" (890)	208 (94.6)	76.8 (2.9)

Measurements in () denote metric millimeters, unless otherwise specified. *Tray slides up. Tray slides down - width is 33-1/2" (851). Top and two fold down 12" (304) tray slides are stainless steel. To order with one side mounted tray slide, specify location. Tower CPU compartment configuration is standard. Also available without interior CPU compartment. Available without tray slides. Lake-Glide® No Mark® cushion tread casters: 5" (127) - 4 swivel, 2 w/brake. Please specify standard laminate in Group 2 or 3, see page 125.

MOBILE HANDWASHING STATIONS | STAINLESS STEEL

MOBILE MERCHANDISING/SERVING | MOBILE HAND WASHING SINKS

Provide worker hand sanitation in remote serving locations with this compact, self-contained station.

- Provides running water for sanitary handwashing
- Works great with Serv 'N Express® mobile kiosks to help meet local health code requirements
- Heavy-duty chrome plated brass faucet has easy-to-use on/off paddle handle (Model 9610 has two paddle handles)
- Chrome-plated soap dispenser is securely mounted next to sink
- Locking door latch prevents unauthorized access to cabinet storage and tanks
- 5" No-Mark® cushion tread wheels, 2 swivel w/ brake and 2 fixed, for easy navigation
- Durable stainless steel sink and cabinet are easy to sanitize

MODEL 9600 & 9620

- Fresh water capacity is 5 gallons, approximately 35 handwashings
- Waste water capacity is 7 gallons

MODEL 9610

- Includes hot running water and twice the water and waste capacity
- Hot water heater has a 2 ½ gal. capacity and heats in 15 minutes for efficient service
- Fresh water capacity is 10 gallons, allowing approx. 70 handwashings (2 5-gallon tanks are included)
- Standard with two 7-gallon wastewater tanks

PUMP FEATURES (9600 & 9610)

- Automatic water demand - no priming
- Smooth water flow
- Backflow protection – no fresh water contamination
- 150 PSI operating pressure
- Overheat cut-off protection

WATER HEATER FEATURES (9610, 9620 ONLY)

- Adjustable thermostat (110°F - 170°F)
- Replaceable heating element
- Corrosion-resistant bronze tank
- 150 PSI operating pressure
- On/off switch on unit

FACTORY INSTALLED OPTIONS:

- Side-mount towel dispenser
- Top-mount towel dispenser
- Additional set of fresh and waste water tanks per set (Model 9600 only)
- Caster skirting, 3 sides (Model 9620 only) (No corner bumpers with skirting)

FINISHES (PAGE 125):

- GROUP 1 vinyl
- GROUP 2 laminate finishes




Freight Class: **125**
Ships in: **7** days or less!

ELECTRICAL SPECIFICATIONS		
Water Pump	0.9 A	115 V
Water Heater	2000W	120V
Unit	20.0 A	120V

Model	Description	Water Supply Equipment		Overall Size			Caster Type	Caster Dia.	Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m³)
		# of	Description	W	L	H				
9600	Stainless Steel Sink Cold Water Faucet Soap Dispenser	1	Fresh Water Tanks	33"	35"	45"	2 Ea. swivel, w/brake 2 Ea. Fixed	5" (127)	222 (100)	41.7 (1.15)
		1	Waste Water Tanks	(838)	889	1143)				
		1	Water Pump							
9610	Stainless Steel Sink Hot & Cold Faucet Soap Dispenser	2	Fresh Water Tanks	32-1/2"	38-1/2"	45"	2 Ea. swivel, w/brake 2 Ea. Fixed	5" (127)	238 (107)	44.8 (1.23)
		2	Waste Water Tanks	(825)	978	1143)				
		1	2-1/2 gal. Water Heater							
		1	Water Pump							
9620	Stainless Steel Sink Hot Faucet Soap Dispenser	1	Fresh Water Tanks	23-1/2"	29-3/4"	43-1/4"	2 Ea. swivel, w/brake 2 Ea. Fixed	5" (127)	148 (67.3)	22.8 (0.65)
		1	Waste Water Tanks	(597)	756	1099)				
		1	Water Pump							
		1	Water Heater							
New 9620A	Stainless Steel Sink Hot Faucet Soap Dispenser	1	Fresh Water Tanks	23-1/2"	29-3/4"	43-1/4"	2 Ea. swivel, w/brake 2 Ea. Fixed	5" (127)	148 (67.3)	22.8 (0.65)
		1	Waste Water Tanks	(597)	756	1099)				
		1	Water Pump							
		1	Water Heater							

Measurements in () denote metric millimeters, unless otherwise specified. Model 9610 unit weight without water: 205 lbs. (92.3 kg). Model 9600 unit weight without water: 189 lbs. (85.1 kg). Sink bowl is 10" x 12" x 5" deep (254 x 305 x 127). Includes 10' (3048) power cord with L5-15P NEMA plug for 120 VAC, and roll towel bar. NOTE: The Hand Washing Station does not contain a water filtration system for purifying water for drinking. It is designed for hand washing only. Water pump and heater are UL listed, and pump is NSF listed. Models with "A" suffix color-coded with purple to promote allergen awareness.



Model # 9620
Shown with optional caster skirting and top-mount towel dispenser



Interior compartment stores fresh and waste water containers, pump and water heater.



Model #9600



Model #9610



SERVE-ALL™ MOBILE FOOD STATIONS | STAINLESS STEEL

Serve both hot and chilled food items in one mobile unit for ultimate flexibility.

- Dry heat wells feature individual temperature control to hold each dish at its proper safe temperature
- Even concentration of heat and insulated wells maintain serving temperatures
- Stainless steel construction increases durability, and is easy to clean and sanitize
 - 4 ea. 5" all swivel casters, 2 with brakes, for easy maneuverability
- Heat wells fit standard roasting pans*

FACTORY INSTALLED OPTIONS (MODEL 6745):

- 3 ea. hot wells 12" x 20" (305 x 508). No soup well. (30 amp circuit)
- 2 ea. hot wells 12" x 20" (305 x 508) w/drain. (208/220 V, 20 amp circuit)
- 3 ea. hot wells 12" x 20" (305 x 508) w/drain. No soup well. (208/220 V, 30 amp circuit)
- 1 ea. induction cooktop stove, 2 ea. hot well. (208/220 V, 20 amp circuit)
- 4 ea. chilled storage drawers including eutectic full size pans, 12" x 20" (305 x 508), no utility storage
- 1 ea. sneeze guard with serving shelf
- 3-rail fold-down tray slide

FACTORY INSTALLED OPTIONS (MODEL 6750):

- 4 ea. hot wells 12" x 20" (305 x 508). No soup well. (30 amp circuit)
- 3 ea. hot wells 12" x 20" (305 x 508) w/drain. (208/220 V, 20 amp circuit)
- 4 ea. hot wells 12" x 20" (305 x 508) w/drain. No soup well. (208/220 V, 30 amp circuit)
- 1 ea. induction cooktop, 2 ea. hot wells (208/220 V, 20 amp circuit)
- 4 ea. chilled storage drawers including eutectic full size pans, 12" x 20" (305 x 508), no utility storage
- 1 ea. sneeze guard with serving shelf,
- 3-rail fold-down tray slide




Model #6745



Optional sneeze guard with a convenient serving shelf.



Optional 3 rail tray slide folds down for transport and storage.



Heated wells 12" x 20" x 6"

Independent heat controls

7 qt. (6.6 L) soup warmer holds temperatures at the recommended 140° F. (60° C). Includes the stainless steel soup container and lid.

Two storage drawers hold dry goods, supplies and serving utensils.



Two drawers include eutectic pans to keep items chilled for extended periods.



Model #6750 features a storage area with 3 ea. sets of adjustable universal ledges.

ELECTRICAL SPECIFICATIONS			
Model 6745	220V	50A	2000W
Model 6750	220V	50A	2750W



Freight Class: **125**
Ships in: **10** days or less!

Model	Storage Description	Heated Wells Description	Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m³)
			W	L	H**		
6745	2 ea. eutectic chilled drawers 2 ea. utility drawers	2 ea. 12" x 20" (305 x 508) 1 ea. soup	34-1/2" (876)	51-1/4" 1302	37" 940	350 (159)	67.3 (2.7)
6750	2 ea eutectic chilled drawers 2 ea. utility drawers 1 ea. open compartment	3 ea. 12" x 20" (305 x 508) 1 ea. soup	34-1/2" (876)	62-1/4" 1575	37" 940	485 (220)	67.3 (2.7)

Measurements in () denote metric millimeters, unless otherwise specified. *Full size pans not included. **Height from floor. Unit weight: Model 6745 - 328 lb. (149) and Model 6750 - 425 lb (193). Lake-Glide® Casters: 5" (127) 4 swivel, all swivel, 2 w/brake.

ICE CARTS | STAINLESS STEEL

Easily transport and store ice for hours without worry.



Model #240

- Insulated stainless steel ice compartment keeps ice frozen longer
- Built-in drain with faucet keeps ice solid and free from water, allows easy cleaning
- Extended push handle for easy maneuvering
- Hinged cover maintains interior temperatures, while allowing easy access*
- Stainless steel is durable, easy to clean and sanitize
- Corner or perimeter strip bumpers and handle bumpers protect walls and furniture
- Model 230 features open shelf storage for drink or other supply items



Model #230



Freight Class: **125**
Ships in: **6** days or less!

Model	Ice Capacity Lbs (Kg)	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m³)
		W	L	H				
230	50 (23)	31-1/4" (794)	19" 483	36-1/2" 927	All swivel	4" (102)	67 (30.4)	10.9 (.42)
240	125 (57)	26-7/8" (683)	18-3/8" 467	36-1/2" 927	2 - swivel, 2 - fixed*	5" (127) 8" (203)	103 (46.7)	16.3 (.63)
250	200 (91)	34-1/4" (870)	20-1/4" 514	36-1/2" 927	2 - swivel, 2 - fixed*	5" (127) 8" (203)	129 (58.5)	23.2 (.90)

Measurements in () denote metric millimeters, unless otherwise specified.

TRAY STAND | STAINLESS STEEL with CHROME LEGS

Sturdy folding Tray Stand can take the load, and includes a handy undershelf for a bus box.



Model #677

- Convenient stainless steel storage shelf holds extra items
- Heavy-duty design and construction is sturdy
- Folds for easy, space-saving storage



Freight Class: **70**
Ships in: **3** days or less!

Model	Description	Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m³)	FedEx ups
		W	D	H			
677	Stainless steel shelf with Chrome legs	18-1/2" (470)	18-1/4" (464)	32-1/4" (819)	14 (6.4)	3.2 (.09)	OK

Measurements in () denote metric millimeters, unless otherwise specified.

PORTABLE BARS | STAINLESS STEEL with LAMINATE EXTERIOR FINISH

Increase sales by adding mobility to beverage service for special functions.

- Removable 7 bottle speed rails puts bottles at your fingertips for quick service
- Durable laminate top is waterproof and stain proof for a clean, attractive display
- Laminate bar and stainless steel work surface provide ample serving and preparation space
- Stainless steel interior is durable, easy to clean and sanitize
- Large bottom shelf provides discrete storage of back-up items and supplies

- Built-in ice bins provide quick access to ice or cold storage for drinks
 - Models 884 and 887 – one 40-lb. ice bin
 - Model 886 – two 40-lb. ice bins
 - Model 889 – one 70-lb. ice bin
- No-Mark® cushion tread casters provide smooth mobility



Model #886



Model #884



Model #887



Model #889 (front view)
shown in Gray Sand.

FACTORY INSTALLED OPTIONS:

- Model 889 pre-mix system (Specify soda supplier for proper connector.)
- Model 889 post-mix system
- Model 889 bag in box syrup rack kit

FINISHES (PAGE 125):

- GROUP 2 solid and textured laminate
- GROUP 3 custom laminate



Waterproof 1-1/4" (32) durable, laminate top

Laminate over stainless steel exterior; stainless steel interior

Ice bin with built-in cold plate

Two 7-bottle speed rails

Model #889
Shown in Victorian Cherry
Group 2 Laminate Finish
and optional post-mix system



Freight Class: **125**
Ships in: **7** days or less!



MADE IN THE USA

Model	Description	Ice Capacity Lbs (Kg)	Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m³)
			W	L	H		
884	Top: Waterproof 1-1/4" (32) Black Laminate 1 ea. 7 bottle speed rail	40 (18)	27-3/4" (705)	43" 1092	45" 1143)	333 (151)	32.6 (.91)
886	Top: Waterproof 1-1/4" (32) Black Laminate 2 ea. 7 bottle speed rail	80 (36)	27-3/4" (705)	63-1/2" 1613	45" 1143)	362 (164)	52.4 (1.47)
887	Top: Waterproof 1-1/4" (32) Black Laminate 2 ea. 7 bottle speed rail	40 (18)	27-3/4" (705)	63-1/2" 1613	45" 1143)	351 (159)	52.4 (1.47)
889	Pre- or Post-Mix Portable Bar Top: Waterproof 1-1/4" (32) Black Laminate 2 ea. 7 bottle speed rail 1 ea. ice bin with built-in cold plate	70 (32)	29-1/2" (749)	62-1/2" 1588	49-1/4" 1251)	565 (256) Ship weight with dispensing system 660 (300)	51.0 (1.42)

Lake-Glide® No Mark® cushion tread casters: Model 889 5" (127) 2 ea. fixed, 2 ea. swivel w/brake. Model 884, 886, 887 5" (127) 4 ea. swivel, 2 ea. w/brake. Please specify standard laminate in Group 2 or 3, see page 125.

VINYL & LAMINATE FINISHES



Walnut

Light Maple

Black

GROUP 2 | LAMINATES



Red Maple

Beige Suede

Victorian Cherry

Gray Sand

Hard Rock Maple

Royal Blue

Red



Green

Black

GROUP 3 | CUSTOM LAMINATES



If you want to customize your Lakeside® product with a finish that is not listed above, you can choose any laminate that you wish, to blend with your decor. You simply need to contact our customer service department 800-558-8565 to let us know the laminate supplier with the laminate name and number. With this information, we can research the price for you.

ROOM SERVICE TABLES | LAMINATE

This table easily stores and transports for serving meals with style at anytime.

- Gray Sand laminate over durable plywood creates a scratch and burn resistant top, remains clean and attractive for long use.
- Full-length piano hinges securely hold leaves for added strength and capacity
- Tables accommodate one or two Lakeside food carrier boxes (also accommodates most other brands of food carrier boxes)
- Regular style features smooth-sliding hardwood pull-out supports to add sturdiness to drop leaves
- Fold-Up style saves valuable storage space



Model #415
Fold-up Style



Model #413
Regular Style

ACCESSORIES: (SEE BELOW)

- Food Carrier Boxes

FINISHES (PAGE 125):

- GROUP 2 solid and textured laminate
- GROUP 3 custom laminate



Freight Class: **125**
Ships in: **4** days or less!

Model	Description	Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m ³)	
		W	L	H			
Regular Style							
412	Round Table 40" (1016) Gray Sand laminate	Leaves Up	40" (1016)	40" 1016	30" 762	51 (23.1)	25.9 (1.0)
		Leaves Down	22-1/4" (565)	40" 1016	30" 762		
413	Square Table 36" (914) Gray Sand laminate	Leaves Up	36" (914)	36" 914	30" 762	52 (23.5)	19.8 (.77)
		Leaves Down	22-1/4" (565)	36" 914	30" 762		
Fold-up Style							
415	Round Table Folds in Middle 40" (1016) Gray Sand laminate	Leaves Up	40" (1016)	40" 1016	30" 762	55 (24.9)	25.9 (1.0)
		Leaves Down	22-1/4" (565)	40" 1016	30" 762		
		Folded Position	14" (356)	40" 1016	37" 940		
416	Square Table Folds in Middle 36" (914) Gray Sand laminate	Leaves Up	36" (914)	36" 914	30" 762	56 (25.4)	19.8 (.77)
		Leaves Down	22-1/4" (565)	36" 914	30" 762		
		Folded Position	14" (356)	36" 914	37" 940		

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 4" (102) ea. - All swivel, 2 with brake.

FOOD CARRIER BOXES FOR ROOM SERVICE TABLES | STAINLESS STEEL

These convenient carrier boxes hold food at safe temperatures for transport.

- Perforated, removable shelves (3) allow even distribution of heat
- Durable stainless steel material retains heat better
- Choose solid fuel or quicker electrical heat source
- Fits most brands of room service tables
- Model 113 is fully insulated

ELECTRICAL SPECIFICATIONS*		
115 VAC:	300 W	2.6 A
Includes NEMA 5-15P molded vinyl plug.		
230 VAC:	300 W	1.3 A
Includes NEMA 6-15P molded vinyl plug.		

Freight Class: **70**
Ships in: **4** days or less!

Model	Heat Source	Shelf Description		Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m ³)
		# of	Clearance	W	L	H		
112	Solid fuel canister	3	4-1/2" (114)	13-1/4" (337)	15" 381	22" 559)	30 (13.6)	4.6 (.2)
113	Electrical element	3	4-1/2" (114)	13-1/4" (337)	15" 381	22" 559)	39 (17.7)	4.6 (.2)

*Model #113 only, specify 115 or 230 VAC. Temperature will cycle between 160°F and 200°F. Product can be shipped FedEx Ground or UPS.

FOOD CARRIER BOX STORAGE RACK | STAINLESS STEEL

Easily organize, transport, and preheat Food Carrier Boxes.

- Sturdy welded stainless steel construction
- Accommodates up to six Food Carrier Boxes
- Models available for either solid fuel or electrical heat boxes
- Flat shelves with non-slip pads facilitate loading and unloading of boxes
- Model 696 features built-in plug strip for convenient box plug-in, with ports in shelves to help route electrical cords
- 15' power cord with NEMA 5-20P plug
- Rolls easily on 4" all-swivel casters (2 each with brake)




Model #696

Model	Accommodates	Overall Size			Case Weight Lbs (Kg)	Case Cube Cu. Ft. (m ³)
		W	D	H		
693	Solid Fuel Boxes	39-3/4" (1010)	20-1/2" 521	56" 1422)	175 (78.8)	39.1 (1.1)
696	Electrical Element Boxes	39-3/4" (1010)	20-1/2" 521	56" 1422)	173 (77.9)	39.1 (1.1)







LAKESIDE®

MEAL DELIVERY

Mobile solutions for today's challenges of meal delivery and food temperature holding.

Whether it's a traditional tray-line meal service or the latest trend in room service meals for health care, Lakeside offers a wide variety of tray transport carts that will get the job done efficiently.

Add the durability and easy cleaning of stainless steel to heating, holding and proofing operations. Lakeside proofing/heating cabinets feature state-of-the-art design in a variety of sizes with universal and full-size pan models.

HOT/COLD TRANSPORT CARTS | STAINLESS STEEL

Maintain safe food temperatures while conveniently moving bulk food.



Model #6760



HOLDS BOTH
HOT OR COLD
MEALS AT CORRECT
TEMPERATURES
*AS LONG
AS NEEDED*



HOLDS BOTH HOT OR
COLD MEALS FOR 45 MINS.

- Allows delivery of hot, cold, and ambient product in one unit
- Stainless steel interior and exterior
- Removable gasket ensures positive door seal
- Durable edge-mount handle latches keep doors tightly shut during transport
- Heated/chilled compartments maintain food product at safe temperatures without power for up to 30 minutes
- Chilled compartment features fully self-contained refrigeration system that is easy to service, and virtually maintenance free
- Mechanical thermostats with light powered digital temperature read-outs function when unit is unplugged
- Single on/off switch controls hot and cold compartments
- Standard full perimeter bumper provides extra protection for walls and furniture
- Downdraft recirculating forced air heating and cooling
- Heated compartment maintains a maximum temperature of 200° F, with a 1125 watt heater element and class F blower.
- Chilled compartment shall maintain a temperature range of 34° F to 40° F
- All-swivel 6" diameter casters with non-marking 2" wide cushion-tread wheels
- One-year parts & labor warranty with an additional four years parts warranty on condensing unit.



*See the
Dual Temp Cart
in action!*

ELECTRICAL SPECIFICATIONS			
Model #6760	1908 W 60 Hz	15.9 A Single Phase	115 V
Model #6760HH	2250 W 60 Hz	19.4 A Single Phase	115 V
Model #6760CC	1488 W 60 Hz	12.4 A Single Phase	115 V
Model #6760HA	1125 W 60 Hz	9.7 A Single Phase	115 V

Power cord includes NEMA 5-20P plug.




Fully insulated compartments feature two-step universal ledges to accommodate various size pans and trays, including 12" x 20" and 18" x 26". Heated compartment features rear ventilation chimney for maximum heat distribution.



Rugged door hinges are inset from corners to avoid damage.



Edge-mount door latches provide secure closure and seal.



Refrigeration intake vent with convenient cleanable filter



Exhaust vent features louvred stainless steel cover.


Temperature Modes by Model



Hot/Cold - Model #6760



Hot/Hot - Model #6760HH



Cold/Cold - Model #6760CC



Hot/Ambient - Model #6760HA



Model	Compartments	Overall Size			Lake-Glide® Caster Type	Caster Size**	Case Weight Lbs.	Case Weight Kg.	Case Cube	
		W	L	H					Cu. ft.	(m3)
6760	Hot/Cold	53 3/4" (665)	33 1/4" (851)	59" (890)	4 swivel 2 Ea. w/Brake	6" (152)	570	257	97.2	2.75
6760HH	Hot/Hot	53 3/4" (665)	33 1/4" (851)	59" (890)	4 swivel 2 Ea. w/Brake	6" (152)	510	230	97.2	2.75
6760CC	Cold/Cold	53 3/4" (665)	33 1/4" (851)	59" (890)	4 swivel 2 Ea. w/Brake	6" (152)	635	286	97.2	2.75
6760HA	Hot/Ambient	53 3/4" (665)	33 1/4" (851)	59" (890)	4 swivel 2 Ea. w/Brake	6" (152)	501	226	97.2	2.75

Measurements in () denote metric millimeters, unless otherwise specified. **2" wide cushion tread.

New

Designed in partnership with a leading healthcare foodservice consultant.

DCD SERIES TRAY DELIVERY CARTS | STAINLESS STEEL

These full-featured carts are also built for quiet operation...

- ✓ Removable ledge panels are fastened in-place to eliminate vibration.
- ✓ Wide tires have rounded cushion tread for quiet transport.
- ✓ Welded construction eliminates rattles from loose hardware fittings.

All features shown are included at no extra charge!



Secure rotational door latch eliminates accidental opening during transport

Top rails keep items from slipping off

Heavy-duty lift-off door hinges

Push handle

Double-pan door design eliminates warping for optimum quiet fit

Bumpers protect walls and doorways

Anti-static floor strap prevents static charge buildup

6" casters with 2" wide cushion tread provide quiet, easy movement on multiple surfaces.

Model # DCD-5506



Designed for Room Service!

Compact size is designed for more frequent delivery trips.

Custom Graphics



Don't see what you want? Call us! We can create a custom graphic that meets your needs!



Model	Tray Capacity	Accom. Tray Size	Ledge Spacing	Compartments/Trays per Ledge	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m3)
					W	D	H				
<i>New</i> DCD-5506	8 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5" (127)	1/1	22-1/2" (572)	25-1/2" (648)	54-1/2" (1384)	All swivel, 2 w/brake	6" (152)	190 (86.4)	47.5 (1.3)
<i>New</i> DCD-5510*	10 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5-7/8" (149)	2/1	25" (635)	40-1/2" (1029)	45-1/3" (1151)	2 fixed, 2 swivel w/brake	8" (203)	225 (101.4)	69.8 (2.0)
<i>New</i> DCD-5514*	14 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5-7/8" (149)	2/1	25" (635)	40-1/2" (1029)	57" (1448)	2 fixed, 2 swivel w/brake	8" (203)	240 (108.9)	95.1 (2.7)

* Includes full-perimeter bumper. Measurements in () denote metric millimeters, unless otherwise specified.

PREMIER SERIES™ TRAY DELIVERY CARTS | STAINLESS STEEL

Premier Series Carts provide the utmost quality of construction for dependable meal delivery.

- Stainless steel cart body provides maximum corrosion resistance
- Vented side panels avoid heat and condensation build-up inside the cabinet
- Rugged ledge panel design is a single removable unit for increased durability and easy cleaning
- Sure grip door catch assures positive door closure and convenient one-hand opening
- Sturdy handles on both ends for maximum maneuverability in cramped spaces, tucked safely into recessed panels
- Doors open 270° for unobstructed access
- Compartment floor drain for ease of cleaning
- Standard full perimeter bumper provides extra protection for walls and furniture
- Accommodates 14" x 18" (356 x 457) or 15" x 20" (381 x 508) size trays and some sizes of insulated patient trays
- Model 6920 features six 6" casters, 4 swivel and 2 fixed all with wide cushion tread allow easy maneuverability and superior support



Model 6920

FACTORY INSTALLED OPTIONS:

- Magnetic door hold-open catch
- Custom ledge spacing



Handles are tucked safely into recessed panels on both ends.



Removable ledge panels are easy to clean and sanitize.



Compartment floor channels water to handy drain making cleaning quick and easy.

Freight Class: **125**
Ships in: **8** days or less!



Model	Tray Capacity	Accom. Tray Size*	Ledge Spacing	Compartments/Trays per Ledge	Overall Size			Caster Type**	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
					W	D	H				
831	18 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5" (127)	1 / 2	35-3/4" (908)	26-1/8" 664	56" 1422)	2 swivel, 2 fixed	6" (152)	200 (90.7)	37.6 (1.1)
832	20 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5" (127)	1 / 2	35-3/4" (908)	26-1/8" 664	61" 1549)	2 swivel, 2 fixed	6" (152)	230 (103.6)	40.8 (1.2)
6910	10 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5" (127)	1 / 1	32-3/4" (832)	23-3/4" 603	60-3/4" 1543)	4 swivel	6" (152)	250 (112.6)	38.6 (1.1)
6920	20 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5" (127)	2 / 1	44-3/4" (1137)	23-3/4" 603	60-3/4" 1543)	4 swivel, 2 fixed	6" (152)	460 (184.7)	50.7 (1.4)

Measurements in () denote metric millimeters, unless otherwise specified. *Other size trays, call factory for pricing. **2" wide cushion tread. Model 6910 and model 6920 include 2 brake casters.

PREMIER SERIES™ LOW PROFILE TRAY DELIVERY CARTS | STAINLESS STEEL

These premier carts provide a safe, full view during transport with reliable quality construction.

- Stainless steel cart body provides maximum corrosion resistance
- Vented side panels avoid heat and condensation build-up inside the cabinet
- Rugged ledge panel design is a single removable unit for increased durability and easy cleaning
- Suregrip door catch assures positive door closure for each of the 2 compartments

- Perimeter bumper provides extra protection for walls and furniture
- Stainless steel ledges securely hold 14" x 18" (356 x 457) or 15" x 20" (381 x 508) trays, 2 trays per ledge

FACTORY INSTALLED OPTIONS:

- 2" (51) top rail on three sides



Model #835



Model	Tray Capacity	Accom. Tray Size	Ledge Spacing	Overall Size			Caster Type*	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
				W	D	H				
835	24 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5" (127)	51-1/8" (1299)	34-1/8" 867	41" 1041)	2 swivel w/brake, 2 fixed	8" (203)	406 (182.9)	50.9 (1.4)
836	28 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5" (127)	51-1/8" (1299)	34-1/8" 867	46" 1168)	2 swivel w/brake, 2 fixed	8" (203)	426 (191.9)	57.8 (1.6)
837	32 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5" (127)	51-1/8" (1299)	34-1/8" 867	51" 1295)	2 swivel w/brake, 2 fixed	8" (203)	456 (205.4)	63.6 (1.8)

Measurements in () denote metric millimeters, unless otherwise specified. *2" wide cushion tread, 2 ea. with brake.

ELITE SERIES™ TRAY DELIVERY CARTS | STAINLESS STEEL

Quickly deliver just the right number of meals with this durable cart.



Model #5720

- Stainless steel cart body and removable, ladder-style ledge panels are durable and easy to clean and sanitize
- Vented side panels avoid heat and condensation build-up inside the cabinet
- Wide spread, side mounted, recessed handles on both ends offer easy maneuverability
- Doors conveniently open 270° for unobstructed access
- Compartment has a center floor drain for ease of cleaning
- 2 fixed and 2 swivel 6" (152) Lake-Glide® casters guide the cart in a straight line, while making turns easier
- Corner bumpers protect walls and furniture
- Conveniently accommodates 14" x 18" (356 x 457) or 15" x 20" (381 x 508) size trays



Ladder style ledge panels remove easily and are stainless steel for cleaning and sanitizing.



Each compartment has a floor drain for quick drying after cleaning.



Vertical guiding handles on both ends make maneuvering easy in tight spaces.



Optional top rail on three sides keeps items from sliding off during transport.

FACTORY INSTALLED OPTIONS:

- Magnetic door hold-open catch
- Menu card holder
- Tow hitch
- 6" (152) 2 ea. brake casters, 2 per set

5710 & 5720 only:

- Center mounted 5th caster, 6" (152) fixed
- 6 ea. 6" (152) casters, 2 fixed, 4 swivel
- 8" (203) cushion tread casters, 2 fixed, 2 swivel
- 2" (51) top rail on three sides
- Full perimeter bumper
- Custom 4" (102) ledge spacing

Model 5618 & 5620 only:

- 8" (203) flat tread polyethylene casters, 2 fixed, 2 swivel
- 2" (51) top rail on three sides
- Full perimeter bumper



Freight Class: **125**
Ships in: **7** days or less!

Model	Tray Capacity	Accom. Tray Size	Ledge Spacing	Compartments/Trays per Ledge	Overall Size			Caster Type*	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m3)
					W	D	H				
5618	18 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5-1/4" (133)	1 / 2	33" (838)	36-3/4" 933	58-3/4" 1492)	2 swivel, 2 fixed	6" (152)	230 (103.6)	38.5 (1.1)
5620	20 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5-1/4" (133)	1 / 2	33" (838)	36-3/4" 933	64" 1626)	2 swivel, 2 fixed	6" (152)	264 (118.9)	41.6 (1.2)
5710	10 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5-1/4" (133)	1 / 1	32-1/2" (826)	27" 686	63" 1600)	2 fixed, 2 swivel	6" (152)	212 (96.1)	57.7 (1.6)
5720	20 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5-1/4" (133)	2 / 1	44-1/2" (1130)	27" 686	63" 1600)	2 fixed, 2 swivel	6" (152)	315 (142.9)	87.0 (2.4)

Measurements in () denote metric millimeters, unless otherwise specified. *2" wide cushion tread.

ELITE SERIES™ LOW PROFILE TRAY DELIVERY CARTS | STAINLESS STEEL

Low profile heights are more manageable for safe transportation.

- Stainless steel cart body and removable, ladder-style ledge panels are durable and easy to clean and sanitize
- Vented side panels avoid heat and condensation build-up inside the cabinet
- Doors conveniently open 270° for unobstructed access
- 2 fixed and 2 swivel 6" (152) Lake-Glide® casters guide the cart in a straight line, while making turns easier
- Corner bumpers protect walls and furniture

- Stainless steel ledges securely hold 14" x 18" (356 x 457) or 15" x 20" (381 x 508) trays, 2 trays per ledge
- Each cart features 2 individual compartments

FACTORY INSTALLED OPTIONS:

- Magnetic door hold-open catch
- Menu card holder
- Tow hitch, see page 161.
- 6" (152) swivel with brake casters, 2 per set
- Center mounted 5th caster, 6" (152) fixed
- 6 ea. 6" (152) casters, 2 fixed 4 swivel
- 8" (203) flat tread polyethylene casters, 2 fixed, 2 swivel
- Full perimeter bumper
- 2" (51) top rail on three sides



Accommodates two trays per ledge.

Model #5628



Ships in: **12** days or less!

Model	Tray Capacity	Accom. Tray Size	Ledge Spacing	Overall Size			Caster Type*	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
				W	D	H				
5624	24 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5-1/4" (133)	55-3/4" (1416)	34-1/2" 876	42" 1067)	2 swivel, 2 fixed	6" (152)	305 (138.3)	51.0 (1.4)
5628	28 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5-1/4" (133)	55-3/4" (1416)	34-1/2" 876	47-3/4" 1213)	2 swivel, 2 fixed	6" (152)	325 (146.4)	58.1 (1.6)
5632	32 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	5-1/4" (133)	55-3/4" (1416)	34-1/2" 876	52-1/2" 1334)	2 swivel, 2 fixed	6" (152)	365 (165.7)	63.8 (1.8)

Measurements in () denote metric millimeters, unless otherwise specified. *2" wide cushion tread

ELITE SERIES™ ENCLOSED ROOM SERVICE | LATE TRAY DELIVERY CARTS | STAINLESS STEEL

These quality carts are perfect for implementing a room service program in your community.



Model #5500

- Smaller size is easier to use than large, high-capacity tray delivery carts
- Stainless steel construction and removable ladder style ledge panels are durable and easy to clean and sanitize
- Long-life door latch withstands repeated opening/closing
- Door conveniently opens 270° for unobstructed access
- Compartment has a center floor drain for ease of cleaning
- 2 fixed and 2 swivel 6" (152) Lake-Glide® casters guide the cart in a straight line, while making turns easier
- Corner bumpers protect walls, furnishings and doors
- Model 5510 has a bottom clearance of 8-1/4" (210) that can accommodate a tray set-up or supplies, beverages or other items
- Conveniently accommodates 14" x 18" (356 x 457) or 15" x 20" (381 x 508) size trays with ample 6" (152) ledge spacing

FACTORY INSTALLED OPTIONS:

- 2" (51) top rail on three sides
- Perimeter bumper



Model #5510 shown with optional top rail

Freight Class: **125**
Ships in: **8** days or less!



Model	Tray Capacity	Accom. Tray Size	Ledge Spacing	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
				W	L	H		
5500	6 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	6" (152)	32-1/4" (819)	21-3/4" 552	45-3/4" 1162)	190 (86.4)	74 (2.1)
5510	12 ea.	14" x 18" or 15" x 20" (356 x 457) or (381 x 508)	6"* (152)	32-1/4" (819)	36-3/4" 933	48-3/4" 1238)	225 (101.4)	82 (2.3)

*Lake-Glide Casters: 6" (152) - 2 ea. fixed, 2 ea. swivel No-Mark, 2" wide cushion tread wheels. *Bottom clearance is 8-1/4" (210). Custom ledge spacing available, call factory for pricing.*

ECONOMY ROOM SERVICE/LATE TRAY DELIVERY/PICK-UP CARTS STAINLESS STEEL

- Shelves have three edges up, one down to hold items during transport
- All welded construction increases durability
- Stainless steel material is easy to clean and sanitize
- Model 437 standard with washable, fire retardant, blue nylon cover. Velcro® closures conceals trays

FACTORY INSTALLED OPTIONS:

- 2 brake casters



Model #437

Freight Class: **125**
Ships in: **8** days or less!



Model	Description	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
					W	L	H		
437	with cover*	6 ea.	18" x 27" (457 x 686)	5-7/8" (149)	18-3/8" (467)	30-3/4" 781	46" 1168)	60 (27.2)	20.8 (.81)
438	w/o cover	7 ea.	18" x 27" (457 x 686)	5-7/8" (149)	18-3/8" (467)	30-3/4" 781	46" 1168)	58 (26.3)	20.8 (.81)

*Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide Casters: 4" (102) - 4 ea. swivel. *Blue nylon with flap opening/Velcro® closures, washable in 160°F water, fire retardant.*

COMPACT TRAY DELIVERY CARTS | STAINLESS STEEL



Model #840

Model #657

A compact delivery cart is a durable solution for tight storage spaces and navigating narrow hallways.

- Compact size maneuvers easily
- Double door pass through models available for loading/unloading from either side
- Doors conveniently open 270° for unobstructed access
- Conveniently accommodates 16 or 20 each, 14" x 18" (356 x 457) or 15" x 20" (381 x 508) size trays with ample 6" (152) ledge spacing, 2 trays per ledge
- Long-life door latch withstands repeated opening/closing
- 5" (127) all swivel, stainless steel casters are corrosion-resistant for long-term use. No-Mark® wheels keep floors free of unsightly scuff marks
- 200 stainless steel construction is durable and easy to clean and sanitize

FACTORY INSTALLED OPTIONS (PAGE 140):

- Horizontal or ergonomic vertical push handles (single door models only)
- Offset perimeter bumper

FINISHES (PAGE 140):

- GROUP 1 finishes for models 640-657: Black, Light Maple, Walnut



Model	Tray Capacity	Accom. Tray Size	Ledge Spacing	Door Description	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
					W	D	H		
Stainless Steel w/ Vinyl Exterior									
640	16 ea.	14" x 18" (356 x 457)	6" (152)	1 - front	21-5/8" (549)	31-1/4" 794	58-1/4" 1480	122 (55.3)	26.7 (.75)
645	16 ea.	14" x 18" (356 x 457)	6" (152)	1 - front, 1 - back	21-5/8" (549)	31-1/4" 794	58-1/4" 1480	128 (58.1)	26.7 (.75)
642	20 ea.	14" x 18" (356 x 457)	6" (152)	1 - front	21-5/8" (549)	31-1/4" 794	70-1/4" 1784	145 (65.8)	32.7 (.91)
647	20 ea.	14" x 18" (356 x 457)	6" (152)	1 - front, 1 - back	21-5/8" (549)	31-1/4" 794	70-1/4" 1784	155 (70.3)	32.7 (.91)
650	16 ea.	15" x 20" (381 x 508)	6" (152)	1 - front	23-3/4" (603)	33-1/4" 845	58-1/4" 1480	131 (59.4)	31 (.87)
655	16 ea.	15" x 20" (381 x 508)	6" (152)	1 - front, 1 - back	23-3/4" (603)	33-1/4" 845	58-1/4" 1480	136 (61.7)	31 (.87)
652	20 ea.	15" x 20" (381 x 508)	6" (152)	1 - front	23-3/4" (603)	33-1/4" 845	70-1/4" 1784	154 (69.7)	38.4 (1.08)
657	20 ea.	15" x 20" (381 x 508)	6" (152)	1 - front, 1 - back	23-3/4" (603)	33-1/4" 845	70-1/4" 1784	161 (73)	38.4 (1.08)
All Stainless Steel									
840	16 ea.	14" x 18" (356 x 457)	6" (152)	1 - front	21-5/8" (549)	31-1/4" 794	58-1/4" 1480	122 (55.3)	26.7 (.75)
845	16 ea.	14" x 18" (356 x 457)	6" (152)	1 - front, 1 - back	21-5/8" (549)	31-1/4" 794	58-1/4" 1480	128 (58.1)	26.7 (.75)
842	20 ea.	14" x 18" (356 x 457)	6" (152)	1 - front	21-5/8" (549)	31-1/4" 794	70-1/4" 1784	145 (65.8)	32.7 (.91)
847	20 ea.	14" x 18" (356 x 457)	6" (152)	1 - front, 1 - back	21-5/8" (549)	31-1/4" 794	70-1/4" 1784	155 (70.3)	32.7 (.91)
850	16 ea.	15" x 20" (381 x 508)	6" (152)	1 - front	23-3/4" (603)	33-1/4" 845	58-1/4" 1480	131 (59.4)	31 (.87)
855	16 ea.	15" x 20" (381 x 508)	6" (152)	1 - front, 1 - back	23-3/4" (603)	33-1/4" 845	58-1/4" 1480	136 (61.7)	31 (.87)
852	20 ea.	15" x 20" (381 x 508)	6" (152)	1 - front	23-3/4" (603)	33-1/4" 845	70-1/4" 1784	154 (69.7)	38.4 (1.08)
857	20 ea.	15" x 20" (381 x 508)	6" (152)	1 - front, 1 - back	23-3/4" (603)	33-1/4" 845	70-1/4" 1784	161 (73)	38.4 (1.08)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 5" (127) - All swivel, stainless steel sealed bearing with No-Mark polyurethane wheels.



Model #541



ECONOMICAL TRAY DELIVERY CARTS | ALUMINUM

An economical tray delivery cart has the basics to get the job done.

- Aluminum construction is practical and economical
- Push handles are easy to maneuver
- 2 fixed and 2 swivel 6" (152) Lake-Glide® casters guide the cart in a straight line, while making turns easier
- Perimeter bumper protects walls and furniture



Freight Class: **125**

Ships in: **7** days or less!

Model	Tray Capacity	Accom. Tray Size	Ledge Spacing	Door Description	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
					W	D	H		
541	20 ea.	14" x 18" (356 x 457)	5" (127)	1 - front	24-3/4" (629)	32-3/4" 832	60-1/8" 1527)	140 (63.5)	34.5 (1.0)
542	24 ea.	14" x 18" (356 x 457)	5" (127)	1 - front	24-3/4" (629)	32-3/4" 832	70-1/8" 1781)	155 (70.3)	39.9 (1.1)
551	20 ea.	15" x 20" (381 x 508)	5" (127)	1 - front	26-3/4" (679)	34-3/4" 883	60-1/8" 1527)	140 (63.5)	39.9 (1.1)
552	24 ea.	15" x 20" (381 x 508)	5" (127)	1 - front	26-3/4" (679)	34-3/4" 883	70-1/8" 1781)	155 (70.3)	45.3 (1.3)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide Casters: 6" (203) No-Mark® cushion tread casters - 2 fixed, 2 swivel w/brakes.

ENCLOSED LATE TRAY DELIVERY / PICK-UP CARTS | STAINLESS STEEL

Smartly deliver a small number of trays with economical style.

- Conveniently accommodates 6 trays, 14" x 18" (356 x 457) or 15" x 20" (381 x 508), with ample 6" (152) ledge spacing
- Door conveniently opens 270° for unobstructed access
- Long-life door latch withstands repeated opening/closing
- No-Mark heavy-duty stainless steel stem casters allow easy maneuverability while keeping floors free of unsightly scuff marks

FACTORY INSTALLED OPTIONS (BELOW):

- Offset perimeter bumper

FINISHES:

- GROUP 1 Vinyl finishes, Walnut, Black, Light Maple (see below)
- GROUP 2 laminates (see page 125)



Model #654 shown in optional Walnut finish



Model #654



Freight Class: **125**

Ships in: **7** days or less!

Model	Description	Tray Capacity	Accom. Tray Size	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
				W	L	H		
854	Stainless Steel Exterior	6 ea.	14" x 18" or 15" x 20" or 16" x 22" (356 x 457) or (381 x 508) or (406 x 559)	17-1/4" (438)	25-1/8" 638	46-7/8" 1191)	102 (46.3)	18.3 (.71)
654	Walnut Vinyl Exterior	6 ea.	14" x 18" or 15" x 20" or 16" x 22" (356 x 457) or (381 x 508) or (406 x 559)	17-1/4" (438)	25-1/8" 638	46-7/8" 1191)	102 (46.3)	18.3 (.71)

Lake-Glide Casters: 5" (127) - All swivel, stainless steel with sealed bearing No-Mark polyurethane wheels. Trays rest on ledge rods.

GROUP 1 VINYL FINISHES – Commercial grade vinyl over stainless steel.



Walnut



Black



Light Maple

OPTIONAL ACCESSORIES FOR DELIVERY CARTS

Fits Model #	Corner Leg Bumpers	Bottom Corner Bumpers	Perimeter Bumper	Casters 2 ea. w/Brake	Horizontal Handles*	2 ea. 8" Blue Vertical Handles**
640, 642, 645, 647	N/A	N/A	•	•	•	•
650, 652, 654, 655, 657	N/A	N/A	•	•	•	•
840, 842, 845, 847	N/A	N/A	•	•	•	•
850, 852, 854**, 855, 857	N/A	N/A	•	•	•	•

* Available on single door models only; standard on Models 654 and 854. ** Available on single door models only; not available on Models 654 and 854.

DRYING RACKS | STAINLESS STEEL

Conveniently store domes and trays in these open racks for efficient drying.



Model #898



Model #868



Model #848

- 14-gauge stainless steel frame and "L" supports increase stability to prevent accidents and spills
- 11-gauge all welded stainless steel base ensures superior strength and balance
- 5" (127) corner stem No-Mark® polyurethane casters offer flexibility to move rack from sink to storage area

FACTORY INSTALLED OPTIONS:

- Corner bumpers (models #867, #868, #897, #898)

Dome Drying Racks


- Dome cradles conveniently remove for easy cleaning
- Each cradle holds 10 each of most standard domes. Maximum dome height is 3"



Removable dome cradles hold 10 domes each.

Tray Drying Racks

- Removable tray rack slants in the center and has a perforated bottom for quick and efficient drainage
- Shelves also include perforated drain holes for fast draining
- Holds tray sizes 14" x 18" (356 x 457), 15" x 20" (375 x 508) and 16" x 22" (406 x 559)
- Maximum tray thickness is 2- 1/2" (64). Shelf clearance is 17" (432)



Removable tray rack slants in the center and has a perforated bottom for efficient drainage.

Sheet Pan Drying Rack

- Rugged all-welded frame of stainless steel square tubing
- Accommodates 18" x 26" and 14" x 18" pans or trays
- Stainless steel channel slides with 1½" spacing
- Solid stainless steel tray shelves
- Pan-stop ledge prevents pans from sliding off of back side
- Heavy-duty 14-gauge caster mount gussets



Ships in: **10** days or less!

Model	Capacity	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		W	D	H				
Dome Drying Racks								
897	60	39-1/4" (997)	20-1/4" 514	41-1/4" 1048)	All swivel	5" (127)	60 (27.2)	25.7 (.73)
898	100	39-1/4" (997)	20-1/4" 514	69-3/4" 1772)	All swivel	5" (127)	80 (36.3)	41.2 (1.17)
Tray Drying Racks								
867	80	60-1/3" (1532)	23-1/4" 591	68-3/4" 1746)	All swivel, No-Mark	5" (127)	440 (198)	87.8 (3.4)
868	56	40-3/4" (1035)	23-1/4" 591	68-3/4" 1746)	All swivel, No-Mark	5" (127)	320 (144)	60.2 (2.4)
Sheet Pan Drying Rack								
848	120	63-1/2" (1613)	26" 660	58-5/8" 1488)	All swivel, No-Mark Ea. w/Brake 2	5" (127)	301 (136)	82.6 (2.3)

Measurements in () denote metric millimeters, unless otherwise specified.





STORAGE & TRANSPORT

Efficient storage and transportation can make all the difference when it comes to saving time, labor and cost.

Whether you need the flexibility to take your foodservice operation from rough outdoor surfaces into carpeted banquet halls, or simply from the dishroom to the store room, Lakeside has the right product to increase both safety and productivity.

Lakeside's compact, multi-functional designs help you conserve valuable space, while our wide array of model variations and styles guarantee that your specific product storage needs are met.

Our quality construction coupled with unparalleled expertise in mobile solutions ensures all of our products will provide years of dependable service.



SOILED DISH BREAKDOWN CART | STAINLESS STEEL

Lakeside's innovative breakdown cart saves labor and reduces breakage by presorting soiled dishes close to the point of service.



Model #B588



Model #B591



Freight Class: **125**
Ships in: **10** days or less!



- Flat shelves feature side and back rails to securely hold bus tubs and silverware containers and prevent spills
- Angled shelves pitched at 20° to easily reach and organize glass/cup racks
- Angled shelves also feature a drain system with a clear plastic drain tube to avoid wet floors and accidents
- Built-in food scraper with plastic hanging waste bins clean mess quickly and easily
- Marine guard front edges on flat shelves prevent drippage.
- Large 8" No-Mark® casters make it smooth and easy to transport cart to the dishwashing area or away from wall to clean
- Tubular push handles on both sides allow pushing or pulling from either end to better navigate confined areas
- 14 gauge shelves are extra strength to support heavy dishes. 70" long shelves include angle reinforcement for added support.
- All-welded U-shape construction for a stronger structure and easier-to-clean surface
- Slides below bottom shelf accommodate a 12" x 20" x 2" drain pan*
- 1 hanging waste bin included on models B951, B592, B593



Plate Scraper



Drain Pan Holder

FACTORY INSTALLED OPTIONS:

- Plate scraper (included on models B951, B592, B593)
- Pneumatic wheels
- Hanging waste bin (models B587, B588, B589, B596, B597, B598)
- Extra hanging waste bin (models B951, B592, B593)

Model	# of Shelves	Shelf Size (Flat)	Overall Size			8" Casters	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
			W	L	H			
B591	3 - Flat	28" x 46"	30-7/8"	51-7/8"	69-1/4"	2-swivel 2-fixed	245 (111)	95 (2.7)
	1 - Angled	(711 x 1168)	(783)	1371	1759)			
B592	2 - Flat	28" x 46"	30-7/8"	51-7/8"	69-1/4"	2-swivel 2-fixed	242 (110)	95 (2.7)
	2 - Angled	(711 x 1168)	(783)	1371	1759)			
B593	1 - Flat	28" x 46"	30-7/8"	51-7/8"	69-1/4"	2-swivel 2-fixed	248 (113)	95 (2.7)
	3 - Angled	(711 x 1168)	(783)	1371	1759)			
B587	1 - Flat	28" x 62"	30-7/8"	67-3/4"	69-1/4"	4-swivel 2-fixed	249 (113)	99 (2.8)
	3 - Angled	(711 x 1575)	(783)	1721	1759)			
B588	2 - Flat	28" x 62"	30-7/8"	67-3/4"	69-1/4"	4-swivel 2-fixed	246 (112)	99 (2.8)
	2 - Angled	(711 x 1575)	(783)	1721	1759)			
B589	3 - Flat	28" x 62"	30-7/8"	67-3/4"	69-1/4"	4-swivel 2-fixed	243 (110)	99 (2.8)
	1 - Angled	(711 x 1575)	(783)	1721	1759)			
B596	2 - Flat	28" x 70"	30-7/8"	75-1/2"	69-1/4"	4-swivel 2-fixed	313 (142)	135 (3.8)
	2 - Angled	(711 x 1778)	(783)	1918	1759)			
B597	1 - Flat	28" x 70"	30-7/8"	75-1/2"	69-1/4"	4-swivel 2-fixed	310 (140)	135 (3.8)
	3 - Angled	(711 x 1778)	(783)	1918	1759)			
B599	3 - Flat	28" x 70"	30-7/8"	75-1/2"	69-1/4"	4-swivel 2-fixed	312 (142)	135 (3.8)
	1 - Angled	(711 x 1778)	(783)	1918	1759)			

Measurements in () denote metric millimeters, unless otherwise specified. *Drain pan not included



QUEEN MARY BANQUET CARTS | STAINLESS STEEL

Lakeside's tough transport banquet carts make it easier to handle an extra heavy load over various uneven surfaces.

- U-shaped tubular frame provides superior strength
- Choose the type of shelf that best fits your needs:
 - All shelf edges down for easy loading and unloading from all sides
 - 3 edges up, 1 down to help hold items on the shelves during transport
- All welded angle leg construction for a stronger structure and easier-to-clean surface
- Stainless steel is easy to clean and sanitize
- Extra load No-Mark® cushion tread wheels absorb impact for quieter and smoother operation
- 2 fixed and 2 swivel 8" casters guide cart in a straight line, while making turns easier
- Extended perimeter strip bumpers add extra protection for walls and furniture
- Bottom perimeter bumper included



Model #588



Model #584



Ships in: **6** days or less!

Model (Shelf Edges)	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
				W	L	H		
581 (3 Edges Up, 1 Down) 582 (All Shelf Edges Down)	3	28" x 46" (711 x 1168)	23-1/2" (597)	30-3/4" (781)	51-3/4" 1314	64-3/4" 1645	186 (84.4)	91.8 (2.6)
583 (3 Edges Up, 1 Down) 584 (All Shelf Edges Down)	4	28" x 46" (711 x 1168)	15-1/8" (384)	30-3/4" (781)	51-3/4" 1314	64-3/4" 1645	211 (95.7)	91.8 (2.6)
585 (3 Edges Up, 1 Down) 586 (All Shelf Edges Down)	5	28" x 46" (711 x 1168)	11" (279)	30-3/4" (781)	51-3/4" 1314	64-3/4" 1645	236 (107.1)	91.8 (2.6)
587 (3 Edges Up, 1 Down) 588 (All Shelf Edges Down)	6	28" x 46" (711 x 1168)	8-1/2" (216)	30-3/4" (781)	51-3/4" 1314	64-3/4" 1645	261 (118.4)	91.8 (2.6)
564 (3 Edges Up, 1 Down) 565 (All Shelf Edges Down)	4	28" x 62" (711 x 1575)	15-1/8" (384)	30-3/4" (781)	67" 1702	64-3/4" 1645	240 (109.1)	95 (2.7)
566 (3 Edges Up, 1 Down) 567 (All Shelf Edges Down)	5	28" x 62" (711 x 1575)	11" (279)	30-3/4" (781)	67" 1702	64-3/4" 1645	275 (125.0)	95 (2.7)
568 (3 Edges Up, 1 Down) 569 (All Shelf Edges Down)	6	28" x 62" (711 x 1575)	8-1/2" (216)	30-3/4" (781)	67" 1702	64-3/4" 1645	305 (138.3)	95 (2.7)
593 (3 Edges Up, 1 Down) 594 (All Shelf Edges Down)	4	28" x 70" (711 x 1778)	15-1/8" (384)	30-3/4" (781)	75" 1905	64-3/4" 1645	305 (138.3)	130.4 (3.69)
595 (3 Edges Up, 1 Down) 596 (All Shelf Edges Down)	5	28" x 70" (711 x 1778)	11" (279)	30-3/4" (781)	75" 1905	64-3/4" 1645	345 (156.5)	130.4 (3.69)
597 (3 Edges Up, 1 Down) 598 (All Shelf Edges Down)	6	28" x 70" (711 x 1778)	8-1/2" (216)	30-3/4" (781)	75" 1905	64-3/4" 1645	385 (174.6)	130.4 (3.69)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 8" (203) - 2 ea. swivel, 2 ea. fixed, Extra-Load, No-Mark polyurethane.

5 EXTREME DUTY **QUEEN MARY BANQUET CARTS | ALUMINUM**

Aluminum Banquet Carts are designed to transport your heaviest loads with ultimate assurance for banquets, catering and bussing.

- Continuous full welded shelves for highest durability
- Aluminum material is lightweight for easier handling under heavy loads
- Solid aluminum shelves provide added strength
- Welded tubular handle for easy control
- Marine edges on each shelf helps contain spills
- Extra load No-Mark® cushion tread wheels absorb impact for quieter and smoother operation
- 2 fixed and 2 swivel 8" casters guide cart in a straight line, while making turns easier
- Full perimeter bumper protects walls and furnishings
- Model 4596 is large enough to hold three 23" (584) wide oval trays per shelf



Model #4596

Freight Class: **125**
Ships in: **10** days or less



Model	Load Capacity	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
					W	L	H		
All Shelf Edges Down									
4567	2500 lbs.	5	27" x 64" (69 x 163)	12" (305)	29" (737)	66" (1676)	62" (1575)	147 (66.2)	74.4 (2.1)
4596	2500 lbs.	5	27" x 73" (69 x 185)	12" (305)	29" (737)	66" (1676)	75" (1905)	180 (81.1)	90.9 (2.5)
4565	2500 lbs.	4	27" x 64" (69 x 163)	16-1/2" (419)	29" (737)	66" (1676)	62" (1575)	135 (60.8)	74.7 (2.1)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 8" (203) - 2 ea. swivel, 2 ea. fixed, No-Mark, polyethylene.

OVAL TRAY CARTS | ALUMINUM

Extra strength ledges will keep you worry-free when transporting and serving large parties and banquets.

- Extra gussets are welded in all corners prevent alignment "racking" and distortion, so your trays stay level and steady
- Four 1" continuous heliarc welds per angle guide add strength in areas vulnerable to stress for long-lasting durability
- Models 8580 and 8582 have 3-1/4" wide standard ledges, 8585 has universal ledges to conveniently accommodate most oval tray sizes

FACTORY INSTALLED OPTIONS (MODELS 8580 & 8582):

- Corner bumpers, non-marking gray rubber, mounted to the corners of the unit's base. *NOTE: This adds 2" (51) to unit's width and length.*

FACTORY INSTALLED OPTIONS (MODEL 8585):

- Perimeter bumper, non-marking gray rubber strip attached to unit base. *NOTE: This adds 2" (51) to unit's width and length.*
- Vertical bumpers, non-marking 8" (152) black rubber strip attached to unit uprights. *NOTE: This adds 1" (25) to the unit's width and length.*



Super strong welded corner braces prevent racking.



Model #8580

Freight Class: **125**
Ships in: **10** days or less



Model	Accom. Tray Size	Ledge Type	# of Ledges	Ledge Clearance	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
					W	L	H		
8580	22" x 26-7/8" (559 x 683)	Standard	10	6" (152)	24-3/4" (737)	27-1/2" (1676)	69" (1573)	51 (23.0)	28.4 (0.8)
8582	23-1/2" x 29" (597 x 737)	Standard	9	6" (152)	26-3/8" (670)	30" (762)	69" (1573)	55 (24.8)	33.7 (0.9)
8585	Accepts Most Sizes*	Universal	10	6" (152)	26-1/2" (673)	30" (762)	70" (1778)	99 (44.6)	33.8 (0.9)

*Universal ledge holds oval tray sizes: 23-1/2" x 29" (597 x 737), 22" x 26-7/8" (559 x 683) and 20-3/4" x 25-1/2" (527 x 648). Models 8580 and 8582 have Lake-Glide stem mount casters: 5" (127) - 4 ea. swivel No-Mark, polyurethane. Model 8585 has Lake-Glide plate mount casters: 5" (127) - 4 ea. swivel No-Mark polyurethane.

STORE 'N CARRY DISH CARTS | STAINLESS STEEL



Model 707 shown with hinged doors closed.



Model #707

Model #405

This cart's versatile storage space provides flexibility to meet all of your transportation needs.

- Open interior has no diameter or shape restraints on dishes
- Slanted bottom holds plates and bowls in place during transport
- No-Mark® cushion tread reduces vibration to better protect china and reduce noise.
- Heavy-duty stainless steel design construction is durable and easy to clean and sanitize

Models 405 and 407

- 500 lb capacity
- Bottom Shelf adds storage capacity for trays and more

Models 705 and 707

- 700 lb capacity
- Hinged top protects dishes and removes easily for cleaning
- Perimeter bumper protects wall and furniture

FACTORY INSTALLED OPTIONS:

- Offset or strip perimeter bumper (models 405 and 407)
- Sta-Clean® vinyl covers



Freight Class: **125**

Ships in: **6** days or less!

Model	Approx. Plate Capacity	Accom. Plate Size	Compartment			# of Shelves	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
			W	L	H		W	L	H				
405	66 ea. 100 ea.	9" (229) 5" or 7" (127 or 178)	27" (686)	15-1/8" 384	14" 356)	2	31" (787)	19-1/4" 489	31-1/2" 800)	All swivel No-Mark, cushion tread	5" (127)	64 (29)	18.1 (.70)
407	200 ea.	9" (229)	35" (889)	18-1/2" 470	14" 356)	2	39-1/8" (994)	22-5/8" 575	31-1/2" 800)	All swivel No-Mark, cushion tread	5" (127)	88 (39.9)	25.9 (1.0)
705	66 ea. 100 ea.	9" (229) 5" or 7" (127 or 178)	27" (686)	15-1/2" 394	14" 356)	1	32" (813)	21" 533	31-1/2" 800)	All swivel, No-Mark, cushion tread	5" (127)	91 (41.3)	18.1 (.70)
707	200 ea.	9" (229)	32" (813)	18-1/2" 470	14" 356)	1	39-1/2" (1003)	24" 610	31-1/2" 800)	All swivel No-Mark, cushion tread	8" (203)	134 (60.8)	25.9 (1.0)

Measurements in () denote metric millimeters, unless otherwise specified. Models 705 and 707 include standard perimeter bumper.

OPTIONAL ACCESSORIES FOR DISH CARTS

Fits Model #	Perimeter Strip Bumper	Offset Perimeter Bumper	Sta-Clean® Vinyl Covers	2-5" Fixed 2-5" Swivel Casters	All 8" Swivel Casters	2-Brake & 2-No Brake Casters
407	•	•	•	•	•	•
405	•	•	•	N/A	N/A	•
705	N/A	Std.	N/A	•	•	•
707	N/A	Std.	N/A	N/A	Std.	N/A



MACHINE AND BOWL STANDS | STAINLESS STEEL

Move your tasks where you need them with this sturdy basic stand.


- 18 gauge reinforced stainless steel top withstands rigorous work environments
- Mobile and stationary models available
- Lower shelf accommodates accessories and other supplies
- Stainless steel construction is easy to clean and sanitize
- NSF-listed models available to meet the most stringent sanitation requirements
- Optional adjustable feet create a stationary stand

FACTORY INSTALLED OPTION:

- 5-arm accessory storage pole



#8650 Accessory Storage Pole holds utensils and machine accessories within easy reach.



Freight Class: **125**
Ships in: **3** days or less!

Mobile Model	Mobile NSF Model	Stationary Model	Stationary NSF Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)	FedEx UPS
							W	L	H			
Machine Stands												
715	515	735	535	2	20" x 24" (508 x 610)	9-1/2" (241)	25-1/4" (641)	21-1/4" 540	21-3/16" 538)	44 (20)	8.3 (.32)	OK
716	516	736	536	2	20" x 24" (508 x 610)	17-1/2" (445)	25-1/4" (641)	21-1/4" 540	29-3/16" 741)	47 (21.3)	11.1 (.43)	OK
717	517	737	537	2	24" x 32" (610 x 813)	9-1/2" (241)	33-1/4" (845)	25-1/4" 641	21-3/16" 538)	49 (22.2)	14.4 (.56)	NA
718	518	738	538	2	24" x 32" (610 x 813)	17-1/2" (445)	33-1/4" (845)	25-1/4" 641	29-3/16" 741)	61 (27.7)	18.9 (.74)	NA

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 4" (102) ea. - All swivel, 2 w/brake. Lake-Glide casters available as replacements for all Lakeside Mobile Stands.

- All-welded stainless steel construction is easy to clean and sanitize
- Top cutout accepts 30-quart (#712) or 80-quart (#713) bowl (not included)
- Lower shelf provides handy storage for supplies and ingredients
- NSF listed
- Heavy-duty 4" stem-mount casters, two with brake allows stand to be moved to the worksite or storage



Freight Class: **125**
Ships in: **3** days or less!



Mobile Model	# of Shelves	Shelf Size	Shelf Clearance	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)	FedEx UPS
				W	L	H			
Bowl Stands									
712	1	24" x 32" (610 x 813)	NA	33-1/4" (845)	25-1/4" 641	33" 838)	50 (22.7)	18.9 (.74)	NA
713	1	32" x 32" (813 x 813)	NA	33-1/4" (845)	33-1/4" 845	33" 838)	60 (27.3)	24 (.68)	NA

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 4" (102) ea. - All swivel, 2 w/brake. Lake-Glide casters available as replacements for all Lakeside Mobile Stands.



Model #110

WING TABLES | STAINLESS STEEL

This innovative mobile worktable provides the space for food preparation and storage in one compact area.

- Sheet pan storage below worktop conveniently enables you to prepare and immediately store in one compact area.
- Channel ledges easily store up to 19 full size 18" x 26" (457 x 660) sheet pans
- Wings add 30" of additional valuable working space when up, conveniently fold down for storage
- All swivel casters, 2 with brake, provide the flexibility to work in various locations
- 20 gauge stainless steel construction increases durability, easy to clean and sanitize
- Available without wings

 Freight Class: **125**
Ships in: **5** days or less!

Model	Description	Ledge Description			Overall Size				Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		Type	Width	Spacing	Wings	W	L	H		
110	Stainless steel solid top, w/wings	Channel	1/2" (13)	1-7/16" (37)	Up	29-1/4" (743)	52-3/4" (1340)	35" (889)	71 (32.2)	21.5 (.8)
					Down	29-1/4" (743)	20-7/8" (530)	35" (889)		

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 4" (102) ea. - All swivel, 2 w/brake.

WORK TABLES | STAINLESS STEEL

Prepare and store as you go with utensils, ingredients and convenient shelves at your fingertips.



Model #130

- Large stainless steel work top is 18 gauge with 1-1/2" (38) reinforcing angles to withstand rigorous work environments
- Stainless steel construction is easy to clean and sanitize
- Channel ledges easily store up to 15 full or 30 half size sheet pans
- All swivel casters, 2 with brake, provide the flexibility to work in various locations
- 12 gauge stainless steel legs provide exceptional strength

 Freight Class: **125**
Ships in: **5** days or less!

Model	Full Size Sheet Pan Capacity	Ledge Description			Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		Type	Width	Spacing	W	L	H		
130	15 ea.	Channel	1/2" (13)	1-1/2" (38)	27" (686)	48" (1219)	34" (864)	104 (47.2)	33.4 (1.3)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide Casters: 4" (102) ea. - All swivel, 2 w/brake.




NARROW OPENING SHEET PAN and TRAY RACKS | STAINLESS STEEL

Durability and storage efficiency will have you relying on these racks for years.

- Channel style ledges allow for more tray storage- up to 41 full size pans
- Both channel and angle style ledges are welded to the uprights to withstand continual use. Tie bars are also welded to the uprights for added integrity.
- All-welded stainless steel construction is easy to clean and provides longer life
- Choose the caster type that best suits your needs:
 - Corner mount stem type casters for upright stability
 - Recessed plate casters for maneuvering in tight spaces
- Stainless steel is easy to clean and sanitize
- Ships fully assembled for immediate use right out of the carton

FACTORY INSTALLED OPTIONS
(PAGE 156):

- Corner leg bumpers set of 4 ea.
- Pan stop
- Vinyl cover



Choose a channel ledge for extra capacity.
Choose an angle ledge when your pans are slightly smaller than 18" (457).



Freight Class: 125
Ships in: 5 days or less!



Model	Pan Capacity		Ledge Description			Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
	Full	Half	Type	Width	Spacing	W	D	H				
Economy Series - 4" (102) Corner Stem Casters												
125	35 ea.	70 ea.	Channel	1/2" (13)	1-7/16" (37)	21" (533)	27-1/4" (692)	57-1/2" (1460)	Corner Stem	4" (102)	64 (29)	20.3 (.57)
126	41 ea.	82 ea.	Channel	1/2" (13)	1-7/16" (37)	21" (533)	27-1/4" (692)	67-1/2" (1715)	Corner Stem	4" (102)	70 (31.8)	23.8 (.67)
135	16 ea.	32 ea.	Angle	1-5/16" (33)	3" (76)	21" (533)	27-1/4" (692)	57-1/2" (1460)	Corner Stem	4" (102)	62 (28.1)	20.3 (.57)
136	20 ea.	40 ea.	Angle	1-5/16" (33)	3" (76)	21" (533)	27-1/4" (692)	67-1/2" (1715)	Corner Stem	4" (102)	68 (30.8)	23.8 (.67)
155	10 ea.	20 ea.	Angle	1-5/16" (33)	5" (127)	21" (533)	27-1/4" (692)	57-1/2" (1460)	Corner Stem	4" (102)	50 (22.7)	20.3 (.57)
156	12 ea.	24 ea.	Angle	1-5/16" (33)	5" (127)	21" (533)	27-1/4" (692)	67-1/2" (1715)	Corner Stem	4" (102)	55 (25)	23.8 (.67)
Standard Series - 5" (127) Corner Stem Casters												
127	24 ea.	48 ea.	Channel	1/2" (13)	1-7/16" (37)	21" (533)	29-1/4" (743)	43-1/2" (1105)	Corner Stem	5" (127)	56 (25.4)	15.4 (.43)
128	35 ea.	70 ea.	Channel	1/2" (13)	1-7/16" (37)	21" (533)	29-1/4" (743)	58-1/2" (1486)	Corner Stem	5" (127)	73 (33.1)	20.7 (.58)
129	41 ea.	82 ea.	Channel	1/2" (13)	1-7/16" (37)	21" (533)	29-1/4" (743)	68-1/2" (1740)	Corner Stem	5" (127)	78 (35.4)	24.2 (.68)
137	11 ea.	22 ea.	Angle	1-5/16" (33)	3" (76)	21" (533)	29-1/4" (743)	43-1/2" (1105)	Corner Stem	5" (127)	53 (24)	15.4 (.43)
138	16 ea.	32 ea.	Angle	1-5/16" (33)	3" (76)	21" (533)	29-1/4" (743)	58-1/2" (1486)	Corner Stem	5" (127)	70 (31.8)	20.7 (.58)
139	20 ea.	40 ea.	Angle	1-5/16" (33)	3" (76)	21" (533)	29-1/4" (743)	68-1/2" (1740)	Corner Stem	5" (127)	80 (36.3)	24.2 (.68)
157	7 ea.	14 ea.	Angle	1-5/16" (33)	5" (127)	21" (533)	29-1/4" (743)	43-1/2" (1105)	Corner Stem	5" (127)	45 (20.4)	15.4 (.43)
158	10 ea.	20 ea.	Angle	1-5/16" (33)	5" (127)	21" (533)	29-1/4" (743)	58-1/2" (1486)	Corner Stem	5" (127)	57 (25.9)	20.7 (.58)
159	12 ea.	24 ea.	Angle	1-5/16" (33)	5" (127)	21" (533)	29-1/4" (743)	68-1/2" (1740)	Corner Stem	5" (127)	62 (28.1)	24.2 (.68)

Measurements in () denote metric millimeters, unless otherwise specified.

NARROW OPENING SHEET PAN and TRAY RACKS | STAINLESS STEEL

Model	Pan Capacity		Ledge Description			Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
	Full	Half	Type	Width	Spacing	W	D	H				
Standard Series - 5" (127) Recessed Plate Casters												
162	37 ea.	74 ea.	Channel	1/2" (13)	1-7/16" (37)	21" (533)	26-1/4" 667	62-1/2" 1588)	Recessed Plate	5" (127)	75 (34)	21.9 (.61)
163	41 ea.	82 ea.	Channel	1/2" (13)	1-7/16" (37)	21" (533)	26-1/4" 667	67-1/8" 1705)	Recessed Plate	5" (127)	82 (37.2)	23.7 (.66)
172	18 ea.	36 ea.	Angle	1-5/16" (33)	3" (76)	21" (533)	26-1/4" 667	62-1/8" 1578)	Recessed Plate	5" (127)	77 (34.9)	21.9 (.61)
173	20 ea.	40 ea.	Angle	1-5/16" (33)	3" (76)	21" (533)	26-1/4" 667	67-1/8" 1705)	Recessed Plate	5" (127)	80 (36.3)	23.7 (.66)
182	11 ea.	22 ea.	Angle	1-5/16" (33)	5" (127)	21" (533)	26-1/4" 667	62-1/8" 1578)	Recessed Plate	5" (127)	60 (27.2)	21.9 (.61)
183	12 ea.	24 ea.	Angle	1-5/16" (33)	5" (127)	21" (533)	26-1/4" 667	67-1/8" 1705)	Recessed Plate	5" (127)	65 (29.5)	23.7 (.66)

Measurements in () denote metric millimeters, unless otherwise specified.


PAN and TRAY RACKS | STAINLESS STEEL

This pan and tray rack is built to last and compact for easy storage.



Model #179

- Angle style ledges are welded to the uprights to withstand continual use. Tie bars are also welded to the uprights for added integrity.
- All-welded stainless steel construction is easy to clean and provides longer life
- Compact footprint fits easily in tight storage spaces
- Corner mount stem type casters provide upright stability
- Stainless steel is easy to clean and sanitize



Angle Ledge

FACTORY INSTALLED OPTIONS (PAGE 156):

- Corner leg bumpers set of 4 ea.
- Pan stop
- Vinyl cover



Vinyl cover

NSF Freight Class: **125**
Ships in: **5** days or less!

Model	Description		Tray Capacity	Accom. Tray Size	Ledge Description			Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
	Style	Loading			Type	Width	Spacing	W	D	H		
168	Single	End	10 ea.	14" x 18" (356 x 457)	Angle	1-5/16" (33)	5" (127)	17-1/4" (438)	22-1/4" 565	58-1/2" 1486)	48 (21.6)	11.9 (.33)
179	Single	End	12 ea.	15" x 20" (381 x 508)	Angle	1-5/16" (33)	5" (127)	18-1/4" (464)	22-1/4" 565	68-1/2" 1740)	54 (24.5)	17.1 (.48)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 5" (127) - All swivel, corner mount stem type.



ROLL-IN COOLER and PROOFER RACKS

STAINLESS STEEL

Storing food trays in small coolers is no problem with these space-saving racks.

- Stainless steel construction allows rack to be stored in cooler
- Recessed plate casters for maneuvering in tight spaces, such as roll-in coolers
- Corner stem mount casters are small enough to move around in cooler, but offer more stability
- Ledges are welded to the uprights to withstand continual use. Tie bars are welded to the uprights for added integrity.
- Channel style ledges allow for more tray storage- up to 41 full size pans
- A wide variety of pan capacities are available with spacing that varies from 1- 7/16" (38) to 5" (127) to best fit your needs
- Stainless steel is easy to clean and sanitize

FACTORY INSTALLED OPTIONS (PAGE 156):

- Corner leg bumpers set of 4 ea.
- Pan stop
- No-Mark® Polyurethane casters: two swivel casters w/brakes (plate caster models only)
- Vinyl cover



Model #173

Freight Class: **125**
Ships in: **5** days or less!



Model	Fits Coolers	Pan Capacity		Ledge Description			Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		Full	Half	Type	Width	Spacing	W	D	H		
163	High Type	41 ea.	82 ea.	Channel	1/2" (13)	1-7/16" (37)	21" (553)	26-1/4" 667	67-1/8" 1705	82 (37.2)	23.7 (.66)
173	High Type	20 ea.	40 ea.	Angle	1-5/16" (33)	3" (76)	21" (553)	26-1/4" 667	67-1/8" 1705	80 (36.3)	23.7 (.66)
183	High Type	12 ea.	24 ea.	Angle	1-5/16" (33)	5" (127)	21" (553)	26-1/4" 667	67-1/8" 1705	65 (29.5)	23.7 (.66)

Lake-Glide® Casters: 5" (127) - All swivel, recessed plate mount.

Model	Fits Coolers	Pan Capacity		Ledge Description			Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		Full	Half	Type	Width	Spacing	W	D	H		
126	High Type	41 ea.	82 ea.	Channel	1/2" (13)	1-7/16" (37)	21" (553)	27-1/4" 692	67-1/2" 1715	70 (31.8)	23.8 (.66)
136	High Type	20 ea.	40 ea.	Angle	1-5/16" (33)	3" (76)	21" (553)	27-1/4" 692	67-1/2" 1715	68 (30.8)	23.8 (.66)
156	High Type	12 ea.	24 ea.	Angle	1-5/16" (33)	5" (127)	21" (553)	27-1/4" 692	67-1/2" 1715	55 (25)	23.8 (.66)

Lake-Glide Casters: 4" (102) - All swivel, corner stem mount.

Model	Fits Coolers	Pan Capacity		Ledge Description			Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		Full	Half	Type	Width	Spacing	W	D	H		
162	Low Type	37 ea.	74 ea.	Channel	1/2" (13)	1-7/16" (37)	21" (553)	26-1/4" 667	62-1/8 1578	75 (34)	21.9 (.61)
172	Low Type	18 ea.	36 ea.	Angle	1-5/16" (33)	3" (76)	21" (553)	26-1/4" 667	62-1/8 1578	77 (34.9)	21.9 (.61)
182	Low Type	11 ea.	22 ea.	Angle	1-5/16" (33)	5" (127)	21" (553)	26-1/4" 667	62-1/8 1578	60 (27.2)	21.9 (.61)

Lake-Glide Casters: 5" (127) - All swivel, recessed plate mount.

Model	Fits Coolers	Pan Capacity		Ledge Description			Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		Full	Half	Type	Width	Spacing	W	D	H		
125	Low Type	35 ea.	70 ea.	Channel	1/2" (13)	1-7/16" (37)	21" (553)	29-1/4" 743	57-1/2" 1461	64 (29)	20.3 (.57)
135	Low Type	16 ea.	32 ea.	Angle	1-5/16" (33)	3" (76)	23-1/4" (591)	29-1/4" 743	57-1/2" 1461	62 (28.1)	20.3 (.57)
155	Low Type	10 ea.	20 ea.	Angle	1-5/16" (33)	5" (127)	23-1/4" (591)	29-1/4" 743	57-1/2" 1461	50 (22.7)	20.3 (.57)

Measurements in () denote metric millimeters unless otherwise specified. Lake-Glide Casters: 4" (102) - All swivel, corner stem mount.

POLYCARBONATE BOX and STEAM TABLE PAN RACKS | STAINLESS STEEL

Maximize storage space for plastic food boxes and steam table pans with durable vertical racks.




Model #166



Model #180

- Angle ledges specially designed for full and half size polycarbonate and polyethylene food boxes and full size pans in a variety of depths
- Angle style ledges are welded to the uprights to withstand continual use. Tie bars are also welded to the uprights for added integrity.
- Stainless steel construction is ideal for roll-in cooler and freezer applications
- Recessed plate casters for maneuvering in tight spaces (Model 166) or corner stem mount casters for upright stability (Model 180)
- Welded stainless steel is easy to clean and sanitize



Angle Ledge

FACTORY INSTALLED OPTIONS (PAGE 156):

- Lake-Glide® 5" (127) Casters, 2 swivel w/brakes
- Corner leg bumpers set of 4 ea.
- Pan stop
- No-Mark® Polyurethane casters: two swivel casters w/brakes (plate caster models only)
- Vinyl cover



Freight Class: **125**
Ships in: **5** days or less!

Model	# of Ledges	Fits Boxes	Ledge Description			Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
			Type	Width	Spacing	W	D	H		
166	20	18" x 26" (457 x 660) and 14" x 18" (356 x 457)	Angle	1/2" (13)	2-5/8" (67)	20-3/4" (527)	26-1/4" 667	62-1/8" 1578)	73 (33.1)	21.9 (.61)
180	16	12" x 20" Pans Full Size (305 x 508)	Angle	1/2" (13)	3" (76)	15-7/8" (403)	22-1/4" 565	58-1/2" 1486)	51 (23.1)	14 (.39)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide Casters: 5" (127) - All swivel, recessed plate mount (Model 166), corner stem mount (Model 180).



ROLL-IN COOLER RACKS | ALUMINUM

Rest easy knowing your prep work is safely supported by a Lakeside® roll-in cooler rack.



Super strong welded corner braces prevent racking.

Aluminum material is economical and sturdy

- Extra gussets are welded in all corners to prevent alignment "racking" and distortion, so your trays stay level and steady
- Angle ledges hold full and 1/2 size sheet pans and 18" x 26" (457 x 660) or 13" x 18" (330 x 457)
- Universal ledges accept multiple sized trays and pans

FACTORY INSTALLED OPTIONS (PAGE 156):

- Corner Bumpers, non-marking gray rubber strip mounted to the corners of the unit's base. Note: This option adds 2" (51) to the width and depth of the unit.
- Vertical Bumpers, 8" (203) non-marking black rubber strip mounted on the uprights near unit's base. Note: This option adds 2" (51) to the width and depth of the unit.
- Pan Stop, aluminum strap welded to the rear of the unit
- Solid Base, solid aluminum sheet welded to the top of the base.
- Lake-Glide® 5" (127) casters with brakes (set of two)



Model #8528



Model #8535

Freight Class: **125**
Ships in: **10** days or less!



ANGLE LEDGE ROLL-IN COOLER RACKS

Model	Fits Coolers	Full Size Pan Capacity	Ledge Description			Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
			Type	Width	Spacing	W	D	H		
8522	Low Type	18 ea.	Angle	1-1/2" (38)	3" (76)	20-1/2" (521)	26" 660	63" 1600)	42 (18.9)	22.8 (.62)
8528	Low Type	11 ea.	Angle	1-7/8" (48)	5" (127)	20-1/2" (521)	26" 660	64" 1626)	38 (17.1)	21.4 (.6)
8529	Low Type	18 ea.	Angle	1-7/8" (48)	3" (76)	20-1/2" (521)	26" 660	64" 1626)	48 (21.6)	21.4 (.6)
8547	Low Type	34 ea.	Channel	1/2" (13)	1-1/2" (38)	20-1/2" (521)	26" 660	64" 1626)	53 (23.9)	22.8 (.62)
8559	Low Type	38 ea.	Channel	1/2" (13)	1-1/2" (38)	20-1/2" (521)	26" 660	69" 1753)	56 (25.2)	25.7 (.71)

UNIVERSAL LEDGE ROLL-IN COOLER RACKS

Model	Fits Coolers	Ledge Description			Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
		# of	Type	Spacing	W	D	H		
8534	High Type	12 pairs	Universal Stepped Angle	4-1/2" (114)	24-1/2" (622)	25-1/4" 641	64-1/2" 1638)	90 (40.5)	24.4 (.6)
8535	High Type	13 pairs	Universal Stepped Angle	4-1/2" (114)	24-1/2" (622)	26" 660	70" 1778)	92 (41.4)	27.8 (.6)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide Casters: 5" (127) - All swivel, No-Mark® polyethylene, recessed plate mount.



KD RACKS for SHEET PANS and TRAYS | ALUMINUM

These aluminum racks are extra durable and economical for all-around better value.

- Ships partially unassembled for added savings
- Continuous full welded ledges provide durability
- Welded ledge side panels bolt into cross member frame pieces for additional strength
- Hi-tensile extruded alloy is rust proof, strong and reliable
- 12 and 20 tray capacities are available with spacing of 3" (76) or 5" (127) to best fit your needs



"Z" design allows racks to fit together when empty to take up less space

Freight Class: 70
Ships in: **10** days or less!

Model	Sheet Pan Capacity		Ledge Description			Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
	Full	Half	Type	Width	Spacing	W	D	H		
8567	20 ea.	40 ea.	Angle	1-1/2" (38)	3" (76)	20-1/2" (521)	26-1/2" 673	69" 1752	39 (17.5)	8.3 (.23)
8568	12 ea.	24 ea.	Angle	1-1/2" (38)	5" (127)	20-1/2" (521)	26-1/2" 673	69" 1752	32 (14.4)	8.3 (.23)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 5" (127) - All swivel, No-Mark® polyurethane. All KD Racks ship unassembled.

"Z" TYPE NESTING PAN and TRAY RACKS | ALUMINUM

The "Z" type nesting rack is specially designed for the most compact storage.

- Innovative "Z" design allows racks to fit together when empty to take up less space when you need to store multiple racks
- Six "Z" type racks occupy 14.9 sq. ft. versus six standard racks occupying 22.4 sq. ft.
- Angle style ledges are welded to the uprights to withstand continual use
- Corner mount plate type casters provide upright stability

FACTORY INSTALLED OPTIONS:

- Vertical Bumpers, non-marking black rubber strip (set of 4). Note: This option adds 1" (25) to the width and depth of the unit.
- Lake-Glide 5" (127) plate casters with brakes (set of two)

Freight Class: 125
Ships in: **10** days or less!

Model	Full Size Sheet Pan Capacity	Ledge Description			Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
		Type	Width	Spacing	W	D	H				
8521	20 ea.	Angle	3" (76)	2" (51)	20-1/2" (520)	26" 660	69-1/2" 1765	Plate	5" (127)	72 (32.4)	24.6 (1.4)

Measurements in () denote metric millimeters, unless otherwise specified.

EXTREME DUTY® ROLL-IN COOLER RACKS | STAINLESS STEEL

This extreme duty rack is ideally suited for the toughest foodservice environments.

- All-welded stainless steel construction resists corrosion in "high moisture" refrigerated environments
- No pry points qualifies this rack for use in correctional facilities
- All swivel 5" recessed plate casters roll easily on various surfaces
- Convenient 1- 1/4" (32) wide angle ledges with 3" (76) spacing between ledges
- Stainless steel is easy to clean and sanitize



High strength heliarc welded ledges.



Model #8900

Freight Class: 125
Ships in: **10** days or less!

Model	Fits Coolers	Sheet Pan Capacity		Ledge Description			Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
		Full	Half	Type	Width	Spacing	W	D	H		
8900	High Type	20 ea.	40 ea.	Angle	3" (76)	1-1/4" (32)	20-3/4" (527)	26-1/2" 673	67-7/8" 1724	119 (53.9)	23.7 (.66)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 5" (127) - All swivel, recessed plate mount.

OPTIONAL ACCESSORIES FOR PAN/TRAY RACKS



Corner Leg Bumpers
Vinyl bumper strips attach to the front edges of carts to protect walls and furniture. Sold in sets of four.



Bottom Corner Bumpers
6" x 6" (152) "L" shaped vinyl strip attaches to the bottom of the cart covering the corners. Protects walls and doors. Sold in sets of four.



Perimeter Bumper
Excellent safeguard for doors, walls and furnishings. Extends around the entire base of rack. Made of extruded vinyl.



2 Brake Casters
Swivel casters feature a step-on locking brake. Sold in sets of two.



Polyurethane Casters
Swivel casters for easy handling, plus the added convenience of a non-marking tread.




Vinyl Cover
Clear with double-zipper front closure.

Fits Model #	Corner Leg Bumpers	Bottom Corner Bumpers	Perimeter Bumpers	2 Brake Casters	Polyurethane Casters	Pan Stop	Vinyl Cover
8534, 8535, 8528, 8529, 8559, 8522, 8547	Available	Available	Available	Available	Std.	Available	Available
127-129, 137-139, 157-159, 168, 179,	Available	NA	NA	Available	NA	Available	Available
125, 126, 135, 136, 155, 156	Available	NA	NA	Available	NA	Available	Available
162, 163, 166, 172, 173, 176, 180, 182, 183	Available	NA	NA	Available	Std.	Available	Available

New

DUNNAGE RACKS | ALUMINUM

Simple, solid and sanitary dunnage racks are the perfect FDA compliant storage.



Model #9081



Freight Class: **70**
Ships in: **10** days or less!

Model	Max. Load Capacity Lbs. (Kg)	Overall Size			# of Lateral Bars	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)	Fed Ex ups
		W	L	H				
9070	2000 (901)	20" (508)	36" 914	8" 203)	4	8 (3.6)	3.5 (.10)	OK
9071	2000 (901)	20" (508)	48" 1219	8" 203)	4	10 (4.5)	5.3 (.14)	OK
9072	1500 (676)	20" (508)	60" 1524	8" 203)	4	12 (5.4)	6.7 (.18)	OK
9080	2000 (901)	20" (508)	36" 914	12" 305)	4	8 (3.6)	5.8 (.16)	OK
9081	2000 (901)	20" (508)	48" 1219	12" 305)	4	10 (4.5)	7.7 (.21)	OK
9082	1500 (676)	20" (508)	60" 1524	12" 305)	4	12 (5.4)	9.6 (.27)	OK
9170	2000 (901)	24" (610)	36" 914	8" 203)	5	9 (4.1)	4.8 (.13)	OK
9171	2000 (901)	24" (610)	48" 1219	8" 203)	5	12 (5.4)	6.4 (.18)	OK
9172	1500 (676)	24" (610)	60" 1524	8" 203)	5	14 (6.3)	7.1 (.19)	OK
9180	2000 (901)	24" (610)	36" 914	12" 305)	5	10 (4.5)	7.0 (.19)	OK
9181	2000 (901)	24" (610)	48" 1219	12" 305)	5	12 (5.4)	9.2 (.25)	OK
9182	1500 (676)	24" (610)	60" 1524	12" 305)	5	15 (6.8)	11.5 (.32)	NA



TRANSPORT and DELIVERY CABINETS | STAINLESS STEEL

Efficient delivery is easily achieved with time-saving transport cabinets.

- Unibody construction keeps the cabinet balanced and stable during transport
- Tubular Stainless steel welded base frame provides extra strength and support
- Rack assembly for 18" x 26" (457 x 660) sheet pans removes easily for cleaning.
- Fixed ledges allow 3" spacing for a variety of food
- Universal ledges are removable and height-adjustable to accommodate a variety of pans and trays.

FACTORY INSTALLED OPTIONS:

- Full perimeter bumper
- Vented door
- Left hand door hinging
- Magnetic Latch
- Transport door latch
- Transport package. Includes: 2 fixed, 2 swivel 5" (127), 2" (51) wide extra-load casters, full perimeter bumper, transport latch
- All-swivel Lake-Glide® casters. Floor lock, includes 6" (152) Lake-Glide casters
- Additional universal ledges
- Door with clear polycarbonate panel



Model #6536



Freight Class: **100**

Model	Ledges Provided	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
		W	D	H		
Ledge Assembly for 18" x 26" Sheet Pans						
6532*	7 ea.	25-1/2" (648)	34" 864	32" 813	125 (57)	24.4 (.64)
6533	11 ea.	25-1/2" (648)	34" 864	45" 1143	165 (75)	33.7 (.93)
6534	16 ea.	25-1/2" (648)	34" 864	60" 1524	205 (93)	43.9 (1.21)
6536	19 ea.	25-1/2" (648)	34" 864	69" 1753	230 (104)	50.1 (1.38)
Universal Ledges						
6537*	5 ea.	28" (711)	34" 864	33" 838	140 (59)	28.5 (.79)
6538	7 ea.	24-1/4" (616)	29-3/4" 755	42" 1067	150 (77)	35.2 (.97)
6539	11 ea.	24-1/4" (616)	29-3/4" 755	60" 1524	215 (104)	48.3 (1.33)
6540	13 ea.	24-1/4" (616)	29-3/4" 755	69" 1753	255 (114)	55.0 (1.52)

TRANSPORT and DELIVERY CABINETS | ALUMINUM

Efficient delivery is easily achieved with economical aluminum transport cabinets.

- Rugged, reinforced door safeguards contents
- All-welded construction with extra gussets welded in all corners to prevent alignment "racking"
- Aluminum alloy construction adds strength without the weight, so transport is safe and easy
- Durable 1/2" (13) wide extruded aluminum ledges
- Rust proof and corrosion resistant

FACTORY INSTALLED OPTIONS:

- Clear polycarbonate door
- Corner Bumpers, non-marking gray rubber strip mounted to the corners of base. Adds 2" (51) to the width and depth of the unit.
- Perimeter Bumpers, non-marking gray rubber strip affixes around the unit's base. *Note: This option adds 2" (51) to the width and depth of the unit.*
- Push Handle
- Lake-Glide 5" (127) casters with brakes (set of 2)



Model #5529



Freight Class: **150**

Model	Sheet Pan Capacity		Ledge Spacing	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
	Full	Half		W	L	H		
5527	20 ea.	40 ea.	1-1/2" (38)	20-7/8" (530)	27-5/8" 702	38" 965	72 (32.4)	14.4 (.4)
5529	32 ea.	64 ea.	1-1/2" (38)	20-7/8" (530)	27-5/8" 702	56" 1422	106 (47.7)	21.6 (.6)
5531	40 ea.	80 ea.	1-1/2" (38)	20-7/8" (530)	27-5/8" 702	68" 1727	113 (50.9)	26.4 (.73)

Lake-Glide Casters: 5" (127) - All swivel; No-Mark, polyurethane are standard.

CAN STORAGE and DISPENSING RACKS | STAINLESS STEEL

Easily organize your can inventory and increase efficiency with these dispensing racks.



- Gravity feed system puts cans at fingertip for quick and convenient access
- One-hand dispensing from the front allows for multi-tasking in a fast-paced environment
- Ensure "First In First Out" inventory management by loading from back
- Heavy-duty stainless steel construction is durable for worry-free performance
- Tops are reinforced 18 gauge stainless steel to withstand additional weight of more cans or other storage items
- Mobile model 458 moves easily for convenient loading and floor cleaning
- Stationary model 478 provides for extra storage in a smaller footprint

 **Freight Class: 125**
Ships in: **10** days or less!

Model	Description	Capacity	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
			W	L	H		
458	Mobile for #10 & #5 Cans	72 ea. #10 Cans 96 ea. #5 Cans	26" (660)	40-1/8" 1019	41-1/4" 1048)	130 (59)	26.8 (.8)
478	Stationary for #10 & #5 Cans	144 ea. #10 Cans 192 ea. #5 Cans	25-3/4" (654)	36-7/8" 937	74-1/4" 1886)	198 (89.8)	46.7 (1.3)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide® Casters: 5" (127) - 2 ea. swivel, 2 ea. fixed for Model 458. No Mark®, polyurethane casters are standard. *Model 478 requires foot assembly.




CAN STORAGE and DISPENSING RACKS | ALUMINUM

Organize your cans while increasing your workspace with these economical models.

- Gravity feed system puts cans at your fingertips for quick and convenient access
- Ensure "First In First Out" inventory management by loading from back
- Available with stainless steel or polyethylene removable top for added kitchen workspace
- Mobile models move easily for convenient loading and floor cleaning

FACTORY INSTALLED OPTIONS:
• Solid shelf trays (for use with cans smaller than #5 or #10), set of 3

 **Freight Class: 125**
Ships in: **10** days or less!

Model	Description	Capacity	Overall Size			Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
			W	L	H		
348	Stainless steel counter height	72 ea. #10 Cans 96 ea. #5 Cans	25" (635)	35" 889	41" 1041)	58 (26.1)	22.0 (.61)
338	Polyethylene counter height	72 ea. #10 Cans 96 ea. #5 Cans	25" (635)	35" 889	41" 1041)	72 (32.4)	22.0 (.61)
346	Stainless steel work top height	54 ea. #10 Cans 96 ea. #5 Cans	25" (635)	35" 889	35" 889)	54 (24.3)	18.5 (.51)
336	Polyethylene work top height	54 ea. #10 Cans 72 ea. #5 Cans	25" (635)	35" 889	35" 889)	69 (31.0)	18.5 (.51)
331	Stationary Full Size	162 ea. #10 Cans 216 ea. #5 Cans	25" (635)	35" 889	71" 1803)	80 (36.0)	39.3 (1.08)
335	Mobile Full Size	216 ea. #10 Cans 297 ea. #5 Cans	25" (635)	35" 889	77-1/4" 1962)	112 (50.0)	42.7 (1.18)

Measurements in () denote metric millimeters, unless otherwise specified. Lake-Glide Casters: 5" (127) - 2 ea. swivel, 2 ea. fixed for Models 336, 338, 346, and 348. Lake-Glide Casters: 6" (152) - 2 ea. swivel with brake, 2 ea. fixed 2" wide cushion tread, for Model 335.



PLUSPOWER™ PLATFORM TRUCKS

Time studies prove that the PlusPower allows your staff to work faster and smarter, allowing your operations to be more profitable.

PlusPower carts are the most versatile battery operated carts available, adaptable to hundreds of uses. Bolt, weld or clamp on your current equipment and transport carts to the steel platform and you can create your own custom cart. Each feature was carefully designed to not only increase productivity and safety, but to be easy to use and maintain under any application.

- Rugged power system helps you transport up to 1,500 lbs on a flat surface with little effort (1000 lbs on a 6° incline)
- Includes 2 ea. U1 gel cell for AGM 33-35 Amp batteries
- Two proportional speed ranges to match your pace of work
- Emergency stop switch for added security
- Battery recharges each time brake is applied
- Intuitive finger tip motion controls are easy to use (simply push control forward to move forward and push downward to reverse)
- Center wheel drive improves traction and prevents spinning wheels
- Automatic brake when hand is off control increases operator safety
- Shock absorbing spring suspension reduces strain
- Speed automatically adjusts when going downhill to prevent accidents
- Reinforced tubular steel frame provides strength and support



Sealed AGM maintenance free batteries.



Easy-to-use fingertip controls.



Freight Class: 70
Ships in: **6** days or less!

Model	Platform Size		Max. Load Capacity Lbs. (Kg)	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
	W	L		W	L	H*				
8165	27" (686)	41" (1041)	1500 (680)	27" (686)	50" (1270)	42-1/4" (1073)	4 ea. Swivel Casters 2 ea. Power Wheels	5" (127) 8-3/4" (224)	265 (119)	47.6 (1.9)
8180	27" (686)	48" (1219)	1500 (680)	27" (686)	56-1/2" (1435)	42-1/2" (1080)	4 ea. Swivel Casters 2 ea. Power Wheels	5" (127) 8-3/4" (224)	270 (122)	47.6 (1.9)
8190	27" (686)	60" (1524)	1500 (680)	27" (686)	68-1/2" (1740)	42-1/2" (1080)	4 ea. Swivel Casters 2 ea. Power Wheels	5" (127) 8-3/4" (224)	292 (131)	56.6 (2.3)

Measurements in () denote metric millimeters, unless otherwise specified. *Platform height 11-1/2" (292) from floor.

PLUSPOWER™ TUG

*Increase productivity while reducing injuries.
This powerful, ergonomically designed tug does the job for you.*



Lakeside's tug can pull virtually any piece of mobile equipment when used with our variety of hitches. With its innovative compact design, the tug is powerful enough to transport heavily laden carts, but small enough to easily fit in the elevator or other small space alongside its load.


- Tow up to 1,500 lbs on a flat surface with very little effort (1000 lbs on a 6° incline)
- Rugged power system takes care of the pushing and pulling so injuries are avoided
- Small footprint easily fits in elevator or storage area
- User-friendly interface makes controls easy to operate (includes horn, key switch, lift button, throttle, 2-speed switch)
- Non-marking, flat-free tires for worry free maintenance
- ABS plastic exterior impact resistant and protective
- Quick-charge battery system with built-in charger is hassle free
- Hitch system can easily be connected with a variety of carts

 Freight Class: **70**
Ships in: **15** days or less!

Model	Max. Tow Load (Lbs.)	Overall Size			Wheel Type	Wheel Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m ³)
		W	L	H				
8162	1500	24" (610)	18-3/4" 476	41-1/2" 1056)	Flat-Free, Non-Marking	8-3/4" (222)	150 (68)	21 (.59)

UNIVERSAL HITCH SYSTEM

• **Universal Hitch Receiver** – The Universal Hitch System allows the tug to tow virtually any piece of mobile equipment. Simply install a Receiver Tube to the bottom side of the mobile equipment, then insert a component hitch.



Hitches dock easily to coupling on the tug

Bolt-On Receiver Tube (specify length)

Model	Description
4757*	Bolt-On Receiver Tube

Clamp-On Adjustable Receiver Tube

Model	Size	Adjustable Length
4751	Small Adjustable Clamp-On Hitch	26" - 41"
4752	Medium Adjustable Clamp-On Hitch	40" - 55"
4753	Large Adjustable Clamp-On Hitch	56" - 76"

Male Hitch - For Towing Single Pieces

Model	Fits Carts	Ship Weight Lbs. (Kg)
4750	5" or 6" casters	4 (1.8)
4755	6" or 8" casters	4 (1.8)

Female Hitch - For Towing Multiple Pieces

Model	Fits Carts	Ship Weight Lbs. (Kg)
4754	5" or 8" casters	6 (2.7)



*Specify tube length desired
Measurements in () denote metric millimeters, unless otherwise specified.





Model #447



Model #450

Model #337
(shown with optional handle)



Freight Class: **70**
Ships in: **10** days or less!

CUP/GLASS RACK DOLLIES | ALUMINUM and STAINLESS STEEL

Securely transport your cups and glasses with Lakeside's dependable dollies.

- Securely stores and transports 20" x 20" (508 x 508) cup/glass racks
- One-piece platform has lip on all sides to prevent spills
- Stainless steel for increased durability and longer product life
- All swivel wheels provide ultimate maneuverability
- Rust-proof and corrosion resistant materials are maintenance-free
- Models 450 and 452 have tubular handle for more steering control, Model 337 has optional aluminum handle

FACTORY INSTALLED OPTIONS:

- Detachable handle for Model 337
- 2 ea. 5" (127) casters with brakes for Model 337
- Corner bumpers
- Sta-Clean® vinyl cover #09521
- Model 447 and 450, 2 ea. brake casters

Model	Platform Size			Max. Load Capacity Lbs. (Kg)	Overall Size*			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	FedEx UPS
	W	L	H		W	L	H					
Aluminum												
337	20-5/8" (524)	20-5/8" 524	1-1/2" 32)	700 (315)	22-3/8" (568)	20-5/8" 524	9-1/4" 235)	All swivel	5" (127)	21 (9.5)	4.3 (.11)	OK
Stainless Steel												
447	20-3/4" (527)	20-3/4" 527	1" 24)	200 (91)	20-3/4" (527)	20-3/4" 527	6-1/4" 159)	All swivel	4" (102)	25 (11.3)	4.4 (.12)	OK
450	20-3/4" (527)	20-3/4" 527	1" 24)	200 (91)	21" (530)	27" 686	32" 813)	All swivel	4" (102)	28 (12.7)	4.4 (.12)	OK KD
452	20-3/4" (527)	20-3/4" 527	1" 24)	400 (181)	21" (530)	27-1/2" 695	32" 813)	All swivel	5" (127)	32 (14.5)	4.4 (.12)	OK KD

Measurements in () denote metric millimeters, unless otherwise specified. *Includes tubular handle on Models 450 and 452. KD denotes knocked down, shipped unassembled.



Model #631



Model #633



Freight Class: **125**
Ships in: **10** days or less:

SHEET PAN DOLLIES | ALUMINUM

Specially designed for sheet pans, this dolly is the most reliable for storing and transport.

- Securely holds and transports 18" x 26" (457 x 660), 14" x 18" (356 x 457) and 13" x 18" (330 x 457) sheet pans and trays
- Square tubular frame with reinforced base provides superior strength
- Welded handles offer more steering control
- All welded construction increases durability
- Rust-proof and corrosion resistant material extends product life

Model	Description	Max. Load Capacity Lbs. (Kg)	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	FedEx UPS
			W	L	H					
620	Angle w/ No Sides, No Handle	500 (225)	27" (686)	18-7/8" 524	7" 178)	All swivel Plate	5" (127)	20 (9.0)	2.8 (.1)	OK
631	Angle w/ Sides & Handle	500 (225)	27" (686)	21" 533	33-1/2" 851)	All swivel Plate	5" (127)	22 (9.9)	14.0 (.4)	N/A
633	Two Tier Angle w/ Sides & Handle	500 (225)	30" (762)	21" 533	44-1/2" 1130)	All swivel Plate	5" (127)	29 (13.1)	19.6 (.5)	N/A

Measurements in () denote metric millimeters, unless otherwise specified.



DUAL HANDLE PLATFORM TRUCKS | STAINLESS STEEL

Reduce potential for employee injury with these hard working platform trucks.

- Dual handles allow for pushing or pulling from either end to better navigate tight spaces
- Model 456 has 2 fixed center wheels for added maneuverability and stainless steel platform with galvanized steel reinforced dolly frame and chrome plated tubular handles.
- Model 217 has all stainless steel construction with sturdy U-frame design.

FACTORY INSTALLED OPTIONS:
• Round corner bumpers for Model 217



Model #456



Model #217

Freight Class: 70
Ships in: **15** days or less!

Model	Platform Size			Max. Load Capacity Lbs. (Kg)	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
	W	L	H*		W	L	H*				
217	21-1/2" (546)	33-3/4" 857	10-1/4" 260	400 (181)	22-1/2" (527)	34-3/4" 883	32-1/4" 819)	4 swivel, No-Mark®, cushion tread	5" (127)	44 (20)	20.1 (.80)
456	24" (610)	48" 1219	10-1/4" 260)	1000 (453)	24-7/8" (632)	53-1/2" 1359	35-1/8" 892)	4 ea. swivel, 2 ea. fixed No-Mark, cushion tread	5" (127) 8" (203)	120 (54.4)	8 (.22)

Measurements in () denote metric millimeters, unless otherwise specified. *Platform height from floor.

SINGLE HANDLE PLATFORM TRUCKS | ALUMINUM

This cart is ultra light and ultra strong for your heaviest loads.

- 2000 lb (901 Kg) load capacity allows you to transport more in one trip
- All welded construction increases durability
- Rust-proof and corrosion resistant material is maintenance-free
- Extra wide 2" cushion tread wheels better support heavy loads

FACTORY INSTALLED OPTIONS:
• Additional removable handle



Model #7516

Freight Class: 70
Ships in: **15** days or less!

Model	Platform Size			Max. Load Capacity Lbs. (Kg)	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)
	W	L	H*		W	L	H*				
7516	24" (610)	48" 1219	9-1/2" 241)	2000 (901)	24" (632)	50-1/2" 1283	42" 1067)	2 ea. swivel, 2 ea. fixed, No-Mark, 2" cushion tread	6" (152)	58 (26.3)	11.3 (.32)
7518	30" (762)	60" 1524	9-1/2" 241)	2000 (901)	30" (762)	62-1/2" 1588	42" 1067)	2 ea. swivel, 2 ea. fixed, No-Mark, 2" cushion tread	6" (152)	72 (32.4)	11.8 (.32)

Measurements in () denote metric millimeters, unless otherwise specified. *Platform height from floor.

SINGLE HANDLE PLATFORM TRUCKS | STAINLESS STEEL

The stainless steel design and platform casters will keep this truck strong and dependable for years to come.

- Stainless steel platform surface is easy to clean and sanitize
- Sturdy 1" diameter tubular stainless steel handle for easy maneuverability
- Larger 8" (203) front wheels for easy transition over uneven surfaces
- Fixed front wheels help guide truck in a straight line, while making it easier to navigate corners



Model #455

Freight Class: 70
Ships in: **15** days or less!

Model	Platform Size			Max. Load Capacity Lbs. (Kg)	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m³)	FedEx ups OK KD
	W	L	H*		W	L	H*					
454	20" (508)	30" 762	8-1/4" 210)	650 (294)	21" (533)	36-1/4" 921	35-1/4" 895)	2 ea. swivel, 2 ea. fixed, No-Mark, cushion tread	5" (127) 8" (203)	48 (21.8)	4.7 (.13)	OK KD
455	24" (610)	36" 914	8-1/4" 210)	650 (294)	24" (610)	41-3/4" 1060	35-1/4" 895)	2 ea. swivel, 2 ea. fixed, No-Mark, cushion tread	5" (127) 8" (203)	61 (27.7)	5.4 (.15)	OK KD

Measurements in () denote metric millimeters, unless otherwise specified. *Platform height from floor. KD denotes knocked down, shipped unassembled.

NEW!



PRISON BILT™

Extreme Duty Products **PERIOD**

EQUIPMENT BUILT FOR THE CORRECTIONAL INDUSTRY

WHY PRISONBILT?

PrisonBilt™ was borne out of the desire to serve one very specific market. We are solely and completely focused on the corrections customer. We will not introduce any product until it meets the engineered specifications for the corrections market. Our products are made with heavy gauge stainless steel, diamond tread aluminum, and PrisonBilt heavy-duty casters. We share your responsibility for the safety of your staff and inmates, so we have developed fully-welded products with tamper-resistant components that can take punishment.

Powered by **L LAKESIDE®**



NEW

SHEET PAN DRYING RACK

Ensure sanitation and organize your kitchen with PrisonBilt's new Sheet Pan Drying Rack.

Fully welded stainless steel rack for increased durability and long product life

120 Sheet Pan Capacity

Dividers at 1.5" increments separate pans for proper air flow and efficient drying

.25 degree slope to rear of rack allows for drainage of excess water

Heavy-duty 5" PrisonBilt casters with tamper-resistant hardware



Item Number	Description	Overall Size		
		W	D	H
PB848	1.5" spacing, 120 pan capacity	63-1/2"	26"	58-3/5"



ADJUSTABLE HEAVY-DUTY TRAY DRYING RACK

Increase efficiency in your kitchen by organizing trays for quick drying.

- Frame engineered with 1"x1" aluminum tube for superior, lasting strength
- U-braces secure each shelf for unyielding support
- Shelf dividers constructed of rugged .080 sheet to prevent altering
- Aluminum construction has a lifetime warranty against rust and corrosion
- Heavy-duty, specialized 6" casters have tamper-resistant screws
- 5-year warranty for workmanship and material
- Ships unassembled for lower shipping cost

Item Number	Description	Overall Size		
		W	L	H
PBTDR42	3" spacing, 42 tray openings	24"	48"	80"
PBTDR84	1.5" spacing, 84 tray openings	24"	48"	80"
PBTDR108	1.5" spacing, 108 tray openings	24"	60"	80"
PBTDR54	3" spacing, 54 tray openings	24"	60"	80"

STAINLESS STEEL CAN RACKS FULL AND HALF SIZE

Easily organize your can inventory, increase efficiency and ensure a first-in first-out system.

A combination of 16- and 18- gauge stainless steel, reinforced welds and tamper-resistant screws ensures these durable racks will stand up to the toughest correctional environments.

- Heavy-duty stainless steel construction provides the highest level of durability
- Tops reinforced with 18-gauge stainless steel for long lasting strength and rugged resistance
- Tamper-resistant hardware maintains security
- Easy to manage rear loading keeps the freshest food at hand
- Stainless steel material is easy to clean and sanitize
- No assembly required for easy setup



Item Number	Description	Capacity	Overall Size			Case Weight		Case Cube	
			W	D	H	Lbs	(Kg)	Cu Ft	(m ³)
PBCR1	Mobile for #10 & #5 Cans	72 ea. #10 Cans 96 ea. #5 Cans	26"	40-1/8"	41-1/4"	130	(59)	26.8	(.8)
PBCR2	Stationary for #10 & #5 Cans	144 ea. #10 Cans 192 ea. #5 Cans	25-3/4"	36-7/8"	74-1/4"	198	(89.8)	46.7	(1.3)



ALUMINUM DUNNAGE RACKS

Ensure compliance with food codes by storing product on these durable dunnage racks designed for correctional environments.

- Superior strength holds up to 2000 or 2500 lbs.
- All welded aluminum construction for unyielding strength
- Aluminum material is rust-proof and corrosion resistant for long service life
- Easy-to-clean lateral bars constructed of 1 ½" x 1 ½" thick tubes for superior durability



Item Number	Description	Capacity	Overall Size			Case Weight Lbs	Case Cube Cu Ft
			W	H	L		
PBDR36	36" Rack	2500 lbs.	24"	12"	36"	21	6.49
PBDR48	48" Rack	2500 lbs.	24"	12"	48"	25	8.68
PBDR60	60" Rack	2000 lbs.	24"	12"	60"	27	10.7

ALUMINUM OPEN PAN RACK

This bun pan rack's superior construction is built to last and guaranteed for long service life in the roughest environments.

- Aluminum material provides unyielding strength and corrosion resistance
- Uprights are constructed of 1-1/2" x 2" square tubing for increased durability and rugged support
- Heavy-duty 6" casters have tamper-resistant screws for increased security
- 1,000 lbs. capacity



Item Number	Description	Overall Size			Case Weight Lbs	Case Cube Cu Ft
		W	L	H		
PBPR988	Open Pan Rack	21-1/2"	29-1/2"	66"	83	24.41

ALUMINUM ENCLOSED PAN RACK

Steadfast strength and smooth transportation makes this cabinet ideal for food delivery and storage in extreme environments.

- Fully welded and sealed seams sustain a secure construction
- Aluminum material is durable and easy to clean
- Stainless steel hinges withstand repeated use and provide rugged hold
- Padlock holes in door for added security
- Heavy-duty, 6" PrisonBilt™ casters with tamper-resistant screws are easy to maneuver
- 1,000 lbs. capacity



Item Number	Description	Overall Size			Case Weight Lbs	Case Cube Cu Ft
		W	L	H		
PBPR990	Enclosed Pan Rack	20-1/2"	29-1/2"	70"	132	25.9

BUILT TO LAST

CUP/DISH RACK DOLLY

PrisonBilt™ Rack Dollies securely store and transport cup/dish racks.


- Heavy-duty, 16-gauge stainless steel construction provides the highest level of durability
- Outer shell is formed of the most rugged, 12-gauge stainless steel for unyielding strength
- Braces provide rugged, enduring support
- Tamper-proof security screws standard as an added safeguard
- 200 lbs capacity withstands considerable loads
- Heavy-duty all swivel 6" casters have tamper-resistant screws for increased security

**ALL PRODUCTS
DESIGNED SPECIFICALLY FOR
CORRECTIONAL FACILITIES**

200 lbs capacity withstands considerable loads



Heavy-duty, 16-gauge stainless steel construction provides the highest level of durability



Item Number	Platform Size			Load Capacity	Overall Size			Case Weight Lbs (Kg)	Case Cube Cu Ft (m³)
	L	W	H		W	L	H		
PBGRD1	20-3/4"	20-3/4"	1"	200 lb (91kg)	27"	21"	32"	28 (12.7)	4.4 (.12)
PBGRD2	20-3/4"	20-3/4"	1"	400 lb (181kg)	27-1/2"	21"	32"	32 (14.5)	4.4 (.12)

ALUMINUM UTILITY CART

This heavy-duty, two-shelf cart is made to withstand the toughest environments and carry the heaviest loads.

- The 1- 3/4" tube supplies increased durability and makes this cart the right choice for rugged operations.
- Multi-functional use for coolers, freezers and dry storage with rust-proof aluminum design
- Heavy-duty construction holds up to 1500 lbs per shelf with 2000 lbs rolling capacity
- Each shelf has three sides up to secure loads and one side down for easy loading
- Heavy-duty, 6" casters with tamper-resistant screws are easy to maneuver



Item Number	Overall Size			Case Weight Lbs	Case Cube Cu Ft
	L	W	H		
PB2237	37-1/2"	22"	41-3/4"	74	26.95
PB2937	37-1/2"	29"	41-3/4"	69	24.4



HEAVY-DUTY STAINLESS STEEL UTILITY CARTS

Square tubing, reinforcement and a special U-shaped design classify this cart as the most extreme-duty equipment available for correctional facilities.

- 1500 lbs weight capacity
- Square tube frame and "U" shaped design supplies superior strength for rugged transportation
- Square tubing reinforcement under shelves withstands dropping heavy objects on shelf edges
- 14-gauge shelves provide unyielding support
- Continuous, fully welded joints eliminate pry points
- Stainless steel construction is extremely durable and easy to clean and sanitize
- Heavy-duty, 8" casters with tamper-resistant screws are secure and easy to maneuver

EVERYTHING ABOUT THIS CART SAYS... EXTREME DUTY



Continuous, fully welded joints eliminate pry points



PB1500

Square tube frame and "U" shaped design



PB1500T

Heavy-duty, 8" casters

Item Number	Shelves	Shelf Description		Overall Size			Case Weight		Case Cube	
		Size	Clearance	W	L	H	Lbs	(Kg)	Cu Ft	(m3)
PB1500T	2	21" x 33"	27"	22"	35"	50-1/8"	117	(53)	22	(.61)
PB1500	2	21" x 33"	24-5/8"	21-1/4"	36-1/2"	37-7/32"	98	(44)	25.6	(.99)

BUILT TO LAST

HEAVY-DUTY ALUMINUM PLATFORM TRUCK

This heavy-duty aluminum platform truck's unique diamond tread design provides superior durability for the extreme environment of a correctional facility.

- Exceptional 2600 lb capacity to manage any transportation load
- All welded, durable aluminum construction holds firm in extreme situations
- Offset wheel design minimizes tipping
- Aluminum material has a lifetime warranty against rust and corrosion.
- 8" heavy-duty casters with tamper resistant screws support the heaviest load with easy maneuverability



EXCEEDS EVEN THE STRICTEST CORRECTIONAL SPECIFICATIONS!

Item Number	Description	Overall Size			Case Weight Lbs	Case Cube Cu Ft
		L	W	H		
PB991	2600 lb weight capacity	66-1/2"	30"	41-1/2"	169	47.92

FULLY WELDED SHELVING

Designed for the heaviest loads, PrisonBilt™'s Fully Welded Shelving makes it easier to organize large, bulky products.

- Fully welded aluminum for superior strength under the heaviest loads
- Units are constructed of 2" wall tubing for extreme durability
- Available with heavy-duty, 5" or 6" casters to easily manage storage transport. Tamper-resistant screws provide added security.
- Lifetime guarantee against rust and corrosion
- Holds 1,800 lbs. per shelf with a 2,000 lbs. rolling capacity for supreme storage strength and capacity



Item Number	Description	D	Overall Size		Capacity per Shelf	Case Weight Lbs	Case Cube Cu Ft
			H	W			
PBWS48	Welded Shelving	24-1/4"	72-1/4"	48-1/4"	1800 lbs	58	48.93
PBWS60	Welded Shelving	24-1/4"	72-1/4"	60-1/4"	1800 lbs	68	61.09



NEW

HEAVY DUTY MOBILE MIXING BOWL STAND

PrisonBilt's new Mobile Mixing Bowl Stands make large batch food prep efficient, while heavy-duty construction stands up to the toughest environments



PB713

PB712

Item Number	Accommodates	Overall Size		
		L	W	H
PB712	30 QT. Bowl	32"	32"	33"
PB713	80 QT. Bowl	32"	24"	33"

BUILT TO LAST

ANODIZED ALUMINUM HEATED TRANSPORT CABINET

Maintain safe food temperatures and ensure quality meals every time.

- Side-to-side airflow pattern provides even heating for safe food temperatures and greater heat retention during repeated door openings
- Extremely durable, anodized aluminum exterior and interior door panels have an easy to clean surface
- Locking hasp-style latch secures contents during transport
- Control console is top mounted under a lockable cover for maximum security
- Thermostat (factory preset to 165°F) and thermometer accurately control and measure interior temperatures
- Full-length door handle for efficient operation
- Conveniently holds twelve 18"x26" sheet pans or steam table pans on durable, stainless steel ledges
- Full perimeter bumper protects walls and equipment
- Heavy-duty 6" PrisonBilt™ casters are secure with tamper-resistant screws
- Additional models and tray capacities available, contact factory.



Control console is top mounted under a lockable cover for maximum security



STRONG ENOUGH FOR EVEN THE TOUGHEST ENVIRONMENTS

MEAL DELIVERY

Item Number	Description	Overall Size			Case Weight Lbs
		W	D	H	
PBHTSA12	Anodized Aluminum Heated Transport Cabinet	32"	37"	74"	280






NEW

2-SHELF OPEN TRAY DELIVERY CART

Deliver meal trays safely and economically with this Open Tray Delivery Cart.

- Notched shelves accommodate optional hold-down straps to secure trays
- Corner gussets provide additional structural strength
- Reinforcements under shelves and heavy-duty, welded, stainless steel cross members withstand the roughest environments



Item Number	Shelf Size		Overall Size			Casters	
	W	L	W	L	H	Size	Type
PB37	29"	37"	30"	39"	41"	6"	2 fixed 2 swivel w/ brake
PB51	29"	51"	30"	53"	41"	6"	2 fixed 2 swivel w/ brake

BUILT TO LAST


NEW

MEAL DELIVERY

DUAL TEMPERATURE MEAL DELIVERY CARTS

Maintain proper temperatures for safe meal delivery.

- Allows delivery of both hot and cold product in one unit.
- Stainless steel interior and exterior.
- Removable gasket ensures positive door seal.
- Durable edge-mount handle latches keep doors tightly shut during transport.
- Both sides maintain food product at safe temperatures without power for up to 30 minutes.
- Fully self-contained refrigeration system is easy to service, and virtually maintenance free.
- Mechanical thermostat with digital temperature read-out.
- Single on/off switch controls both hot and cold compartments.
- One-year parts & labor warranty with an additional four years parts warranty on condensing unit.
- Corrections security features include fully welded tray slides, Lexan covered thermometers, fully-welded 12 gauge hinges and heavy-duty transport latches
- Each compartment has 6 sets of non-removable universal ledges with 5-1/2" spacing



Each compartment has 6 sets of non-removable universal ledges with 5-1/2" spacing

Durable edge-mount handle latches keep doors tightly shut during transport.



Vertical handles for easy maneuverability

Both sides maintain food product at safe temperatures without power for up to 30 minutes.

Fully welded 12 gauge hinges


Item Number	Description	Overall Size		
		W	L	H
PB6760HH	Two heated compartments	53-3/4"	33-1/4"	59"
PB6760HA	One heated compartment, one ambient compartment	53-3/4"	33-1/4"	59"
PB6760CC	Two refrigerated compartments	53-3/4"	33-1/4"	59"
PB6760HC	One heated compartment, one refrigerated compartment	53-3/4"	33-1/4"	59"



MEAL AND BEVERAGE DELIVERY CART

Transport a variety of delivery items with the utmost strength and security.

- Conveniently holds insulated trays, beverage jugs and two 20" x 20" racks to deliver full meals in one quick trip.
- Recessed hinges and door pulls are safely tucked away
- Accommodates 3 Cambro 250LCD beverage containers
- Accepts Aladdin, Therma-Tray and Design Specialty insulated trays
- Heavy-duty, all-welded stainless steel construction provides durable delivery for years
- Tamper-resistant hardware holds up in the toughest environments
- 8" PrisonBilt™ heavy-duty polyurethane casters provide easy maneuverability
- Full perimeter bumper protects cart
- Additional models and tray capacities available, contact factory.



Item Number	Description	Overall Size			Case Weight Lbs
		W	D	H	
PB64ENC	64 Tray Capacity	57"	34"	70"	516
PB48ENC	48 Tray Capacity	57"	34"	55-1/2"	440

BUILT TO LAST

MEAL DELIVERY

TRANSPORT SERVER

PrisonBilt's Transport Server has the strength and capacity to quickly and safely deliver insulated trays.

- 18-gauge stainless steel body and doors and 16-gauge top and bottom are durable enough to handle any environment.
- Stainless steel construction provides strength and durability
- Sturdy, stainless steel paddle latch lays flat for added security

- Cart comes standard with full perimeter bumper - heavy-duty channel bumper available
- 1" tube top rail secures additional items on top
- 6" casters, two rigid and two swivel with brakes, smoothly guide cart



Item Number	Description	Overall Size			Case Weight Lbs
		W	L	H	
PBTDC1	Holds 48 insulated trays, 14-1/2" x 13" x 2-3/8"	31-5/8"	38-1/2"	42-9/16"	198



FULLY WELDED EXTREME DUTY STEAM TABLE

This maximum security steam table is equipped with a unique vandal-proof power up/power down switch.

- Power switch allows the unit to be turned on or off after the cooking controls are set and locked into their desired positions.
- No moving parts in the switch to fail, even if the switch takes a direct impact.
- Heavy-duty, 16-gauge stainless steel frame with stainless steel tops for extreme durability
- Drains have copper tube manifolds and one brass master valve for long-lasting strength
- Each well includes individual thermostats and the complete unit is wired to a master switch with indicator to monitor safe food temperatures
- Extreme Duty package includes stainless steel locking control cover for added security
- Optional channel bumper is available, mounted on a heavy gauge stainless steel frame
- 5", heavy-duty PrisonBilt™ casters, two with brakes, for smooth transportation and stability
- Tamper-resistant hardware for increased safety



Item Number	Description	Overall Size			Case Weight Lbs	Case Cube Cu Ft
		W	L	H		
PBST4W	4 Well Electric Steam Table	31-3/4"	64-1/2"	34"	230	40.73
PBST3W	3 Well Electric Steam Table	31"	50-1/4"	34"	200	31.85



BUILT TO LAST

PRISON BILT™

Extreme Duty Products

PERIOD

**EQUIPMENT BUILT FOR THE
CORRECTIONAL INDUSTRY**

MODEL INDEX

Price List available through
AutoQuotes or at
eLakesideFoodservice.com/catalog

Model	Page	Model	Page	Model	Page	Model	Page
110	149	337	162	521	44	647	139
112	127	338	159	522	14, 44	650	139
113	127	346	159	526	38	652	139
125	150, 152	348	159	527	45	654	140
126	150, 152	351	60	533	62	655	139
127	150	352	60	541	140	657	139
128	150	353	60	542	140	660	105
129	150	354	60	543	44	663	108
130	149	355	60	544	14, 44	668	108
135	150, 152	357	60	545	62	672	99
136	150, 152	403	88	546	62	675	99
137	150	405	147	548	62	676	99
138	150	407	147	551	140	677	123
139	150	411	14, 39	552	140	678	98
155	150, 152	412	126	557	45	681	98
156	150, 152	413	126	558	44	693	127
157	150	415	126	559	44	696	127
158	150	416	126	560	62	705	147
159	150	422	14, 39	561	62	707	147
162	151, 152	433	61	562	62	710	44
163	151, 152	437	138	563	62	711	44
166	153	438	138	564	145	712	148
168	151	444	14, 39	565	145	713	148
172	151, 152	445	61	566	145	715	148
173	151, 152	446	61	567	145	716	148
179	151	447	162	568	145	717	148
180	153	448	61	569	145	718	148
182	151, 152	449	61	581	145	721	44
183	151, 152	450	162	582	145	722	14, 44
197	89	451	61	583	145	725	45
198	89	452	162	584	145	726	45
202	56	454	163	585	145	727	14, 44
202-6	56	455	163	586	145	729	45
206	56	456	163	587	145	730	45
206-4	56	458	159	588	145	733	62
208	56	459	38	593	145	743	14, 44
208-6	56	460	61	594	145	744	14, 44
210	39	461	61	595	145	745	62
211	39	462	61	596	145	746	62
213	88	463	61	597	145	748	62
214	88	464	61	598	145	757	45
216	88	465	61	603	88	758	44
217	163	472	39	610	58	759	44
221	39	473	39	615	58	760	62
222	39	478	159	620	162	761	62
230	123	479	39	622	59	762	62
240	123	489	39	626	59	763	62
243	39	492	39	631	162	764	109
244	14, 39	493	14, 39	633	162	768	109
250	123	499	39	636	98	772	82
311	13, 30	510	44	640	139	773	82
316	13, 30	511	44	641	120	774	82
322	13, 30	515	148	642	139	776	82
331	159	516	148	644	59	777	82
335	159	517	148	645	139	778	82
336	159	518	148	646	59	782	82

Model	Page	Model	Page	Model	Page	Model	Page
783	82	928	76	2820	84	4754	161
784	82	929	76	3310	97	4755	161
786	82	932	78	3312	97	4757	161
787	82	933	78	3315	97	4758	46
788	82	934	78	3318	96, 97	4759	46
790	57	935	76	3320	97	4938	51
792	82	937	76	3410	97	4939	51
793	82	938	50	3412	97	4943	51
796	82	939	50	3415	96, 97	4944	51
797	82	942	76	3418	97	4958	51
810	59	943	50	3420	97	4959	51
814	84	944	15, 50	4000	80	5000	80
815	59	947	15, 50	4005	80	5005	80
816	84	949	15, 50	4006	80	5006	80
818	84	952	76	4007	80	5007	80
819	84	953	15, 50	4008	80	5008	80
820	84	954	76	4009	80	5009	80
822	59	955	50	4010	80	5010	80
831	134	958	50	4011	80	5011	80
832	134	959	76	4012	80	5012	80
835	135	962	76	4310	97	5100	74
836	135	965	76	4311	32	5105	74
837	135	968	77	4312	97	5106	74
840	139	970	77	4315	97	5107	74
842	139	972	76	4322	32	5108	74
844	59	973	89	4410	97	5109	74
845	139	975	76	4411	40	5110	74
847	139	976	89	4412	97	5111	74
848	141	977	89	4415	97	5112	74
850	139	986	86, 88	4422	40	5200	74
852	139	991	72	4444	40	5205	74
854	140	992	72	4459	40	5206	74
855	139	996	86	4510	46	5207	74
857	139	997	86	4511	46	5208	74
867	141	998	86	4521	46	5209	74
868	141	999	86	4522	46	5210	74
884	124	1942	78	4543	46	5211	74
886	124	1943	78	4544	46	5212	74
887	124	1944	78	4558	46	5300	74
889	124	2060	102	4559	46	5305	74
890	57	2065	102	4565	146	5306	74
897	141	2070	102	4567	146	5307	74
898	141	2075	102	4596	146	5308	74
902	78	2080	102	4605	94	5309	74
903	78	2085	102	4608	94	5310	74
905	76	2500	13, 31	4610	94	5400	74
908	76	2501	31	4612	94, 95	5405	74
912	78	2503	31	4615	94, 95	5406	74
913	78	2510	14, 36	4618	94	5407	74
914	78	2512	14, 36	4710	46	5408	74
915	76	2521	37	4711	46	5409	74
917	76	2523	37	4721	46	5410	74
918	76	2600	87	4722	46	5500	138
919	76	2610	87	4743	46	5510	138
922	78	2620	87	4744	46	5527	158
923	78	2814	84	4750	161	5529	158
924	78	2816	84	4751	161	5531	158
925	76	2818	84	4752	161	5618	136
927	76	2819	84	4753	161	5620	136

Model	Page	Model	Page	Model	Page	Model	Page
5624	137	6540	158	8165	160	9182	157
5628	137	6600	33	8180	160	9600	121
5632	137	6610	33	8190	160	9610	121
5710	136	6745	122	8200	83	9620	121
5720	136	6750	122	8205	83	09340	79
5910	47	6760	130, 131	8206	83	09341	79
5915	47	6760HH	130, 131	8207	83	09342	79
5920	47	6760CC	130, 131	8208	83	09343	79
5925	47	6760HA	130, 131	8209	83	09344	79
5930	47	6800	41	8210	83	09345	79
6000	80	6810	41	8211	83	09346	79
6005	80	6820	41	8212	83	09347	79
6006	80	6830	41	8300	83	09348	79
6007	80	6850	92, 93	8305	83	09537	79
6008	80	6855	92, 93	8306	83	09538	79
6009	80	6910	134	8307	83	09539	79
6010	80	6920	134	8308	83	09540	79
6011	80	7010	47	8309	83	09555	79
6012	80	7015	47	8310	83	09556	79
6100	75	7020	47	8400	83	09557	79
6105	75	7025	47	8405	83	09558	79
6106	75	7030	47	8406	83	09559	79
6107	75	7120	15, 51	8407	83	09560	79
6108	75	7130	51	8408	83	09561	79
6109	75	7140	15, 51	8409	83	09562	79
6110	75	7200	83	8410	83	09900	56
6111	75	7205	83	8521	155	09901	56
6112	75	7206	83	8522	154	09902	56
6120	110, 111	7207	83	8528	154	68010	104
6200	75	7208	83	8529	154	70200	118
6205	75	7209	83	8534	154	70201	118
6206	75	7210	83	8535	154	70210	118
6207	75	7211	83	8547	154	70211	118
6208	75	7212	83	8559	154	70220	118
6209	75	7300	83	8567	155	70221	118
6210	75	7305	83	8568	155	70270	118
6211	75	7306	83	8580	146	70271	118
6212	75	7307	83	8582	146	70410	117
6300	75	7308	83	8585	146	70420	117
6305	75	7309	83	8702	112, 113	70430	117
6306	75	7310	83	8704	112, 113	70510	117
6307	75	7400	83	8706	112, 113	70520	117
6308	75	7405	83	8708	112, 113	70530	117
6309	75	7406	83	8713	112, 113	70550	117
6310	75	7407	83	8715	112, 113	90225	78
6400	75	7408	83	8820	15, 54	90325	78
6405	75	7409	83	8840	15, 54	91225	78
6406	75	7410	83	8900	154	91325	78
6407	75	7500	71	9070	157	91425	78
6408	75	7501	71	9071	157	92225	78
6409	75	7502	71	9072	157	92325	78
6410	75	7504	70	9080	157	92425	78
6532	158	7506	70	9081	157	93225	78
6533	158	7507	70	9082	157	93325	78
6534	158	7511	70	9170	157	93425	78
6536	158	7512	70	9171	157	194225	78
6537	158	7516	163	9172	157	194325	78
6538	158	7518	163	9180	157	194425	78
6539	158	8162	161	9181	157	400025	80

Model	Page	Model	Page	Model	Page	Model	Page
400525	80	B589	144	S5211	73	PB1500T	170
400625	80	B591	144	S5212	73	PB2237	169
400725	80	B592	144	S6009	77	PB2937	169
400825	80	B593	144	S6010	77	PB48ENC	176
400925	80	B596	144	S6011	77	PB37	174
401025	80	B597	144	S6012	77	PB51	174
401125	80	B599	144	S6209	73	PB64ENC	176
401225	80	DCD-5506	132, 133	S6210	73	PB6760CC	175
500025	80	DCD-5510	132, 133	S6211	73	PB6760HA	175
500525	80	DCD-5514	132, 133	S6212	73	PB6760HC	175
500625	80	E6200	69	V4010	77	PB6760HH	175
500725	80	E6205	69	V4011	77	PB712	172
500825	80	E6206	69	V4012	77	PB713	172
500925	80	E6207	69	V4013	77	PB848	164
501025	80	E6208	69	V4014	77	PB991	171
501125	80	E6209	69	V5010	77	PBCR1	167
501225	80	E6210	69	V5011	77	PBCR2	167
600025	80	E6211	69	V5012	77	PBDR36	168
600525	80	E6212	69	V5013	77	PBDR48	168
600625	80	E917	68	V5014	77	PBDR60	168
600725	80	E927	68	V5210	72	PBGRD1	169
600825	80	E937	68	V5211	72	PBGRD2	169
600925	80	S4006	77	V5212	72	PBHTSA12	173
601025	80	S4007	77	V5213	72	PBPR988	168
601125	80	S4009	77	V5214	72	PBPR990	168
601225	80	S4010	77	V6010	77	PBST3W	178
3070 Ind	100, 101	S4011	77	V6011	77	PBST4W	178
3070 Pro	100, 101	S4012	77	V6012	77	PBDCE1	177
682-10	106, 107	S5009	77	V6013	77	PBTDR108	167
682-20	106, 107	S5010	77	V6014	77	PBTDR42	167
690-10	114, 115	S5011	77	V6210	72	PBTDR54	167
690-20	114, 115	S5012	77	V6211	72	PBTDR84	167
690-30	114, 115	S5206	73	V6212	72	PBWS48	171
690-40	114, 115	S5207	73	V6213	72	PBWS60	171
B587	144	S5209	73	V6214	72		
B588	144	S5210	73	PB1500	170		

Price List available through
AutoQuotes or at
eLakesideFoodservice.com/catalog



ALPHABETICAL INDEX

Item	Page
ACCESSORIES	
Multi-Shelf Carts	60
Beverage Service Cart	98
Tray Delivery Carts	140
Dish Carts	147
Mart Cart	105
Pellet Dispensers	71
Plate Dispensers	78
Racks	156
Serv'N Express®	106
Tray and Flatware / Condiment Cart	88
ADA COMPLIANT PLATE DISPENSERS	
Adjust-A-Fit®	78 to 79
Regular	80 to 81
ADJUST-A-FIT® PLATE DISPENSERS	
Cabinets	68, 72, 76
Drop-in	78
Tubular Frame	82
BANQUET CARTS	
1000 lbs, Tough Transport®	144
1500 lbs, Extreme Duty®	146
Queen Mary	145 to 146
Bars, Portable	
	124
BEVERAGE SERVICE	
Breakout Dining Station	92 to 93
Cart	98
Cart Accessories	98 to 99
Drop-Leaf Cart	99
Hydration/Nutrition Cart	114 to 115
Portable Bar	124
Breakdown Cart, Soiled Dish	144
Breakout Dining Station	92 to 93
Bowl Stands	148
Bussing / Setup Stations	94 to 95
CABINETS	
Transport and Delivery	158
Can Storage and Dispensing Racks	
	159
Cantilever Dispensers, Tray and Glass Rack	
	84 to 85
Carrier, Food Boxes	
	126 to 127
CARTS	
Banquet	145 to 146
Beverage Service	98 to 99
Breakfast	108
Condiment	116 to 119
Display Cooking	100 to 103
Hydration/Nutrition	114 to 115
Ice	123
Late Tray Delivery	140 to 141
Mart Cart Mobile Kiosk	104 to 105
Oval Tray	146
Room Service	138
Soiled Dish Breakdown	144
Store 'N Carry Dish	147
Tray and Flatware / Condiment	88
Tray Delivery	134 to 140
CARTS UTILITY	
300 lbs, Standard Duty Carts	30 to 33
500 lbs, Medium Duty Carts	36 to 41
700 lbs, Heavy Duty Carts	44 to 47
1000 lbs, Tough Transport® Carts	50 to 51
1500 lbs, Extreme Duty® Carts	54
ACCESSORIES	
Multi-Shelf	60
Bussing	56
Enclosed Carts	58 to 59
Ergo-One® System Carts	56
Open Tray Carts	60
Utility Carts	55
Angle-Leg Utility Carts	51

Price List available through
AutoQuotes or at
eLakesideFoodservice.com/catalog

Item	Page
BUSSING	
Accessories	56
Carts	56 to 59
Comparison Guide, Carts	13 to 15
Choosing the Right Cart	16 to 17
Custom Finishes	57
Deep Shelf Utility Carts	45
Deep Well Utility Carts	37
ENCLOSED CARTS	
Accessories	56
Stainless Steel with Finish	57 to 59
ERGO-ONE® SYSTEM	
Accessories	56
Utility Carts	33, 41, 47, 51
EXTREME DUTY®, 1500 LBS	
Angle-Leg Utility	54
Comparison Guide	15
Index	52 to 53
Square Tube Frame Utility	54
Finishes	
Custom	57
Laminate	57
Vinyl	57
Front-of-the-House Utility Carts	31, 36
Guard Rail Utility Carts	30, 38, 45
GUIDE	
Cart Comparison	13 to 15
Selecting the Right Cart	16 to 17
Handler™ Series Utility Carts	32, 40, 46, 51
HEAVY DUTY CARTS, 700 LBS	
Bussing	57, 59
Comparison Guide	14
Deep Shelf Utility	45
Enclosed	57 to 59
Ergo-One® System Utility	47
Guard Rail Utility	45
Handler™ Series Utility	46
Index	42 to 43
Stainless Steel	44 to 47
Stainless Steel with Finish	57, 59
Traditional Utility	44
MEDIUM DUTY CARTS, 500 LBS	
Bussing	59
Comparison Guide	14
Deep Well Utility	44
Enclosed	59
Ergo-One® System Utility	41
Front-of-the-House Utility	36
Guard Rail Utility	38
Handler™ Series Utility	40
Index	34 to 35
Plastic	36 to 37
Multi Shelf	60 to 61
Stainless Steel	38 to 41
Stainless Steel with Finish	59
Traditional Utility	38
Tubular Utility	39
OPEN TRAY	
Accessories	60
Carts	60 to 62
Plastic Utility Carts	31, 36 to 37
Square Tube Frame Utility Carts	54
STANDARD DUTY CARTS, 300 LBS	
Bussing	58
Comparison Guide	13
Enclosed	58
Ergo-One® System Utility	33
Front-of-the-House Utility	31
Handler™ Series Utility	32

Item	Page
Index	28 to 29
Plastic Utility	31
Stainless Steel	30, 32 to 33
Stainless Steel with Finish	58
Traditional Utility	30
TOUGH TRANSPORT®, 1000 LBS	
Comparison Guide	15
Ergo-One® System Utility	51
Handler™ Series Utility	51
Index	48 to 49
Traditional Utility	50
Traditional Utility Carts	30, 38, 44, 50
Tubular Utility Carts	39
Vinyl Finishes	57
Cashier Stand	120
COMPACT	
Mart Carts	105
Mobile Hand Washing Station	121
Tray Delivery Cart	139
CONDIMENT CARTS	
Condi Express®	116 to 117
E-Z Serve™	118
Pouch Dispensing Systems	116 to 118
Cooking Display/Demo, Mobile Cart	100 to 103
COOKTOP	
Breakout Dining Station	92 to 93
Creation Express™ Mobile Cooking Cart	102 to 103
Creation Station® Mobile Cooking Cart	100 to 101
Serve-All™ Mobile Food Stations	122
CUP / GLASS RACK	
Cantilever Dispenser	84 to 85
Dollies	162
Drop-In Dispenser	89
Rack Dispenser	86
Racks	89
Custom Finishes	125
Dining Station, Breakout	92 to 93
Dish, Store 'N Carry Carts	147
DISPENSERS	
Can	159
Heated Pellet	71
Plate, Cabinet	68 to 76
Plate, Drop-in	77 to 81
Plate, Tubular	82 to 83
Tray and Glass Rack, Cantilever	84 to 85
Tray and Glass Rack, Drop-in	89
Tray and Glass Rack, Mobile	86
Display / Demonstration Cooking	100 to 103
Dome Drying Racks	141
DOLLIES	
Cup / Glass Rack	162
Sheet Pan	162
DROP-IN DISPENSERS	
Plate, ADA Compliant	78, 81
Plate, Adjust-A-Fit®	78 to 79
Plate, Heated	77, 78, 80
Plate, Open	77, 78, 80
Plate, Open Regular	80
Plate, Oval	77
Plate, Shielded	77, 78, 80
Plate, Square	77
Tray and Glass Rack	89
DRYING RACKS	
Dome	141
Tray	141
Sheet Pan	141
Dual Temperature Transport Carts	130 to 131
Dunnage Racks	157
ELITE SERIES™ CARTS	
Enclosed Room Service / Late Tray Delivery	138
Low Profile Tray Delivery	135 to 137

Item	Page
Tray Delivery	136
FINISHES	
Custom	125
Laminate	125
Vinyl	88, 125, 140
Food Carrier Boxes	126 to 127
FOOD SERVING	
Mart Carts	104 to 105
Serve-All™ Mobile Food Stations	114
Serv 'N Express® Mobile Kiosk	105 to 107
FOOD TRANSPORT	
Dual Temperature	130 to 131
Glass / Cup Rack	See Cup / Glass Rack
HAND WASHING	
Compact Mobile Station	121
Mobile Station	121
HEATED	
Pellet Dispensers	71
Plate Dispensers, Drop-In	77, 78, 80
Plate Disp, Mobile	68 to 69, 72 to 73, 75 to 76, 82 to 83
Serve-All™ Mobile Food Stations	122
Hitch System, PowerPlus™ Tug	161
Hydration / Nutrition Cart	112 to 115
Ice Carts	123
Index, Models with Pricing	180 to 183
KD Racks for Sheet Pans and Trays	155
KIOSK, MOBILE	
Breakfast Carts	108
Coffee Kiosk	110
Mart Carts	104 to 105
Serve-All™ Mobile Food Stations	122
Serv 'N Express®	107
Laminate Finishes	125
Late Tray Delivery Carts	138, 140
Machine Stands	148
MART CARTS	
Compact	105
Customize	105
Deluxe	104
Mobile Cooking Cart	100 to 103
MOBILE STATIONS	
Serve-All™ Food Serving	122
Tray Starter	87
Model Index	180 to 183
Multi-Shelf Carts	60 to 62
Narrow Opening Sheet Pan and Tray Racks	150 to 151
Non-Heated Plate Dispensers	72 to 74, 76, 82 to 83
Nutrition Carts	114 to 115
Oval Tray Cart	146
PAN/TRAY RACKS	
KD for Sheet Pans and Trays	155
Narrow Opening Sheet Pan and Tray	150 to 151
Pan and Tray	151
Steam Table Pan	153
Z Type Nesting Pan and Tray	155
PELLET HEATER/DISPENSER	
Accessories	70
Duo-Therm™ Heated Pellet and Plate, Mobile Cabinet	71
Heated Mobile Cabinet, Pellet Only	71
Pick-Up Carts, Tray	138, 140
PLATE DISPENSERS	
Accessories	79
Drop-In	See Drop-In Dispensers
Convection Heated Cabinets	70 to 71
Express Heat™ Forced Air Convection	68 to 69
PLATE DISPENSERS (CONT.)	
How to Select	66 to 67
Mobile Cabinets	68 to 76
Non-Heated Mobile Cabinets	72 to 74, 76, 82 to 83
Oval Plate, Mobile Cabinet	72
Square Plate, Mobile Cabinet	73

ALPHABETICAL INDEX CONTINUED

Item	Page
PLATFORM TRUCKS	
Dual Handle	163
PlusPower™ Battery Operated	160
Single Handle	163
PLUSPOWER™	
Platform Trucks	160
Tug	161
Universal Hitch System	161
Polycarbonate Box Racks	153
Portable Bar	124
Powered Equipment Tug	161
PREMIER SERIES™ CARTS	
Low Profile Tray Delivery	135
Tray Delivery	134
Proofer Racks	152
Queen Mary Banquet Carts	145 to 146
RACKS	
1500 lbs, Extreme Duty® Roll-In Cooler	155
Accessories	156
Can Storage and Dispensing	159
Drying, Dome, Tray, and Sheet Pan	141
Dunnage	157
Food Carrier Box (Room Service)	127
KD for Sheet Pan and Tray	155
Mobile Glass and Cup	89
Narrow Opening Sheet Pan and Tray	150 to 151
Pan and Tray	150
Polycarbonate Box	153
Proofer	152
Roll-In Cooler, Aluminum	154
Roll-In Cooler, Stainless Steel	152
Steam Table Pan	153
Z Type Nesting Pan and Tray	155
Recycling Stations	96 to 97
ROLL-IN COOLER RACKS	
1500 lbs, Extreme Duty®	155
Cooler and Proofer	152
Racks, Aluminum	154
Racks, Stainless Steel	152
ROOM SERVICE	
Delivery Carts	138
Food Carrier Boxes	126 to 127
Rack, Food Carrier Box	127
Tables	126
Serv 'N Express™ Mobile Kiosk	106 to 107
Setup / Bussing Stations	94 to 95
SHEET PAN	
Dollies	162
KD Racks	155
Narrow Opening Racks	150 to 151
Sink, Mobile	See Hand Washing
STANDS	
Cashier	120
Bowl	148
Machine	148
Tray	123

Price List available through
AutoQuotes or at
eLakesideFoodservice.com/catalog

Item	Page
STATION	
Breakout Dining	92 to 93
Creation Station® Mobile Cooking	100 to 101
Serve-All™ Food Serving	122
Mobile Hand Washing	121
Steam Table Pan Racks	153
Store 'N Carry Dish Cart	147
Stove Top	See Cooktop
Terms of Sale	187
TABLES	
Room Service	126
Wing	149
Work	149
Transport and Delivery, Cabinets	158
Transport Cart, Dual Temperature	130 to 131
TRAY	
Cantilever Dispenser	84 to 85
Drop-In Rack Dispenser	89
Dispenser, Mobile	86
Drying Racks	141
Stand	123
Starter Stations	87
Tray and Flatware / Condiment Cart	88
TRAY DELIVERY	
Compact Cart	139
Economy Cart	139
Elite Series™ Cart	136, 137
Late Delivery / Pick-up Cart	138, 140
Low Profile Cart	135, 137
Premier Series™ Cart	134, 135
Tray Starter Stations	87
TUBULAR FRAME PLATE DISPENSERS	
Adjust-A-Fit	82
Regular	83
Tug, Powered	161
Utility Carts	See CARTS UTILITY
Vinyl Finishes	88, 125, 140
Warranty	187
Wing Tables	149
Work Tables	149
Z Nesting Pan and Tray Racks	155

WARRANTY & TERMS OF SALE

WARRANTY

Lakeside Manufacturing, Inc. (Lakeside) warrants to the original purchaser that Lakeside Equipment will be of high standards of workmanship and materials and will be free of defects when shipped for a period of one year.

In addition to the above, Lakeside warrants to the original purchaser that component pumps used in condiment stations will be of high standards of workmanship and materials and will be free of defects when shipped for a period of one year for materials and 90 days for labor and service.

The foregoing is Lakeside's sole warranty with respect to the Equipment. THIS WARRANTY IS EXPRESSLY IN LIEU OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.

The warranties will not apply if it is determined by Lakeside that the Equipment became defective due to accident or because the purchaser failed to exercise due responsibility, abused, misused, misapplied or permitted alterations of the Equipment.

THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY against Lakeside shall be for the repair or replacement of defective original parts after it is determined by Lakeside that the parts are indeed defective. In addition, the above warranty does not cover any costs connected with removing or replacing any defective part nor the costs to transport the defective part or unit back to the manufacturer. All replacement parts are sent out F.O.B. factory.

Nothing in the above warranties shall make Lakeside liable for any incidental or consequential damages, including damages from or to food or any other object used in this Equipment, injury to personal property, or any other form of economic loss which result from defective Equipment or any part thereof.

This Warranty will be governed by the laws of the State of Wisconsin. This Warranty is not transferable, nor assignable by the purchaser.

PAYMENT TERMS

Net 30 days. A late payment fee of 1-1/2 % per month will be charged on past due payment balance. Visa, Mastercard and American Express are accepted.

RETURNED CHECKS

There is a charge of \$75.00 for any check returned to Lakeside by the bank.

F.O.B. POINTS

Factory, West Milwaukee, WI 53219; Murfreesboro, TN 37133. Shipments requiring lift gate or inside delivery will result in additional freight charges.

RETURNED GOODS

Not accepted without prior factory authorization. Returned merchandise must be in new, undamaged condition, and in the original shipping container. Returned goods must be received within six months of invoice date. All return shipments must be prepaid.

A minimum 25% restocking charge will apply to standard merchandise. CUSTOMER CHOICE merchandise will be subject to a higher restocking charge. CUSTOMER CHOICE merchandise includes Portable Bars, Creation Express, Creation Station, Cashier Stand, Condi Express, Serv' N Express, Hydration Cart and Mart Cart.

Returns of non-standard, configured, or custom merchandise will not be accepted.

FREIGHT DAMAGE

It is recommended that the outside and contents of all cartons received be inspected at the time of receipt. It is important that any damage be noted prior to signing for the shipment, since freight carriers are liable for damages only when such damage is indicated on the Bill of Lading. If damage is found, write details on the Bill of Lading and save the shipment, including the shipping case and packing material. Per ICC regulations, it is the responsibility of the consignee to file a claim with the carrier promptly after inspection. For assistance and replacement, contact our Customer Service Department.

FUTURE DELIVERY

Orders received without specific shipping date or for shipments beyond three months of receipt will be invoiced at prices prevailing at the time of shipment.

RUSH ORDERS

A service charge will apply to orders with expedited ship dates earlier than quoted normal lead times.



LAKESIDE MANUFACTURING, INC.

4900 West Electric Ave.
West Milwaukee, WI 53219
U.S.A.

Toll Free: (800) 558-8565
Phone: (414) 902-6400
Fax: (414) 902-6446
e-mail: info@eLakeside.com
web: www.eLakeside.com



L LAKESIDE
MOVING FOODSERVICE FORWARD™

GENEVA
CREATE AN EXPERIENCE
www.genevadesignsllc.com

Alluserv™
Elevating Your Meal Service Experiences
www.alluserv.com



MULTITERIA
Lead by design.
www.multiteriausa.com

MTD MADE TO DRAIN
ENGINEERED FLOOR TROUGHES
www.madetodrain.com

PRISON BILT
Extreme Duty Products **PERIOD**



Visit us online.

- Like us on Facebook
- Follow us on Twitter
- Connect with us on LinkedIn
- View us on YouTube

LAKESIDE MANUFACTURING, INC.
4900 West Electric Ave.
West Milwaukee, WI 53219
U.S.A.

Toll Free: (800) 558-8565 • Phone: (414) 902-6400 • Fax: (414) 902-6446
e-mail: info@eLakeside.com • web: www.eLakesideFoodservice.com